

## Varathane 262031

# Varathane Premium Fast Dry Wood Stain, Ipswich Pine, Half Pint User Manual

## 1. PRODUCT OVERVIEW

The Varathane Premium Fast Dry Wood Stain is an oil-based, high-performance wood stain designed for interior wood projects. It features nano pigment particles for rich color quality and enhanced wood grain highlighting. This stain offers one-coat coverage and dries to the touch in approximately one hour, eliminating the need for a pre-stain or wood conditioner on most wood types.

This manual provides detailed instructions for proper application, safety precautions, and product specifications to ensure optimal results.



Image 1: A can of Varathane Premium Fast Dry Wood Stain in Ipswich Pine, highlighting its fast-drying and one-coat coverage features.

## 2. SAFETY INFORMATION

**DANGER:** Combustible liquid and vapor. Keep away from heat, sparks, open flames, and other ignition sources. Vapors may cause flash fire. Use only with adequate ventilation. Ensure proper respiratory protection if ventilation is insufficient.

**Proposition 65 Warning:** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

- Wear appropriate personal protective equipment, including gloves and eye protection, during handling and

application.

- Avoid prolonged breathing of vapors. Use in a well-ventilated area or outdoors.
- Keep out of reach of children and pets.
- Dispose of rags and waste materials properly according to local regulations, as they may spontaneously combust if not handled correctly. Immediately place used rags in a sealed, water-filled metal container.
- In case of skin contact, wash thoroughly with soap and water. For eye contact, flush with water for 15 minutes and seek medical attention.

### 3. PREPARATION

---

Proper surface preparation is crucial for achieving a uniform and durable finish. Follow these steps before applying the stain:

1. **Clean the Surface:** Ensure the wood surface is clean, dry, and free of dirt, grease, glue, or old finishes.
2. **Sand the Wood:** For bare wood, sand in the direction of the grain. Begin with #120 grit sandpaper, then progress to #150, and finally #180 grit. Do not use finer grits as this can close the wood pores, preventing proper stain absorption.
3. **Remove Dust:** After sanding, thoroughly remove all sanding dust using a vacuum or a clean rag dampened with mineral spirits. Allow the surface to dry completely if mineral spirits were used.
4. **Stir the Stain:** Stir the stain thoroughly before and during use to ensure pigments are evenly distributed. Do not shake the can, as this can create bubbles.





## STEPS TO STAINING SUCCESS



**1**  
PREP

Prepare bare wood for staining by sanding in the direction of the grain. Begin with #120 grit sandpaper and progress through #150, and #180 grits. Before staining, remove all sanding dust, dirt, grease or glue with a vacuum or clean rag dampened with mineral spirits.



**2**  
APPLY

Apply one coat of stain liberally with a brush or clean, lint-free rag.



**3**  
PENETRATE

Wait 2-3 minutes then remove excess by wiping with a rag in the direction of the grain stain. Longer penetration times will lead to a darker color. Do not let stain dry before wiping away excess.

Penetration Times and Dry Times Vary by Wood Stain  
\*Varathane Premium Fast Dry, 1 HR  
\*Varathane Premium Stain, 2 HRs



**4**  
PROTECT

To complete your wood project and for the best protection, finish with any Varathane Polyurethane depending on your project needs. Polyurethane can be applied 1 hour after stain application. Darker colors may require a slightly longer dry time.

Image 2: An instructional graphic outlining the process of applying wood stain, including preparing the surface, applying the stain, allowing it to penetrate, and protecting the finished surface.

## 4. APPLICATION INSTRUCTIONS

Apply the stain following these steps for best results:

1. **Apply Stain:** Apply one liberal coat of stain using a high-quality natural bristle brush or a clean, lint-free rag. Ensure even coverage across the entire surface.
2. **Allow Penetration:** Allow the stain to penetrate the wood for 2-3 minutes. For a darker color, allow the stain to penetrate for a longer period, but do not let it dry completely before wiping.
3. **Wipe Excess:** After the desired penetration time, wipe off any excess stain with a clean, lint-free rag, moving in the direction of the wood grain. Ensure all excess is removed to prevent a tacky finish.

## 5. DRYING AND RECOATING

Varathane Premium Fast Dry Wood Stain is designed for quick drying:

- **Dry to Touch:** The stain typically dries to the touch in 1 hour. Drying times may vary based on humidity, temperature, and wood type.
- **Recoating:** If a darker color is desired, a second coat can be applied after 1 hour. Follow the same application steps as the first coat.
- **Topcoat Application:** To complete your wood project and provide protection, apply a Varathane polyurethane or other clear finish after the stain has dried for at least 1 hour. Darker stain colors may require a slightly longer drying time before applying a topcoat.

## 6. CLEANUP

Clean tools and spills immediately after use:

- **Tools:** Clean brushes and other application tools with mineral spirits or paint thinner.
- **Spills:** Wipe up spills immediately with a rag dampened with mineral spirits.
- **Disposal:** Dispose of all waste materials, including rags and empty containers, in accordance with local environmental regulations. Rags soaked with oil-based products can spontaneously combust; immediately place them in a sealed, water-filled metal container.

## 7. TROUBLESHOOTING

- **Uneven Color:** Ensure the wood surface is evenly sanded and free of contaminants. Apply stain uniformly and wipe off excess consistently. Different wood types absorb stain differently, which can affect final color.
- **Tacky Finish:** A tacky finish usually indicates that too much stain was applied and not enough excess was wiped off. Ensure all excess stain is removed after the penetration time. High humidity can also prolong drying.
- **Long Drying Time:** High humidity, low temperatures, or insufficient ventilation can extend drying times. Ensure adequate airflow and appropriate environmental conditions.
- **Color Not as Expected:** Always test the stain on an inconspicuous area of the wood or a scrap piece of the same wood type before full application. The final color can vary based on wood species, porosity, and application technique.

## 8. PRODUCT SPECIFICATIONS

Attribute	Detail
Brand	Varathane
Model Name	262031
Color	Ipswich Pine
Size	Half Pint (8.0 Fluid Ounces / 236 Milliliters)
Paint Type	Oil-based
Finish Type	Oil
Surface Recommendation	Wood
Recommended Uses	Interior wood projects (furniture, cabinets, doors, trim, paneling)
Special Feature	1-coat coverage, fast-drying

Attribute	Detail
Coverage	Up to 70 square feet per half pint
Item Weight	8.8 ounces (250 Grams)
Product Dimensions	3.15 x 5.51 x 8.27 inches
UPC	020066211738

## 9. ADDITIONAL RESOURCES

### 9.1. Color Options

Varathane Premium Fast Dry Wood Stain is available in a wide range of colors to suit various aesthetic preferences. Refer to the color chart below for a visual representation of available options.



Image 3: A comprehensive chart showcasing the wide array of available Varathane wood stain colors, from light to dark tones.



## 9.2. Example Applications

The versatility of Varathane Premium Fast Dry Wood Stain allows for its use in various interior wood projects, enhancing the natural beauty of wood grain.



Image 4: An example of furniture, a nightstand and a chair, treated with wood stain, demonstrating a natural wood finish.



Image 5: A dresser featuring multiple drawers, each stained with a different color of wood stain, illustrating the range of available finishes.





Image 6: A wall decorated with horizontally arranged wood planks, each stained in a different color, creating a rustic and colorful effect.





Image 7: A square art piece composed of various sized wood planks, stained in different colors and arranged in a mosaic pattern.

### 9.3. User Guide (PDF)

For a downloadable version of the user guide, please refer to the official PDF document:

[Download Varathane Premium Fast Dry Wood Stain User Guide \(PDF\)](#)

## 10. WARRANTY INFORMATION

---







This product comes with a manufacturer's warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the product packaging or contact Varathane customer support directly.

## 11. CUSTOMER SUPPORT


---

For further assistance, technical support, or inquiries regarding Varathane products, please visit the official Varathane website or contact their customer service department. Contact information can typically be found on the product packaging or the manufacturer's website.

Related Documents - 262031

	<p><a href="#">Varathane Triple Thick Polyurethane Technical Data and Application Guide</a></p> <p>Technical data, product specifications, and application instructions for Varathane Triple Thick Polyurethane, a water-based wood finish offering enhanced durability and ease of use.</p>
	<p><a href="#">Varathane Classic Fill Sticks Technical Data</a></p> <p>Technical data for Varathane Classic Fill Sticks, including uses, application instructions, surface preparation, and physical properties. Learn how to repair wood surfaces with these easy-to-use fill sticks.</p>
	<p><a href="#">Varathane 266174 Traditional Cherry Material Safety Data Sheet</a></p> <p>Material Safety Data Sheet (MSDS) for Varathane 266174 Traditional Cherry wood stain, detailing identification, hazards, composition, first aid, fire-fighting, handling, storage, exposure controls, and regulatory information.</p>
	<p><a href="#">Varathane / Touch-Up Markers Safety Data Sheet</a></p> <p>This document provides comprehensive safety data for Varathane / Touch-Up Markers, including hazard identification, composition, first aid measures, fire-fighting measures, handling and storage, exposure controls, physical and chemical properties, toxicological information, ecological information, disposal considerations, transport information, and regulatory information.</p>
	<p><a href="#">Varathane Triple Thick Polyurethane Technical Data and Application Guide</a></p> <p>Technical data, product specifications, and application instructions for Varathane Triple Thick Polyurethane, a water-based wood finish offering enhanced durability and ease of use.</p>
	<p><a href="#">Varathane Classic Fill Sticks Technical Data</a></p> <p>Technical data for Varathane Classic Fill Sticks, including uses, application instructions, surface preparation, and physical properties. Learn how to repair wood surfaces with these easy-to-use fill sticks.</p>






### [pdf] Guide

Joe Muccianti User Guide Varathane 307414 Premium Fast Dry Wood Stain Quart Barn Red Amazon 61pVvtwF0iL m media amazon images I |||

STAIN TECHNICAL DATA VAR-09 VARATHANE PREMIUM FAST DRY WOOD STAIN .DESCRIPTION AND USES . Var ... 559 307413 307414 303608 ---- -Pint 262021 262023 262024 262025 262026 262027 262028 262029 262030 **262031** 262032 262033 262034 262035 269398 269400 -----307416 -----313610 . Descriptio...

lang:en score:37 filesize: 89.64 K page\_count: 2 document date: 2016-11-10




### [pdf] Specifications Datasheet Decleration of Conformity

Joe Muccianti VARATHANE® PREMIUM FAST DRY WOOD STAIN Unilog Varathane Premium Fast Dry Wood Stain is recommended for all interior wood projects such as furniture cabinets doors and trim floors paneling It not VARATHANE 100037355 Specification Sheet VAR 09 Stains TDS 100037356 Datasheet assets unilogcorp 187 ITEM DOC rustoleum 80 ~ media DigitalEncyclopedia Documents RustoleumUSA English CBG ashx

STAIN TECHNICAL DATA VAR-09 VARATHANE PREMIUM FAST DRY WOOD STAIN .DESCRIPTION AND USES . Var ... 559 307413 307414 303608 ---- -Pint 262021 262023 262024 262025 262026 262027 262028 262029 262030 **262031** 262032 262033 262034 262035 269398 269400 -----307416 -----313610 . Descriptio...

lang:en score:25 filesize: 71.25 K page\_count: 2 document date: 2018-05-24



### [pdf]

arodrigu VAR 09 Varathane Premium Fast Dry Wood Stain TDS 3 rustoleum media DigitalEncyclopedia Documents RustoleumUSA English CBG ashx ||| ||| TECHNICAL DATA VARATHANE PREMIUM FAST DRY WOOD STAIN VAR-09 DESCRIPTION AND USES Varathane Premium Fast Dry Wood Stain is a high performance stain system enhanced with nano pigment particles. The nano pigments provide ultimate color quality

TECHNICAL DATA VARATHANE PREMIUM FAST DRY WOOD STAIN VAR-09 DESCRIPTION AND USES Varathane Premiu ... 262013 262014 262015 262016 269394 269395 297424 297425 262025 262026 262027 262028 262029 262030 **262031** 262032 262033 262034 262035 269398 269400 ----- Rustic Sage 297426 ----- ...

lang:en score:25 filesize: 558.81 K page\_count: 2 document date: 2021-10-20




### [pdf] Datasheet

arodrigu VAR 09 Varathane Premium Fast Dry Wood Stain TDS 4 rustoleum media DigitalEncyclopedia Documents RustoleumUSA English CBG ashx Technical Data SheetBuy at Wholesale Prices ThePaintStorecdn shopify s files 1 0734 4042 8308 v 1734361754rustoleum ||| ||| TECHNICAL DATA VARATHANE PREMIUM FAST DRY WOOD STAIN VAR-09 DESCRIPTION AND USES Varathane Premium Fast Dry Wood Stain is a high performance stain system enhanced with nano pigment particles. The nano pigments provide ultimate color quality

TECHNICAL DATA VARATHANE PREMIUM FAST DRY WOOD STAIN VAR-09 DESCRIPTION AND USES Varathane Premiu ... 2023 262004 Spring Oak 262024 262005 Early American 262025 262026 262027 262028 262029 262030 **262031** 262032 262033 262034 262035 269398 269400 386618 ----- 262006 262007 262008 262009 26201...

lang:en score:24 filesize: 560.57 K page\_count: 2 document date: 2023-01-04

STAIN		TECHNICAL DATA	VAR-09		
		<b>VARATHANE® PREMIUM FAST DRY WOOD STAIN</b>			
<b>DESCRIPTION AND USES</b>					
<p>Varathane Premium Fast Dry Wood Stain is a water-based, penetrating stain that penetrates deep into the wood grain, providing a rich, uniform color and a natural, non-glossy finish. It is designed for use on all types of wood, including hardwoods, softwoods, and plywood. The stain is formulated with a fast-drying formula, allowing for quick application and a long-lasting finish. It is available in a variety of colors, including natural, gray, and brown. For best results, use the stain on clean, dry wood. Avoid applying to wet or oily surfaces. The stain is not recommended for use on painted or stained wood. It is not recommended for use on surfaces that will be in contact with water or other liquids. It is not recommended for use on surfaces that will be in contact with fire or heat. It is not recommended for use on surfaces that will be in contact with chemicals or solvents. It is not recommended for use on surfaces that will be in contact with abrasives or sandpaper. It is not recommended for use on surfaces that will be in contact with other finishes or coatings. It is not recommended for use on surfaces that will be in contact with other materials or objects. It is not recommended for use on surfaces that will be in contact with other people or animals. It is not recommended for use on surfaces that will be in contact with other things. It is not recommended for use on surfaces that will be in contact with other anything.</p>					
<b>PRODUCTS</b>					
DESCRIPTION	QUART	1/2 PINT			
Golden Oak	262021	262021			
Barnwood	262022	262022			
Early American	262023	262023			
Dark Walnut	262024	262024			
Dark Cherry	262025	262025			
Dark Walnut	262026	262026			
Dark Walnut	262027	262027			
Dark Walnut	262028	262028			
Dark Walnut	262029	262029			
Dark Walnut	262030	262030			
Dark Walnut	262031	262031			
Dark Walnut	262032	262032			
Dark Walnut	262033	262033			
Dark Walnut	262034	262034			
Dark Walnut	262035	262035			
Dark Walnut	262036	262036			
Dark Walnut	262037	262037			
Dark Walnut	262038	262038			
Dark Walnut	262039	262039			
Dark Walnut	262040	262040			
Dark Walnut	262041	262041			
Dark Walnut	262042	262042			
Dark Walnut	262043	262043			
Dark Walnut	262044	262044			
Dark Walnut	262045	262045			
Dark Walnut	262046	262046			
Dark Walnut	262047	262047			
Dark Walnut	262048	262048			
Dark Walnut	262049	262049			
Dark Walnut	262050	262050			
Dark Walnut	262051	262051			
Dark Walnut	262052	262052			
Dark Walnut	262053	262053			
Dark Walnut	262054	262054			
Dark Walnut	262055	262055			
Dark Walnut	262056	262056			
Dark Walnut	262057	262057			
Dark Walnut	262058	262058			
Dark Walnut	262059	262059			
Dark Walnut	262060	262060			
Dark Walnut	262061	262061			
Dark Walnut	262062	262062			
Dark Walnut	262063	262063			
Dark Walnut	262064	262064			
Dark Walnut	262065	262065			
Dark Walnut	262066	262066			
Dark Walnut	262067	262067			
Dark Walnut	262068	262068			
Dark Walnut	262069	262069			
Dark Walnut	262070	262070			
Dark Walnut	262071	262071			
Dark Walnut	262072	262072			
Dark Walnut	262073	262073			
Dark Walnut	262074	262074			
Dark Walnut	262075	262075			
Dark Walnut	262076	262076			
Dark Walnut	262077	262077			
Dark Walnut	262078	262078			
Dark Walnut	262079	262079			
Dark Walnut	262080	262080			
Dark Walnut	262081	262081			
Dark Walnut	262082	262082			
Dark Walnut	262083	262083			
Dark Walnut	262084	262084			
Dark Walnut	262085	262085			
Dark Walnut	262086	262086			
Dark Walnut	262087	262087			
Dark Walnut	262088	262088			
Dark Walnut	262089	262089			
Dark Walnut	262090	262090			
Dark Walnut	262091	262091			
Dark Walnut	262092	262092			
Dark Walnut	262093	262093			
Dark Walnut	262094	262094			
Dark Walnut	262095	262095			
Dark Walnut	262096	262096			
Dark Walnut	262097	262097			
Dark Walnut	262098	262098			
Dark Walnut	262099	262099			
Dark Walnut	262100	262100			
Dark Walnut	262101	262101			
Dark Walnut	262102	262102			
Dark Walnut	262103	262103			
Dark Walnut	262104	262104			
Dark Walnut	262105	262105			
Dark Walnut	262106	262106			
Dark Walnut	262107	262107			
Dark Walnut	262108	262108			
Dark Walnut	262109	262109			
Dark Walnut	262110	262110			
Dark Walnut	262111	262111			
Dark Walnut	262112	262112			
Dark Walnut	262113	262113			
Dark Walnut	262114	262114			
Dark Walnut	262115	262115			
Dark Walnut	262116	262116			
Dark Walnut	262117	262117			
Dark Walnut	262118	262118			
Dark Walnut	262119	262119			
Dark Walnut	262120	262120			
Dark Walnut	262121	262121			
Dark Walnut	262122	262122			
Dark Walnut	262123	262123			
Dark Walnut	262124	262124			
Dark Walnut	262125	262125			
Dark Walnut	262126	262126			
Dark Walnut	262127	262127			
Dark Walnut	262128	262128			
Dark Walnut	262129	262129			
Dark Walnut	262130	262130			
Dark Walnut	262131	262131			
Dark Walnut	262132	262132			
Dark Walnut	262133	262133			
Dark Walnut	262134	262134			
Dark Walnut	262135	262135			
Dark Walnut	262136	262136			
Dark Walnut	262137	262137			
Dark Walnut	262138	262138			
Dark Walnut	262139	262139			
Dark Walnut	262140	262140			
Dark Walnut	262141	262141			
Dark Walnut	262142	262142			
Dark Walnut	262143	262143			
Dark Walnut	262144	262144			
Dark Walnut	262145	262145			
Dark Walnut	262146	262146			
Dark Walnut	262147	262147			
Dark Walnut	262148	262148			
Dark Walnut	262149	262149			
Dark Walnut	262150	262150			
Dark Walnut	262151	262151			
Dark Walnut	262152	262152			
Dark Walnut	262153	262153			
Dark Walnut	262154	262154			
Dark Walnut	262155	262155			
Dark Walnut	262156	262156			
Dark Walnut	262157	262157			
Dark Walnut	262158	262158			
Dark Walnut	262159	262159			
Dark Walnut	262160	262160			
Dark Walnut	262161	262161			
Dark Walnut	262162	262162			
Dark Walnut	262163	262163			
Dark Walnut	262164	262164			
Dark Walnut	262165	262165			
Dark Walnut	262166	262166			
Dark Walnut	262167	262167			
Dark Walnut	262168	262168			
Dark Walnut	262169	262169			
Dark Walnut	262170	262170			
Dark Walnut	262171	262171			
Dark Walnut	262172	262172			
Dark Walnut	262173	262173			
Dark Walnut	262174	262174			
Dark Walnut	262175	262175			
Dark Walnut	262176	262176			
Dark Walnut	262177	262177			
Dark Walnut	262178	262178			
Dark Walnut	262179	262179			
Dark Walnut	262180	262180			
Dark Walnut	262181	262181			
Dark Walnut	262182	262182			
Dark Walnut	262183	262183			
Dark Walnut	262184	262184			
Dark Walnut	262185	262185			
Dark Walnut	262186	262186			
Dark Walnut	262187	262187			
Dark Walnut	262188	262188			
Dark Walnut	262189	262189			
Dark Walnut	262190	262190			
Dark Walnut	262191	262191			
Dark Walnut	262192	262192			
Dark Walnut	262193	262193			
Dark Walnut	262194	262194			
Dark Walnut	262195	262195			
Dark Walnut	262196	262196			
Dark Walnut	262197	262197			
Dark Walnut	262198	262198			
Dark Walnut	262199	262199			
Dark Walnut	262200	262200			
Dark Walnut	262201	262201			
Dark Walnut	262202	262202			
Dark Walnut	262203	262203			
Dark Walnut	262204	262204			
Dark Walnut	262205	262205			
Dark Walnut	262206	262206			
Dark Walnut	262207	262207			
Dark Walnut	262208	262208			
Dark Walnut	262209	262209			
Dark Walnut	262210	262210			
Dark Walnut	262211	262211			
Dark Walnut	262212	262212			
Dark Walnut	262213	262213			
Dark Walnut	262214	262214			
Dark Walnut	262215	262215			
Dark Walnut	262216	262216			
Dark Walnut	262217	262217			
Dark Walnut	262218	262218			
Dark Walnut	262219	262219			
Dark Walnut	262220	262220			
Dark Walnut	262221	262221			
Dark Walnut	262222	262222			
Dark Walnut	262223	262223			
Dark Walnut	262224	262224			
Dark Walnut	262225	262225			
Dark Walnut	262226	262226			
Dark Walnut	262227	262227			
Dark Walnut	262228	262228			
Dark Walnut	262229	262229			
Dark Walnut	262230	262230			
Dark Walnut	262231	262231			
Dark Walnut	262232	262232			
Dark Walnut	262233	262233			
Dark Walnut	262234	262234			
Dark Walnut	262235	262235			
Dark Walnut	262236	262236			
Dark Walnut	262237	262237			
Dark Walnut	262238	262238			
Dark Walnut	262239	262239			
Dark Walnut	262240	262240			
Dark Walnut	262241	262241			
Dark Walnut	262242	262242			
Dark Walnut	262243	262243			
Dark Walnut	262244	262244			
Dark Walnut	262245	262245			
Dark Walnut	262246	262246			
Dark Walnut	262247	262247			
Dark Walnut	262248	262248			
Dark Walnut	262249	262249			
Dark Walnut	262250	262250			
Dark Walnut	262251	262251			
Dark Walnut	262252	262252			
Dark Walnut	262253	262253			
Dark Walnut	262254	262254			
Dark Walnut	262255	262255			
Dark Walnut	262256	262256			
Dark Walnut	262257	262257			
Dark Walnut	262258	262258			
Dark Walnut	262259	262259			
Dark Walnut	262260	262260			
Dark Walnut	262261	262261			
Dark Walnut	262262	262262			
Dark Walnut	262263	262263			
Dark Walnut	262264	262264			
Dark Walnut	262265	262265			
Dark Walnut	262266	262266			
Dark Walnut	262267	262267			
Dark Walnut	262268	262268			
Dark Walnut	262269	262269			
Dark Walnut	262270	262270			
Dark Walnut	262271	262271			
Dark Walnut	262272	262272			
Dark Walnut	262273	262273			
Dark Walnut	262274	262274			
Dark Walnut	262275	262275			
Dark Walnut	262276	262276			
Dark Walnut	262277	262277			
Dark Walnut	262278	262278			
Dark Walnut	262279	262279			
Dark Walnut	262280	262280			
Dark Walnut	262281	262281			
Dark Walnut	262282	262282			
Dark Walnut	262283	262283			
Dark Walnut	262284	262284			
Dark Walnut	262285	262285			
Dark Walnut	262286	262286			
Dark Walnut	262287	262287			
Dark Walnut	262288	262288			
Dark Walnut	262289	262289			
Dark Walnut	262290	262290			
Dark Walnut	262291	262291			
Dark Walnut	262292	262292			
Dark Walnut	262293	262293			
Dark Walnut	262294	262294			
Dark Walnut	262295	262295			
Dark Walnut	262296	262296			
Dark Walnut	262297	262297			
Dark Walnut	262298	262298			
Dark Walnut	262299	262299			
Dark Walnut	262300	262300			
Dark Walnut	262301	262301			
Dark Walnut	262302	262302			
Dark Walnut	262303	262303			
Dark Walnut	262304	262304			
Dark Walnut	262305	262305			
Dark Walnut	262306	262306			
Dark Walnut	262307	262307			
Dark Walnut	262308	262308			
Dark Walnut	262309	262309			
Dark Walnut	262310	262310			
Dark Walnut	262311	262311			
Dark Walnut	262312	262312			
Dark Walnut	262313	262313			
Dark Walnut	262314	262314			
Dark Walnut	262315	262315			
Dark Walnut	262316	262316			
Dark Walnut	262317	262317			
Dark Walnut	262318	262318			
Dark Walnut	262319	262319			
Dark Walnut	262320	262320			
Dark Walnut	262321	26			

## Safety Data Sheet



## 1. Identification

<b>Product Name:</b>	VARA HP-6PK FAST DRY STAIN (SP)WCH PINE	<b>Revision Date:</b>	12/02/2015
<b>Product Identifier:</b>	262031	<b>Supersedes Date:</b>	None SDS
<b>Product Use/Class:</b>	Grain/Solventborne		
<b>Supplier:</b>	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA	<b>Manufacturer:</b>	Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061 USA

Preparer: Regulatory Department  
Emergency Telephone: 24 Hour Hotline: 847-367-7700

## 2. Hazard Identification



**Signal Word**

## GHS HAZARD STATEMENTS

<b>GIS HAZARD STATEMENTS</b>	
P001	Flammable liquid, category 3
P002	Severe irritant, category 1
P003	Caustic Corrosivity, category 1B
P004	Very toxic to aquatic life, category 1B
P007	Repeated exposure may cause respiratory irritation
P010	May be fatal if swallowed and enters airways
P011	Causes respiratory irritation
P012	Causes skin irritation
P013	Causes eye irritation
P014	Causes allergic skin reaction
P015	May cause genetic defects
P016	Causes damage to organs
<b>GIS LABEL PRECAUTIONARY STATEMENTS</b>	
P001	Obtain special instructions before use
P002	Wear eye protection. Use long-handled tools. Before cleaning, spark, open flames and other ignition sources. NO smoking.
P003	Obtain special instructions before use
P004	Obtain special instructions before use
P007	Obtain special instructions before use
P010	Obtain special instructions before use
P011	Obtain special instructions before use
P012	Obtain special instructions before use
P013	Obtain special instructions before use
P014	Obtain special instructions before use
P015	Obtain special instructions before use
P016	Obtain special instructions before use
<b>GIS SDS PRECAUTIONARY STATEMENTS</b>	
P001	Obtain special instructions and handling equipment
P002	Obtain special instructions and handling equipment
P003	Obtain special instructions and handling equipment
P004	Obtain special instructions and handling equipment
P007	Obtain special instructions and handling equipment
P010	Obtain special instructions and handling equipment
P011	Obtain special instructions and handling equipment
P012	Obtain special instructions and handling equipment
P013	Obtain special instructions and handling equipment
P014	Obtain special instructions and handling equipment
P015	Obtain special instructions and handling equipment
P016	Obtain special instructions and handling equipment

P033+P013	If deslimeration or each occurs: Get medical advice immediately.
<b>GHS SDS PRECAUTIONARY STATEMENTS</b>	
P040	Ground/flood container and receiving equipment.
P041	Use explosion-proof electrical/electrostatic/lighting/ignition sources.
P042	Use non-sparking tools.

[\[pdf\]](#) Instructions Datasheet Decleration of Conformity Safety Datasheet Label

Rust Oleum GHS 16 Section SDS VARATHANE 262031 100069429 McLendon Hardware assets

unilogcorp 187 ITEM DOC |||

Date Printed: 12/22/2015 Page 1 / 5 Safety Data Sheet \* Trusted Quality Since 1921 \*

www.rustoleum.com 1. Identification Product Name: Product Identifier: Product

Use/Class: Supplier: VARA HP 4PK FAST DRY STAIN IPSWICH Revision Date:

PINE **262031** Stain/Solventborne Rust-Oleum Corporation 11 Haw...

lang:en score:22 filesize: 128.89 K page count: 5 document date: 2015-12-22