

[manuals.plus](#) /› [DJI](#) /› [DJI Inspire 1-P3 Part 57 Remote Controller Monitor Hood User Manual](#)**DJI 11563**

# DJI Inspire 1-P3 Part 57 Remote Controller Monitor Hood User Manual

Brand: DJI | Model: 11563

## 1. PRODUCT OVERVIEW

---

The DJI Remote Controller Monitor Hood is designed to shield your tablet device from direct sunlight, providing a clearer view of your display during drone operation. This accessory is collapsible for easy transport and storage, and is specifically designed for use with DJI Inspire 1 and Phantom 3 Advanced/Professional remote controllers.

### Key Features:

- Original DJI Mini Tablet Sun Shade. Compatible with iPad Mini and majority of small-form factor tablet devices.
- Mini Tablet's Maximum device size: 205mm\*145mm\*128mm - 8" x 5.5" X 5.
- Shields your tablets from direct sunlight to give you a perfectly clear view of your display.
- Collapsible and easy to carry.
- Can be installed on the remote controllers for Inspire 1 and P3 Advanced/Professional.



Figure 1.1: The DJI Remote Controller Monitor Hood in its open, ready-to-use configuration. This image shows the hood's black interior designed to absorb light and its white exterior.



Figure 1.2: The DJI Remote Controller Monitor Hood folded flat, demonstrating its collapsible design for convenient storage and portability.

## 2. COMPATIBILITY

---

This monitor hood is designed for optimal compatibility with the following devices and remote controllers:

- **Tablet Devices:** Compatible with iPad Mini and the majority of small-form factor tablet devices.
- **Maximum Device Dimensions:** 205mm (length) x 145mm (width) x 128mm (height) or approximately 8 inches x 5.5 inches x 5 inches.
- **Remote Controllers:** Designed for use with DJI Inspire 1 and Phantom 3 Advanced/Professional remote controllers.

*Note:* Ensure your tablet's dimensions, especially with any protective cases, fall within the specified maximum dimensions for proper fit and functionality.

## 3. SETUP AND INSTALLATION

---

Follow these steps to properly set up and install the monitor hood on your remote controller:

1. **Unfold the Hood:** Gently unfold the monitor hood from its collapsed state. The internal Velcro strips will help the hood take its cubic shape. Ensure all sides are properly aligned and secured by the Velcro.
2. **Attach to Remote Controller:** Position the monitor hood over the tablet holder on your DJI Inspire 1 or Phantom 3 Advanced/Professional remote controller. The hood is designed to sit securely on the existing tablet mount.
3. **Insert Tablet:** Carefully slide your compatible tablet into the hood. The tablet should fit snugly within the hood's dimensions.
4. **Secure Tablet:** Use the remote controller's tablet clamp to secure the tablet firmly in place. The hood will be

held in position by the tablet and the controller's mount.

5. **Connect Cables:** Utilize the cutouts on the sides of the hood to access your tablet's charging port or data cable port (e.g., USB or Lightning). Connect the necessary cable to link your tablet to the remote controller.



*Figure 3.1: The monitor hood attached to a DJI remote controller, with a tablet inserted. This illustrates the hood's integration with the controller's tablet mount.*



Figure 3.2: A side view of the monitor hood on the remote controller, highlighting the cutouts designed for easy access to tablet ports for cable connections.

## 4. OPERATING INSTRUCTIONS

---

Once installed, the monitor hood enhances your viewing experience in bright conditions:

- **Glare Reduction:** The hood's design and dark interior significantly reduce glare and reflections on your tablet screen caused by direct sunlight.
- **Optimal Viewing Angle:** Position yourself and the remote controller to maximize the hood's effectiveness. While the hood greatly reduces glare, extreme angles or direct sunlight from behind may still cause some reflections.
- **Accessibility:** The side cutouts allow for continuous connection of your tablet to the remote controller, ensuring uninterrupted data flow and power if needed.

The collapsible nature of the hood allows for quick setup and breakdown, making it convenient for on-the-go drone operations.

## 5. MAINTENANCE

---

To ensure the longevity and optimal performance of your monitor hood, follow these maintenance guidelines:

- **Cleaning:** Use a soft, damp cloth to wipe down the exterior and interior surfaces of the hood. Avoid abrasive cleaners or solvents that could damage the material.
- **Storage:** When not in use, collapse the hood flat for compact storage. Store it in a dry, cool place away from direct sunlight and extreme temperatures to prevent material degradation.
- **Handling:** Handle the hood with care, especially when folding and unfolding, to avoid bending or creasing the material excessively, which could affect its structural integrity.

## 6. TROUBLESHOOTING

---

If you encounter issues with your monitor hood, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Tablet does not fit inside the hood.	Tablet dimensions (especially with a case) exceed the hood's maximum capacity.	Verify your tablet's dimensions against the hood's specifications (205mm x 145mm x 128mm). Remove bulky cases if necessary.
Hood does not stay open or collapses easily.	Velcro strips are not fully engaged or are worn.	Ensure all internal Velcro strips are firmly pressed together to secure the hood's shape. If worn, consider replacing the hood.
Glare is still present despite using the hood.	Extreme lighting conditions or reflections from other surfaces.	Adjust your position relative to the sun. While the hood significantly reduces glare, it may not eliminate all reflections in very bright or specific lighting scenarios.
Difficulty connecting cables through side cutouts.	Tablet port location is not aligned with the cutouts, or cable connector is too large.	Ensure the tablet is correctly seated. Some tablet models may have slightly different port placements; the cutouts are designed for common central port locations.

## 7. SPECIFICATIONS

Attribute	Detail
Product Dimensions	8.19 x 0.98 x 6.22 inches (unfolded, approximate)
Item Weight	2.2 pounds
Model Number	11563
Brand	DJI
Color	Black (interior), White (exterior)
Compatible Devices	Tablets (iPad Mini and similar small-form factor devices)
Form Factor	Cover / Hood
Shell Type	Soft (collapsible)
Date First Available	July 18, 2015

## 8. WARRANTY AND SUPPORT







For information regarding warranty coverage, technical support, or service for your DJI Remote Controller Monitor Hood, please refer to the official DJI website or contact DJI customer service directly.


**Official DJI Website:** [www.dji.com](http://www.dji.com)

**DJI Store on Amazon:** [Visit the DJI Store](http://Visit the DJI Store)

Please have your product model number (11563) and purchase details available when contacting support.

## Related Documents - 11563

	<p><b><a href="#">UgCS for DJI Android App User Manual v2.37</a></b></p> <p>User manual for the UgCS for DJI Android application, version 2.37. This guide provides instructions on connecting DJI drones, planning missions, controlling flights, and utilizing advanced features with SPH Engineering's UgCS software.</p>
	<p><b><a href="#">UgCS for DJI User Manual v2.39: Advanced Drone Flight Control and Mission Planning</a></b></p> <p>Explore the UgCS for DJI Android app user manual (v2.39) by SPH Engineering. Learn to connect, plan missions, control DJI drones, manage camera settings, and troubleshoot for enhanced aerial operations.</p>
	<p><b><a href="#">UgCS for DJI User Manual v.2.36</a></b></p> <p>User manual for the UgCS for DJI Android application, version 2.36. This guide covers drone connection, mission planning, execution, and troubleshooting for DJI drones.</p>
	<p><b><a href="#">LifThor Lite TRIPLTEK Mount User Manual for DJI Phantom, Inspire, and Agras Drones</a></b></p> <p>User manual for the LifThor Lite TRIPLTEK mount, a tablet holder designed for DJI Phantom, Inspire, and Agras drones. Includes assembly instructions and usage details.</p>
	<p><b><a href="#">DJI Goggles Racing Edition User Guide</a></b></p> <p>Comprehensive user guide for the DJI Goggles Racing Edition, covering setup, operation, features, and specifications for an immersive FPV experience with DJI aircraft.</p>
	<p><b><a href="#">DJI Care Pro: Allgemeine Geschäftsbedingungen und Serviceleistungen</a></b></p> <p>Umfassende Informationen zu den Allgemeinen Geschäftsbedingungen, Leistungen, Ausschlüssen und Serviceprozessen des DJI Care Pro Produktschutzplans für DJI Drohnen und Kameras.</p>



[\[pdf\]](#) Guide Buyer's Guide Accessories

BUYER S GUIDE Billboard 1967 08 19 II International Buyers Guide worldradiohistory Archive All Music 60s |||

BUYER S GUIDE 1967-68 INTERNATIONAL OF THE MUSIC-RECORD INDUSTRY  
INTERNATIONAL RECORD SURVEY U.S. R ... series: Guitar-Goya I,E,D , Herco M,E,D . William R. Gratz, 14 Bixley Heath, Lynbrook, L.I., N.Y. **11563**. Tel: 516 LY 9-3003. Gen. Mgr.: John M. Connolly Jr. Guitars: Hfner I . Gregory Amplifier, ...  
lang:en **score:19** filesize: 36.8 M page\_count: 296 document date: 2024-06-25

List of Effective Pages			
Total number of pages is 212, as follows:			
Page No.	Issue	Page No.	Issue
1	Original		
1-1 Rev 1	Original		
1-1 Rev 2	Original		
1-1 Rev 3	Original		
1-1 Rev 4	Original		
1-1 Rev 5	Original		
1-1 Rev 6	Original		
1-1 Rev 7	Original		
1-1 Rev 8	Original		
1-1 Rev 9	Original		
1-1 Rev 10	Original		
1-1 Rev 11	Original		
1-1 Rev 12	Original		
1-1 Rev 13	Original		
1-1 Rev 14	Original		
1-1 Rev 15	Original		
1-1 Rev 16	Original		
1-1 Rev 17	Original		
1-1 Rev 18	Original		
1-1 Rev 19	Original		
1-1 Rev 20	Original		
1-1 Rev 21	Original		
1-1 Rev 22	Original		
1-1 Rev 23	Original		
1-1 Rev 24	Original		
1-1 Rev 25	Original		
1-1 Rev 26	Original		
1-1 Rev 27	Original		
1-1 Rev 28	Original		
1-1 Rev 29	Original		
1-1 Rev 30	Original		
1-1 Rev 31	Original		
1-1 Rev 32	Original		
1-1 Rev 33	Original		
1-1 Rev 34	Original		
1-1 Rev 35	Original		
1-1 Rev 36	Original		
1-1 Rev 37	Original		
1-1 Rev 38	Original		
1-1 Rev 39	Original		
1-1 Rev 40	Original		
1-1 Rev 41	Original		
1-1 Rev 42	Original		
1-1 Rev 43	Original		
1-1 Rev 44	Original		
1-1 Rev 45	Original		
1-1 Rev 46	Original		
1-1 Rev 47	Original		
1-1 Rev 48	Original		
1-1 Rev 49	Original		
1-1 Rev 50	Original		
1-1 Rev 51	Original		
1-1 Rev 52	Original		
1-1 Rev 53	Original		
1-1 Rev 54	Original		
1-1 Rev 55	Original		
1-1 Rev 56	Original		
1-1 Rev 57	Original		
1-1 Rev 58	Original		
1-1 Rev 59	Original		
1-1 Rev 60	Original		
1-1 Rev 61	Original		
1-1 Rev 62	Original		
1-1 Rev 63	Original		
1-1 Rev 64	Original		
1-1 Rev 65	Original		
1-1 Rev 66	Original		
1-1 Rev 67	Original		
1-1 Rev 68	Original		
1-1 Rev 69	Original		
1-1 Rev 70	Original		
1-1 Rev 71	Original		
1-1 Rev 72	Original		
1-1 Rev 73	Original		
1-1 Rev 74	Original		
1-1 Rev 75	Original		
1-1 Rev 76	Original		
1-1 Rev 77	Original		
1-1 Rev 78	Original		
1-1 Rev 79	Original		
1-1 Rev 80	Original		
1-1 Rev 81	Original		
1-1 Rev 82	Original		
1-1 Rev 83	Original		
1-1 Rev 84	Original		
1-1 Rev 85	Original		
1-1 Rev 86	Original		
1-1 Rev 87	Original		
1-1 Rev 88	Original		
1-1 Rev 89	Original		
1-1 Rev 90	Original		
1-1 Rev 91	Original		
1-1 Rev 92	Original		
1-1 Rev 93	Original		
1-1 Rev 94	Original		
1-1 Rev 95	Original		
1-1 Rev 96	Original		
1-1 Rev 97	Original		
1-1 Rev 98	Original		
1-1 Rev 99	Original		
1-1 Rev 100	Original		
1-1 Rev 101	Original		
1-1 Rev 102	Original		
1-1 Rev 103	Original		
1-1 Rev 104	Original		
1-1 Rev 105	Original		
1-1 Rev 106	Original		
1-1 Rev 107	Original		
1-1 Rev 108	Original		
1-1 Rev 109	Original		
1-1 Rev 110	Original		
1-1 Rev 111	Original		
1-1 Rev 112	Original		
1-1 Rev 113	Original		
1-1 Rev 114	Original		
1-1 Rev 115	Original		
1-1 Rev 116	Original		
1-1 Rev 117	Original		
1-1 Rev 118	Original		
1-1 Rev 119	Original		
1-1 Rev 120	Original		
1-1 Rev 121	Original		
1-1 Rev 122	Original		
1-1 Rev 123	Original		
1-1 Rev 124	Original		
1-1 Rev 125	Original		
1-1 Rev 126	Original		
1-1 Rev 127	Original		
1-1 Rev 128	Original		
1-1 Rev 129	Original		
1-1 Rev 130	Original		
1-1 Rev 131	Original		
1-1 Rev 132	Original		
1-1 Rev 133	Original		
1-1 Rev 134	Original		
1-1 Rev 135	Original		
1-1 Rev 136	Original		
1-1 Rev 137	Original		
1-1 Rev 138	Original		
1-1 Rev 139	Original		
1-1 Rev 140	Original		
1-1 Rev 141	Original		
1-1 Rev 142	Original		
1-1 Rev 143	Original		
1-1 Rev 144	Original		
1-1 Rev 145	Original		
1-1 Rev 146	Original		
1-1 Rev 147	Original		
1-1 Rev 148	Original		
1-1 Rev 149	Original		
1-1 Rev 150	Original		
1-1 Rev 151	Original		
1-1 Rev 152	Original		
1-1 Rev 153	Original		
1-1 Rev 154	Original		
1-1 Rev 155	Original		
1-1 Rev 156	Original		
1-1 Rev 157	Original		
1-1 Rev 158	Original		
1-1 Rev 159	Original		
1-1 Rev 160	Original		
1-1 Rev 161	Original		
1-1 Rev 162	Original		
1-1 Rev 163	Original		
1-1 Rev 164	Original		
1-1 Rev 165	Original		
1-1 Rev 166	Original		
1-1 Rev 167	Original		
1-1 Rev 168	Original		
1-1 Rev 169	Original		
1-1 Rev 170	Original		
1-1 Rev 171	Original		
1-1 Rev 172	Original		
1-1 Rev 173	Original		
1-1 Rev 174	Original		
1-1 Rev 175	Original		
1-1 Rev 176	Original		
1-1 Rev 177	Original		
1-1 Rev 178	Original		
1-1 Rev 179	Original		
1-1 Rev 180	Original		
1-1 Rev 181	Original		
1-1 Rev 182	Original		
1-1 Rev 183	Original		
1-1 Rev 184	Original		
1-1 Rev 185	Original		
1-1 Rev 186	Original		
1-1 Rev 187	Original		
1-1 Rev 188	Original		
1-1 Rev 189	Original		
1-1 Rev 190	Original		
1-1 Rev 191	Original		
1-1 Rev 192	Original		
1-1 Rev 193	Original		
1-1 Rev 194	Original		
1-1 Rev 195	Original		
1-1 Rev 196	Original		
1-1 Rev 197	Original		
1-1 Rev 198	Original		
1-1 Rev 199	Original		
1-1 Rev 200	Original		
1-1 Rev 201	Original		
1-1 Rev 202	Original		
1-1 Rev 203	Original		
1-1 Rev 204	Original		
1-1 Rev 205	Original		
1-1 Rev 206	Original		
1-1 Rev 207	Original		
1-1 Rev 208	Original		
1-1 Rev 209	Original		
1-1 Rev 210	Original		
1-1 Rev 211	Original		
1-1 Rev 212	Original		
1-1 Rev 213	Original		
1-1 Rev 214	Original		
1-1 Rev 215	Original		
1-1 Rev 216	Original		
1-1 Rev 217	Original		
1-1 Rev 218	Original		
1-1 Rev 219	Original		
1-1 Rev 220	Original		
1-1 Rev 221	Original		
1-1 Rev 222	Original		
1-1 Rev 223	Original		
1-1 Rev 224	Original		
1-1 Rev 225	Original		
1-1 Rev 226	Original		
1-1 Rev 227	Original		
1-1 Rev 228	Original		
1-1 Rev 229	Original		
1-1 Rev 230	Original		
1-1 Rev 231	Original		
1-1 Rev 232	Original		
1-1 Rev 233	Original		
1-1 Rev 234	Original		
1-1 Rev 235	Original		
1-1 Rev 236	Original		
1-1 Rev 237	Original		
1-1 Rev 238	Original		
1-1 Rev 239	Original		
1-1 Rev 240	Original		
1-1 Rev 241	Original		
1-1 Rev 242	Original		
1-1 Rev 243	Original		
1-1 Rev 244	Original		
1-1 Rev 245	Original		
1-1 Rev 246	Original		
1-1 Rev 247	Original		
1-1 Rev 248	Original		
1-1 Rev 249	Original		
1-1 Rev 250	Original		
1-1 Rev 251	Original		
1-1 Rev 252	Original		
1-1 Rev 253	Original		
1-1 Rev 254	Original		
1-1 Rev 255	Original		
1-1 Rev 256	Original		
1-1 Rev 257	Original		
1-1 Rev 258	Original		
1-1 Rev 259	Original		
1-1 Rev 260	Original		
1-1 Rev 261	Original		
1-1 Rev 262	Original		
1-1 Rev 263	Original		
1-1 Rev 264	Original		
1-1 Rev 265	Original		
1-1 Rev 266	Original		
1-1 Rev 267	Original		
1-1 Rev 268	Original		
1-1 Rev 269	Original		
1-1 Rev 270	Original		
1-1 Rev 271	Original		
1-1 Rev 272	Original		
1-1 Rev 273	Original		
1-1 Rev 274	Original		
1-1 Rev 275	Original		
1-1 Rev 276	Original		
1-1 Rev 277	Original		
1-1 Rev 278	Original		
1-1 Rev 279	Original		
1-1 Rev 280	Original		
1-1 Rev 281	Original		
1-1 Rev 282	Original		
1-1 Rev 283	Original		
1-1 Rev 284	Original		
1-1 Rev 285	Original		
1-1 Rev 286	Original		
1-1 Rev 287	Original		
1-1 Rev 288	Original		
1-1 Rev 289	Original		
1-1 Rev 290	Original		
1-1 Rev 291	Original		
1-1 Rev 292	Original		
1-1 Rev 293	Original		
1-1 Rev 294	Original		
1-1 Rev 295	Original		
1-1 Rev 296	Original		
1-1 Rev 297	Original		
1-1 Rev 298	Original		
1-1 Rev 299	Original		
1-1 Rev 300	Original		
1-1 Rev 301	Original		
1-1 Rev 302	Original		
1-1 Rev 303	Original		
1-1 Rev 304	Original		
1-1 Rev 305	Original		
1-1 Rev 306	Original		
1-1 Rev 307	Original		
1-1 Rev 308	Original		
1-1 Rev 309	Original		
1-1 Rev 310	Original		
1-1 Rev 311	Original		
1-1 Rev 312	Original		

[List of Inactive Accounts as of 30/06/2025 - Guaranty Trust Bank CI SA](#)

Guaranty Trust Bank CI SA (GTCO) publishes a comprehensive list of inactive bank accounts as of June 30, 2025, detailing account numbers, holder names, and nationalities, in accordance with regulatory instructions.

lang:i-klingon **score:10** filesize: 1.5 M page\_count: 29 document date: 2025-07-14