

DELTA 9113-AR-DST

Delta Essa Kitchen Faucet Instruction Manual

Model: 9113-AR-DST | Brand: DELTA

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Delta Essa Brushed Nickel Kitchen Faucet with Pull Down Sprayer. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your faucet.

The Delta Essa faucet features advanced technologies designed for durability and convenience:


- **DIAMOND Seal Technology:** Engineered to reduce leak points and ensure leak-free operation, lasting twice as long as the industry standard.
- **MagnaTite Docking:** A powerful integrated magnet securely holds the spray wand in place when not in use, preventing drooping over time.
- **Touch-Clean Spray Holes:** Allows for easy removal of calcium and lime build-up from the spray face with a simple wipe of a finger.
- **Corrosion-Resistant Finish:** Brilliance finishes are tested for corrosion resistance to exceed industry standards.

SETUP AND INSTALLATION

Before installation, ensure you have all necessary tools and components as listed in the packaging. It is recommended to consult a professional plumber if you are unsure about any steps.

This faucet is designed for single-hole installations but includes an optional deck plate for 1 or 3-hole 8-inch center installations. The gasket seal helps prevent drips and splashes from leaking under the faucet.

HOLES FOR INSTALLATION



ADDITIONAL INFORMATION

MINIMUM CLEARANCE TO BACKSPLASH
1.5 inches

SUPPLY LINES
Included

HOLE SIZE
1.25–1.5 inches

WATER SUPPLY CONNECTION
.375 inches

 **DELTA**
see what Delta can do®

DIMENSIONS

SPOUT REACH 9.38 inches



OPTIONAL DECK PLATE (Included)

Covers pre-existing holes
10.25 inches wide
8 inches between hole centers

Figure 1: Faucet Dimensions and Hole Requirements. The faucet has a height of 15.75 inches and a spout reach of 9.38 inches. It is compatible with 1 or 3-hole installations, with an optional deck plate included.

For detailed step-by-step instructions, please refer to the official Installation Manual (PDF) available [here](#).

OPERATING INSTRUCTIONS

Your Delta Essa faucet is designed for ease of use and versatility.

Water Flow and Temperature Control

The single handle controls both water flow and temperature. Lift the handle to increase water flow and move it left for hot water or right for cold water.



Figure 2: Faucet in use, demonstrating the pull-down sprayer for rinsing.

Pull-Down Sprayer and MagnaTite Docking

The integrated pull-down sprayer provides extended reach for various kitchen tasks. Simply pull the spray wand down from the spout. When finished, the MagnaTite Docking system uses a powerful magnet to snap the spray wand precisely back into place, ensuring it stays securely docked.



MAGNATITE® DOCKING

POWERFUL INTEGRATED
MAGNET PROVIDES
A SECURE DOCK
EVERY TIME



Figure 3: MagnaTite Docking ensures the spray wand remains securely in place.

Spray or Stream Function

The spray wand offers two distinct water patterns: a focused stream for filling and a powerful spray for rinsing. A button on the spray head allows you to easily switch between these modes.

SPRAY OR STREAM



 **DELTA**
see what Delta can do™

Figure 4: Easily switch between spray and stream functions.

360-Degree Swivel Spout

The high-arc gooseneck spout swivels 360 degrees, providing maximum sink coverage and flexibility for various tasks.

 **DELTA**

see what Delta can do™



Figure 5: The faucet features a 360-degree swivel spout and a 20-inch pull-down hose.

Maintenance

Regular cleaning and maintenance will help preserve the finish and functionality of your Delta Essa faucet.

Cleaning the Finish

To clean the Arctic Stainless finish, use a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish. Wipe dry with a soft cloth to prevent water spots.

Cleaning Touch-Clean Spray Holes

The Touch-Clean spray holes are designed for easy maintenance. If mineral deposits build up, simply wipe the rubber nozzles on the spray face with your finger to dislodge them. This helps maintain optimal spray performance.

Figure 6: Easily clean mineral build-up from Touch-Clean spray holes.

DIAMOND Seal Technology

The patented DIAMOND Seal Technology is designed for long-term, leak-free operation, reducing the need for frequent internal maintenance.



Figure 7: DIAMOND Seal Technology ensures durability and leak-free performance.

TROUBLESHOOTING

If you encounter issues with your faucet, try the following common troubleshooting steps:

- **Low Water Flow:** Check if the aerator or spray holes are clogged with debris or mineral deposits. Clean the Touch-Clean spray holes as described in the Maintenance section. Ensure water supply valves under the sink are fully open.
- **Leaking:** Verify all connections are tight. If leaks persist from the handle or spout, it may indicate an issue with

internal components. Refer to the installation manual or contact customer support.

- **Sprayer Not Docking Properly:** Ensure no obstructions are preventing the spray wand from fully retracting. Check the weight on the hose under the sink to ensure it is positioned correctly and not snagged. The MagnaTite docking system should provide a secure hold.
- **Difficulty Switching Spray Modes:** Clean the spray holes to ensure no debris is interfering with the button mechanism.

If these steps do not resolve the issue, please contact Delta customer support.

SPECIFICATIONS

Feature	Specification
Brand	DELTA
Model Name	Essa®
Model Number	9113-AR-DST
Color	Arctic Stainless
Finish Type	Brushed
Material	Metal (Brass Handle)
Mounting Type	Deck Mount
Installation Type	Single Hole
Hole Count	1 (or 3 with included deck plate)
Number of Handles	1
Spout Height	9 Inches
Spout Reach	9.5 Inches
Maximum Flow Rate	1.8 Gallons Per Minute
Hose Length	60 Inches
Item Weight	1 pound (approx. 454 Grams)
Product Dimensions	9.38"D x 11"W x 15.75"H
UPC	034449786997
Special Features	Pull Down Sprayer, MagnaTite Docking, Touch-Clean Spray Holes
Included Components	Faucet, optional deck plate, supply lines, mounting hardware

WARRANTY

Delta faucets are backed by a Lifetime Limited Warranty. This warranty covers defects in material and workmanship for as long as the original consumer purchaser owns the home in which the faucet was first installed. The finish is also covered by this lifetime limited warranty.

For full warranty details and terms, please refer to the documentation included with your product or visit the official Delta Faucet website.

SUPPORT



For further assistance, technical support, or warranty claims, please contact Delta Faucet customer service.

Customer Service Phone: 1-800-345-3358


You can also find additional resources and support on the official Delta Faucet website.

© 2025 DELTA Faucet Company. All rights reserved.

Related Documents

	<p>Delta Pivotal Kitchen Faucet Installation Guide & Warranty Information</p> <p>Comprehensive installation guide for the Delta Pivotal Pullout and Pull-Down Kitchen Suite with Ribbon Spout. Includes parts lists, step-by-step instructions, Touch2O technology setup, troubleshooting, and limited warranty details.</p>
	<p>Delta Touch2O® Faucet Installation and Maintenance Guide</p> <p>Comprehensive installation, maintenance, and troubleshooting guide for Delta Touch2O® Technology kitchen and bar faucets, featuring models like Addison™, Ashton®, Esque™, and Leland®. Includes warranty information and care instructions.</p>
	<p>Delta High-Rise Pull-Down Kitchen and Bar/Prep Faucets Installation Guide</p> <p>This guide provides installation instructions for Delta high-rise pull-down kitchen and bar/prep faucets, including models 85214, 9178-DST, 9192-DST, 9678-DST, 9992-DST, 16971-DST, 19922-DST, 19949-DST, 19978-DST, and 19992-DST. It covers water line connections, custom fit connections, hose installation, soap dispenser installation, handle limit stop adjustment, and maintenance.</p>
	<p>Delta Pivotal Kitchen Suite with Ribbon Spout: Installation, Care, and Warranty Guide</p> <p>Comprehensive guide for the Delta Pivotal kitchen faucet suite, covering installation, cleaning, care, warranty, and troubleshooting. Includes detailed part lists and step-by-step instructions for models 4193-DST, 9193-DST, 9193T-DST, 9993-DST, 9993T-DST, 9693-DST, and 9693T-DST.</p>

Documents - DELTA – 9113-AR-DST



[\[pdf\]](#)

DL 2023 FullLine Cover 2019 NEW indd DeltaFaucet 00011 9 24 25 CAT images tradeservice

ATTACHMENTS DIR100250 |||

PRODUCT FINISHES Our versatile designs aren't just stylish--they're paired with a wide range of finishes to help them complement any kitchen or bathroom decor. Add warmth, texture, depth and color to your space.

lang:en **score:16** filesize: 8.48 M page_count: 3 document date: 2019-06-08




[\[pdf\]](#) Frequently Asked Questions

Untitled 1 Download Stainless Single Handle Blade Kitchen Faucet Wallington Plumbing and Heating Supply Inc DELFAUE11143 36 37 images tradeservice ATTACHMENTS DIR100177 |||

E S S A 36 9113T-BL-DST Shown in Matte Black ESSA Pull-Down with Touch2O Technology Single-Handle ... al escutcheon Electronic Soap Dispenser 72055T-AR Chrome ESSA Pull-Down Single-Handle Pull-Down **9113-AR-DST** 1 or 3-hole installation Optional escutcheon included Single-Handle Pull-Down Bar/Prep ...

lang:en **score:16** filesize: 2.57 M page_count: 1 document date: 2017-11-30



[\[pdf\]](#) Reference Guide Guide

pages indd DL 1872 CollectionReferenceGuide2015 deltafaucet shopping tools resources research literature delta lit

COLLECTION REFERENCE GUIDE 2015 2016 EFFECTIVE: 05.03.15 CLASSIC 4-SETTING 4-SETTING TRADITIONAL ... 978-WE-DST 333.35 978-ARor ARWE-DST 445.80 978-RB or RBWE-DST 477.95 9113-DST 318.90 **9113-AR-DST** 359.40 9113-BL-DST 384.85 9113-RB-DST 462.30 TOUCH2O TECHNOLOGY 9113T-DST 47...

lang:en **score:14** filesize: 10.6 M page_count: 10 document date: 2015-03-31



[\[pdf\]](#) Declaration of Conformity Accessories Catalog

untitled DELTA® 79446 CZ Thos Somerville Co Delta Faucet D75055RB Catalog assets unilogcorp 2

ITEM DOC |||

BEAUTIFUL DURABLE For over five decades, we've been creating stylish, sturdy products featuring ... al escutcheon Electronic Soap Dispenser 72055T-AR Chrome Essa Pull-Down Single-Handle Pull-Down **9113-AR-DST** 1 or 3-hole installation Optional escutcheon included Single-Handle Pull-Down Bar/Prep ...

lang:en **score:12** filesize: 16.65 M page_count: 180 document date: 2016-04-04



[\[pdf\]](#) Accessories Catalog

untitled Untitled Southern PipeWondering how that Delta kitchen or bath faucet would look in your home

There's no need to depend on imagination alone Download our Vision app Delta Faucet D75055RB

Catalogsouthernpipe ASSETS DOCUMENTS CMS EN Catalog srslid

AfmBOortx46OouGPjDDOZwTCP4z3JhUaBo9qSWRSK LmUq5lhGA3Jg1x |||

BEAUTIFUL DURABLE For over five decades, we've been creating stylish, sturdy products featuring ... al escutcheon Electronic Soap Dispenser 72055T-AR Chrome Essa Pull-Down Single-Handle Pull-Down **9113-AR-DST** 1 or 3-hole installation Optional escutcheon included Single-Handle Pull-Down Bar/Prep ...

lang:en **score:11** filesize: 16.65 M page_count: 180 document date: 2016-04-04