

## CURT 13240

# CURT 13240 Class 3 Trailer Hitch Instruction Manual

Model: 13240

## 1. PRODUCT OVERVIEW

The CURT Class 3 Trailer Hitch is a robust towing solution designed for a wide range of vehicles, including full-size pickup trucks, SUVs, minivans, and mid-size trucks. This hitch provides a gross trailer weight capacity of 3,500 lbs. and a tongue weight capacity of 525 lbs., making it suitable for towing utility trailers, single-horse livestock trailers, boat trailers, and large campers.

It features a 2" x 2" receiver tube opening, compatible with various hitch-mounted accessories such as bike racks or cargo carriers. The hitch is constructed with a quality steel frame and finished with a dual-coat protection system, including a liquid Bonderite coating and a high-gloss black powder coat, ensuring strong resistance against rust, scratching, and UV damage.

### Key Features:

- Tested for safety in accordance with SAE J684 standards.
- Precisely welded for superior strength and fit.
- Constructed with a sleek, round-tube main body.
- Protected by a durable high-gloss black powder coat finish.
- Custom-fit design for specific vehicle models, such as certain years of the Hyundai Tucson.



Image 1: The CURT 13240 Class 3 Trailer Hitch, showcasing its black powder-coated finish and receiver tube.

## 2. SETUP AND INSTALLATION

---

Installation of the CURT 13240 Class 3 Trailer Hitch is designed to be straightforward for compatible vehicles. While professional installation is always an option, many users find it manageable with basic tools and a second person for assistance.

### Required Tools (Typical):

- 17mm Socket Wrench (with extension for vertical bolts)
- Flathead Screwdriver (small-tipped for plastic trim rivets)
- WD-40 or similar lubricant (for exhaust hangers)
- Torque Wrench (recommended for proper bolt tightening)
- Safety Glasses and Gloves

### Installation Steps (General Guide):

1. **Prepare the Vehicle:** Park the vehicle on a level surface. For easier access, consider using ramps or a lift. Ensure the vehicle is off and the parking brake is engaged.
2. **Lower the Exhaust (if necessary):** Locate the rubber exhaust hangers. Apply WD-40 to the hangers and carefully slide them off the metal rods. This will allow the exhaust to hang lower, providing clearance for hitch placement.
3. **Remove Underbody Panels (if necessary):** Identify and remove any plastic underbody panels near the installation points. These are typically secured with plastic rivets that can be popped out with a small flathead screwdriver.
4. **Position the Hitch:** With assistance, lift the trailer hitch into position, aligning the mounting holes on the hitch with the pre-drilled holes in the vehicle's frame.
5. **Secure the Bolts:** Insert the provided bolts and washers into the mounting holes. Start with one bolt on each side to temporarily hold the hitch in place. Then, install all remaining bolts.
6. **Tighten Bolts:** Using a 17mm socket wrench, hand-tighten all bolts. Once all bolts are in place, use a torque wrench to tighten them to the manufacturer's specified torque (typically around 40 ft-lbs, but always refer to the specific instructions included with your hitch).
7. **Reattach Exhaust and Panels:** Slide the exhaust hangers back onto their metal rods. Reinstall any removed plastic underbody panels.
8. **Final Check:** Verify that all bolts are securely tightened and that the hitch is properly seated and stable.

# FEATURES & BENEFITS

## Representative Image





Image 2: Diagram illustrating key features such as vehicle-specific design, dual-coat finish, standard hitch receiver, and fully tested design.

# RECEIVER TUBE SIZE



2"

 CURT®

Image 3: Visual representation of the 2-inch receiver tube size, indicating compatibility with standard towing accessories.

# FEATURES & BENEFITS

## Standard hitch receiver



 CURT

Image 4: A close-up view of the standard hitch receiver, highlighting its robust construction.

# FEATURES & BENEFITS

Fully tested design



© CUPIT

Image 5: Illustration of the industry-leading dual-coat finish process, showing parts submerged in a protective coating.



Image 6: An image depicting the rigorous testing process for the CURT trailer hitch, ensuring its strength and reliability.

# NO DRILLING REQUIRED



Image 7: An icon indicating that no drilling is required for the installation of this CURT trailer hitch, simplifying the process.

## 3. OPERATING INSTRUCTIONS

Once installed, the CURT Class 3 Trailer Hitch is ready for use with appropriate towing accessories. Always ensure that the total weight of your trailer and its contents (Gross Trailer Weight - GTW) does not exceed the hitch's capacity or your vehicle's towing capacity, whichever is lower. Similarly, ensure the Tongue Weight (TW) is within limits.

### Connecting a Trailer:

- Attach Ball Mount:** Insert the appropriate ball mount into the 2" x 2" receiver tube. Secure it with a hitch pin and clip.
- Attach Trailer Coupler:** Lower the trailer coupler onto the hitch ball. Ensure the coupler is fully seated and locked onto the ball.
- Connect Safety Chains:** Cross the trailer's safety chains under the trailer tongue and attach them to the designated chain loops on the hitch or vehicle frame. This provides a backup connection in case the primary coupling fails.
- Connect Electrical (if applicable):** If your trailer has lights or electric brakes, connect the trailer's wiring harness to the vehicle's towing electrical connector. Test all lights (running, brake, turn signals) before driving.

5. **Check Clearance:** Ensure there is adequate clearance between the trailer and the vehicle, especially during turns.

## Using Hitch-Mounted Accessories:

For bike racks, cargo carriers, or other accessories, simply insert the accessory's shank into the 2" x 2" receiver tube and secure it with a hitch pin and clip. Always ensure the accessory is rated for the weight you intend to carry and that it does not obstruct vehicle lights or license plates.

## 4. MAINTENANCE

---

Regular maintenance will prolong the life and ensure the safe operation of your CURT trailer hitch.

- **Regular Inspection:** Periodically inspect the hitch for any signs of rust, corrosion, cracks, or damage. Pay close attention to welds and mounting points.
- **Cleanliness:** Keep the receiver tube free of dirt, debris, and rust. This ensures easy insertion and removal of ball mounts or accessories.
- **Lubrication:** Apply a light coat of grease or anti-seize compound to the hitch ball and inside the receiver tube periodically, especially before long trips or after exposure to harsh weather.
- **Bolt Torque Check:** Re-check the torque on all mounting bolts after the first 500 miles of towing and periodically thereafter (e.g., annually or before major towing trips). Vibrations can sometimes loosen bolts over time.
- **Protective Cover:** When not in use, consider using a receiver tube cover to protect the inside of the receiver from dirt and moisture.

## 5. TROUBLESHOOTING

---

This section addresses common issues you might encounter with your trailer hitch.

### Common Issues and Solutions:

- **Difficulty Inserting Ball Mount/Accessory:**
  - *Cause:* Rust, dirt, or debris inside the receiver tube.
  - *Solution:* Clean the inside of the receiver tube thoroughly with a wire brush and apply a lubricant. Ensure the ball mount shank is also clean.
- **Loose Hitch:**
  - *Cause:* Mounting bolts have loosened over time.
  - *Solution:* Re-torque all mounting bolts to the specified value. If bolts continue to loosen, consider using thread-locking compound (e.g., Loctite) on the bolt threads.
- **Excessive Noise/Rattling:**
  - *Cause:* Loose hitch pin, worn ball mount, or play between the receiver and ball mount.
  - *Solution:* Ensure the hitch pin is secure. Consider an anti-rattle device for the receiver if the play is excessive. Inspect the ball mount for wear and replace if necessary.
- **Rust Formation:**
  - *Cause:* Exposure to elements, especially road salt or moisture, without adequate protection.
  - *Solution:* Clean affected areas, remove loose rust with a wire brush, and apply a rust-inhibiting primer followed by a suitable paint or touch-up coating. Regular cleaning and waxing can prevent this.

## 6. SPECIFICATIONS

Attribute	Detail
<b>Brand</b>	CURT
<b>Model Number</b>	13240
<b>Receiver Tube Size</b>	2" x 2"
<b>Gross Trailer Weight (GTW) Capacity</b>	3,500 lbs.
<b>Tongue Weight (TW) Capacity</b>	525 lbs.
<b>Material</b>	Carbon Steel
<b>Finish Type</b>	High-Gloss Black Powder Coat
<b>Product Dimensions</b>	119.38 x 38.1 x 35.56 cm
<b>Item Weight</b>	4.54 kg
<b>Safety Standard</b>	Tested in accordance with SAE J684

## 7. WARRANTY INFORMATION

CURT stands behind the quality of its products. The CURT Class 3 Trailer Hitch comes with **limited lifetime warranty**, covering defects in materials and workmanship. Additionally, it includes a **one-year finish warranty**, protecting against issues with the powder coat finish.

For specific warranty terms, conditions, and claim procedures, please refer to the official CURT manufacturing website or contact their customer support directly. Keep your proof of purchase for warranty claims.

## 8. SUPPORT AND CONTACT

For further assistance, technical support, or inquiries regarding your CURT 13240 Class 3 Trailer Hitch, please contact CURT Manufacturing through their official channels:


- **Official Website:** [curtmfg.com](http://curtmfg.com)
- **Customer Service:** Refer to the contact section on the official website for phone numbers or email support.
- **Application Guide:** For vehicle compatibility, consult the CURT application guide available on their website.

When contacting support, please have your product model number (13240) and purchase information readily available.



© 2025 CURT Manufacturing. All rights reserved.

This manual is for informational purposes only. Always follow local laws and regulations regarding towing.




### [pdf] User Manual Installation Guide Parts List Warranty

13240 INS CLEECH Product Manual Curt Custom Fit Class III Receiver Hitch Fits 2016 2019 Hyundai Tucson Model 81250 m northerntool images manuals |||

**13240 HYUNDAI TUCSON 7/1/2015 GROSS LOAD CAPACITY WHEN USED AS A WEIGHT CARRYING HITCH: 3,500 LBS. TRAILER WEIGHT 525 LBS. TONGUE WEIGHT. \*\*\*DO NOT EXCEED VEHICLE MANUFACTURER S RECOMMENDED TOWING CAPACITY.\*\*\* WARNING: ALL NON-TRAILER LOADS APPLIED TO THIS PRODUCT MUST BE SUPPORTED BY 18050 S...**

lang:en score:33 filesize: 184.55 K page\_count: 1 document date: 2015-12-01



### [pdf] Guide Application Guide

Emily Timme Trailer Hitches T Connectors Guide 4qte Curt |||

Indicates change from last listing 1/22/16 MAKE MODEL ACURA CL CSX EL ILX INTEGRA LEGEND 10/29/ ... 21 45521 45520 45518 45521 45521 45521 13153

13152 13073 13538 13505 Z BB,M,V,Z BB,D,M,V Y,Z M,Z **13240** 13066 13120

13526 AA,Z AA,Z AA,Z AA,Z 13545 Y,Z 155 1.5 155 1.5 171 2.0 191 2.0 129 2.0 155...


lang:i-klingon score:27 filesize: 11.3 M page\_count: 20 document date: 2016-01-22

### [pdf] Guide Application Guide

Emily Timme TRAILER HITCHES TOWING ELECTRICAL curt manufacturing hitch wiring application guide make model style years 1 4 part foot notepc wt rtg ins time 7 8 euro mount ® 2 mount® Curt Hitch App Guide assets curtmfg masterlibrary 01resources appguides

Indicates change from last listing 10/4/18 2/21/17 2/21/17 8/9/18 8/9/18 MAKE MODEL ACURA CL CSX ... 3.5 137 3.5 137 3.5 137 3.5 125 3.5 45 45571 45572 45521 30 45571 45572 45521 20 45571 45572 45521 **13240** AA,Z 20 45571 45572 45521 **13240** AA,Z 20 45571 45572 45521 1324...

lang:en score:24 filesize: 9.6 M page\_count: 42 document date: 2018-10-04




### [pdf] Installation Guide Guide Application Guide

Trailer Hitches and Custom Wiring Application Guide xlsx Nichole Musser2 Guides CURT curtmfg masterlibrary 01resources appguides |||

Indicates a change from last update 06/26/25 Make / Model ACURA CL CSX EL ILX Legend MDX RDX Style ... 10 - 15 1.25 2 2 05 - 09 1.25 2 19 - 21 1.25 12 - 17 1.25 20 - 25 1.25 07 - 12 2 11477 13485 12241 **13240** 12030 13066 13120 12126 13526 11550 11254 11609 13545 BB, N AA, Z AA, M, Z AA, Z BB, Z ...


lang:en score:24 filesize: 1.42 M page\_count: 32 document date: 2025-06-26



[CURT 2018 Catalog: Trailer Hitches, Towing Accessories & Electrical Guides](#)

Explore the comprehensive CURT 2018 Catalog featuring trailer hitches, towing accessories, brake controls, custom wiring, and essential application guides for safe and reliable towing.

lang:en score:18 filesize: 34.69 M page\_count: 241 document date: 2018-02-05




[\[pdf\]](#) Installation Guide Parts List Warranty

13240 INS idw cleech HYUNDAI TUCSON assets curtmfg gross load capacity when used as a weight carrying hitch lbs trailer tongue \*\*\*do not exceed vehicle manufacturer 39 s recommended towing \*\*\* masterlibrary installsheet

**13240 HYUNDAI TUCSON 5/1/2020 GROSS LOAD CAPACITY WHEN USED AS A WEIGHT CARRYING HITCH: 3,500 LBS. TRAILER WEIGHT 525 LBS. TONGUE WEIGHT. \*\*\*DO NOT EXCEED VEHICLE MANUFACTURER'S RECOMMENDED TOWING CAPACITY.\*\*\* WARNING: ALL NON-TRAILER LOADS APPLIED TO THIS PRODUCT MUST BE SUPPORTED BY 18050 S...**

lang:en score:17 filesize: 201.66 K page count: 1 document date: 2020-06-04




[\[pdf\]](#) Installation Guide Guide Application Guide

Trailer\_Hitches\_and\_Custom\_Wiring\_Application\_Guide.xlsx nmusser2 Trailer Hitches and Custom Wiring Application Guide o } r ñ ñí X ò ô U ó ï l assets curtmfg masterlibrary 01resources appguides CURT

Indicates a change from last update 08/20/21 Make / Model ACURA CL CSX EL ILX Integra Legend MDX RDX ... 10 - 15 1.25 2 2 05 - 09 1.25 2 19 - 21 1.25 12 - 17 1.25 20 - 21 1.25 07 - 12 2 11477 13485 12241 **13240** 12030 13066 13120 12126 13526 11550 11254 11609 13545 BB AA, Z AA, Z AA, Z AA, Z AA, Z ...

lang:en score:15 filesize: 1.85 M page count: 39 document date: 2021-08-20



## [pdf] Installation Guide Guide Application Guide

Trailer Hitches and Custom Wiring Application Guide.xlsx nmusser2 CURT 2 in Receiver Class III Ball Mount 4 Drop 7 500 lb Capacity 13 L at Tractor Supply Co 2002207 Man1media tractorsupply is content TractorSupplyCompany tsc product 00 22 07 2002207 Man1 III

lang:en score:14 filesize: 1.54 M page count: 37 document date: 2023-01-18



[\[pdf\]](#) Application Guide Catalog

Curt CURT 2023 Catalog frameco ca media wysiwyg catalogues |||

2023 CATALOG APPLICATION GUIDES INTENTIONALLY LEFT BLANK FOR TWO-PAGE VIEWING EVERYTHING YOU NEED ... DODGE CHALLENGER 13236 15-22 DODGE CHARGER 13238 15-18 AUDI Q3 13238 15-18 AUDI Q3 QUATTRO **13240** 16-21 HYUNDAI TUCSON 13241 05-22 NISSAN FRONTIER 13241 09-12 SUZUKI EQUATOR 13243 14-22 ...

lang:en **score:13** filesize: 66.35 M page\_count: 285 document date: 2022-11-11




[\[pdf\]](#) Application Guide Catalog

CURT Catalog Trailer Hitches Wiring 5th Wheel Gooseneck AM media lippert Design Team Catalogs |||

CATALOG APPLICATION GUIDES INTENTIONALLY LEFT BLANK FOR TWO-PAGE VIEWING EVERYTHING YOU NEED ... ENGER 26 13236 15-23 DODGE CHARGER 26 13238 15-18 AUDI Q3 28 13238 15-18 AUDI Q3 QUATTRO 28 **13240** 16-21 HYUNDAI TUCSON 40 13241 05-24 NISSAN FRONTIER 24 13241 09-12 SUZUKI EQUATOR 24 132...

lang:en **score:11** filesize: 52.19 M page\_count: 315 document date: 2024-12-19




[\[pdf\]](#) Guide Application Guide Catalog

CURT Trailer Hitches Towing Catalog trailer hitches towing ball mounts 5th wheel gooseneck weight distribution sway control breakaway kits hitch mount carriers bike racks steps tow lights brakes brake controllers connectors bars couplers jacks winches tool boxes mirrors transmission coolers straps tie downs covers CARiD catalog 2016 images cardi curt page |||

2016 CATALOG APPLICATION GUIDE NEW PRODUCTS DESIGNED TO HELP YOU BRING IT CURT Manufacturing s ... 230 2005 13231 2015 13233 2016 13234 2015 13235 1998 1989 1998 13236 2011 2015 2015 2015 13239 2004 **13240** 2016 13241 2005 2009 13243 2014 13244 2001 13245 2008 13250 2003 13251 2005 13252 2004 2006 13...

lang:en **score:11** filesize: 17.17 M page\_count: 258 document date: 2016-10-05



[\[pdf\]](#) Application Guide Accessories Catalog

CURT Trailer Hitches Towing Catalog trailer hitches towing ball mounts 5th wheel gooseneck front pintle hooks tow lunette rings weight distribution hitch covers steps mount bike carriers pins locks accessories cargo wiring harness electrical connectors brake controllers sway control parts couplers jacks breakaway kits tool boxes winches brakes CARiD 2019 catalog images cardi curt info |||

2019 CATALOG APPLICATION GUIDES CURT is the leading manufacturer of USA-made trailer hitches and a ... 04 ISUZU 13236 15-18 CHRYSLER 13236 11-18 DODGE 13236 15-18 DODGE 13238 15-18 AUDI 13238 15-18 AUDI **13240** 16-18 HYUNDAI 13241 05-19 NISSAN 13241 09-12 SUZUKI 13243 14-18 LAND ROVER 13244 02-07 JEEP 13...

lang:en **score:11** filesize: 13.69 M page\_count: 230 document date: 2018-11-22



### [\[pdf\] User Manual](#)

Mastercam X3 Post Parameter Reference CNC Software Technical Services Dept Download Manual

McCamX3PostParameterRef cncmanual 2015 08 110815 mastercam |||


Post Parameter Reference sample text Mastercam X3 Post Parameter Reference July

2008 IMPORTANT ... ramente Reference Lathe groove toolpaths PRM\_LGROOVE

13137 13363 13138 10307 13370 10327 10328 **13240** 13241

PRM\_GROOVE\_SHAPE PRM\_GROOVE\_ROUGH PRM\_GROOVE\_FINISH Groove definition type: 0 = 1 point...

lang:en **score:10** filesize: 5.6 M page\_count: 416 document date: 2015-07-23



### [\[pdf\] User Manual](#)

P70753 pat Umbruch 12 check Melissa 630 015 User manual 1152202 archive org manualzz id


29.6.2007 2 FG9A Nationale Patente Brevets nationaux Brevetti nazionali 2.3 FG3A

Ohne Vorprfung ert ... 442 US SIEBERT, John, M. 10759 Mt. Curve Road Eden

Prairie, MN 55347 US PATHER, S. Indiran **13240** Sunset Trail Plymouth, MN 55441

US 86 PCT/US 2002/021796 en 87 WO 2003/005944 23.1....

lang:de **score:9** filesize: 2.81 M page\_count: 245 document date: 2007-06-26



### [\[pdf\] Instructions Catalog](#)

Tesla Inventor of the Electrical Age Biografie Autobiographie Wissenschaftler General ISBN 0691057761

Nikola W Bernard Carlson The eye eu instructions puzzled and he decided to ignore them return home

into mainstream pop glory when you re in a videogame aimed at 18 year old boys public concen org 1856 1943 Text Archive English ebooks

TESLA Copyright 2013 by Princeton University Press Published by Princeton University Press, 4 ... Tesla coils and, 56, 12025, 218, 282, 338, 353, 403, 423n6, 450n17, 462n6; transformers and, 12426, **13240**, 148, 15657, 172, 17880, 184, 18889, 208, 21819, 22324, 235, 438n24; tuberculosis and, 310; wi...

lang:en **score:9** filesize: 8.22 M page\_count: 249 document date: 2015-08-07

