

UPBRIGHT PC-250

UpBright 12V AC/DC Adapter Instruction Manual

For Luminess Air PC-250 and PC-200 Series Airbrush Systems

INTRODUCTION

This manual provides instructions for the safe and effective use of your UpBright 12V AC/DC Adapter. This adapter is designed to power various Luminess Air airbrush cosmetics makeup systems. Please read this manual thoroughly before use and retain it for future reference.

SETUP INSTRUCTIONS

Follow these steps to properly connect your UpBright AC/DC adapter to your Luminess Air system.

Compatibility Check

Verify that your airbrush system model is listed as compatible. This adapter is compatible with:

- Luminess Air PC-250, PC-250BK, PC250BK-E, PC-250GD, PC-250-BK, PC-250-GD, PC250 BK, PC250BK, PC250GD Airbrush Cosmetics Makeup System
- Luminess Air PC-200, PC-200R, PC200R-HP, PC200, PC200R Airbrush Makeup Foundation System Machine
- Luminess Air PC200M - .8Amp Beauty Pro-Consumer AirBrush Series PC-200M
- Luminess Air Model: KSAS0241200200HU I.T.E. 12 V 0.8 Amp 2 A 12.0 VDC 12Volt 12.0 Volts Switching Power Supply

Connecting the Adapter

1. Identify the power input port on your Luminess Air airbrush system.
2. Connect the barrel round plug tip of the UpBright 12V AC/DC adapter to the power input port of your airbrush system.
3. Plug the AC adapter into a standard 100-240VAC 50/60Hz electrical outlet.



Image showing the UpBright 12V AC/DC adapter with its cable and barrel connector, ready for connection to a power outlet and device.

OPERATING INSTRUCTIONS

Once connected, the adapter provides continuous power to your compatible Luminess Air airbrush system.

- Ensure the adapter is securely plugged into both the device and the wall outlet.
- The adapter is designed for continuous use within its specified voltage and amperage limits.
- The adapter features OVP (Over Voltage Protection), OCP (Over Current Protection), and SCP (Short Circuit Protection) for safe operation.



Image displaying various Luminess Air airbrush cosmetics makeup systems, including models PC-250 and PC-200, which are compatible with this UpBright AC/DC adapter.

CARE AND MAINTENANCE

Proper care extends the life of your adapter.

- Keep the adapter in a dry environment, away from moisture and extreme temperatures.
- Avoid bending or crimping the power cord excessively.
- Do not attempt to open or repair the adapter. Refer servicing to qualified personnel.
- Clean the adapter and its connectors with a dry, soft cloth.

TROUBLESHOOTING

If you encounter issues with your UpBright AC/DC adapter, refer to the following common problems and solutions.

Adapter Not Supplying Power

- **Check Connections:** Ensure the adapter's barrel plug is fully inserted into the airbrush system's power port and the AC plug is firmly seated in the wall outlet.
- **Verify Outlet:** Test the wall outlet with another device to confirm it is functional.
- **System Compatibility:** Double-check that your airbrush system model is listed as compatible with this adapter.

Adapter Plug Falls Out of Outlet

- **Outlet Condition:** Inspect the wall outlet for wear or damage. A loose outlet may not securely hold the plug.
- **Adapter Position:** Ensure the adapter is not under tension or pulling from its cable, which could dislodge it.
- **Alternative Outlet:** Try a different wall outlet.

PRODUCT SPECIFICATIONS

Input Voltage	100-240VAC, 50/60Hz
Output Voltage	12V DC
Output Current	0.8A - 2A (800mA - 2000mA)
Wattage	24W
Connector Type	5.5mm x 2.5mm / 2.1mm Barrel Round Plug Tip
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Approximate Dimensions	3 x 3 x 1 inches
Approximate Item Weight	3.7 ounces

Close-up image of the barrel round connector tip of the UpBright AC/DC adapter, highlighting its design for secure connection.

WARRANTY INFORMATION

This UpBright product comes with a limited warranty to ensure your satisfaction and product reliability.

- **Refund Policy:** A 30-day refund period is provided from the date of purchase.
- **Exchange Policy:** A 24-month exchange period is offered for product defects or malfunctions.
- For warranty claims, please retain your proof of purchase. The warranty covers manufacturing defects and does not cover damage caused by misuse, accidents, or unauthorized modifications.

Image showing various international outlet adapters (AU, EU, UK) and a sample UpBright Limited Warranty Certificate, indicating global compatibility and warranty coverage.

CUSTOMER SUPPORT

For further assistance or inquiries regarding your UpBright 12V AC/DC Adapter, please contact the manufacturer.

Manufacturer: UPBRIGHT

For product support, refer to the contact information provided with your purchase or visit the official UPBRIGHT website for the most current support options.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B01360RPE4>

More documents and user manuals: <https://manuals.plus/>