

Foset 49105

Foset Truper 49105 1/2" Bipp Faucet User Manual

Model: 49105 / LL-F

1. PRODUCT OVERVIEW

The Foset Truper 49105 1/2" Bipp Faucet is designed for reliable water control in various applications, particularly suitable for outdoor or utility use. It features a durable chrome brass body for enhanced rust resistance and a traditional on/off control mechanism.

Key Features:

- Chrome brass body for maximum rust resistance.
- Zinc handle for comfortable operation.
- Brass pipe for robust water flow.
- Steel nipple for secure connection.
- Stainless steel flange for a clean finish.
- Traditional on/off control for simple use.



Image 1: Side view of the Foset Truper 49105 Bipp Faucet, showcasing its chrome finish and design.

2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage or personal injury.

- Always turn off the main water supply before attempting any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves.
- Ensure all connections are secure and leak-free before restoring water supply.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use harsh chemicals or abrasive cleaners on the faucet finish.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation.

- Bipp Faucet body (Chrome brass)
- Zinc Handle
- Brass pipe
- Steel nipple
- Stainless steel flange




Image 2: Diagram showing the main components of the faucet, including the stainless steel flange, steel nipple, brass body, and metal handle.



Image 3: Product packaging for the Foset Truper 49105 Bibb Faucet, indicating model number and key features.

4. SPECIFICATIONS

Feature	Detail
Brand	Foset
Model Number	49105
Recommended Uses	Outdoor
Mounting Type	Wall Mount
Finish Type	Chrome
Material	Brass, Stainless Steel, Zinc
Color	Chrome
Number of Handles	1
Hole Count	1
Special Feature	Rust-Resistant
Style	Traditional
Item Weight	0.28 Kilograms (approx. 9.9 ounces)
Product Dimensions	Approx. 14 cm (Length) x 7 cm (Height)



Image 4: Faucet dimensions, showing a length of 14 cm and a height of 7 cm.

5. INSTALLATION

This section provides general guidelines for installing the Foseit Truper 49105 Bipp Faucet. Specific installation requirements may vary based on your plumbing system. If you are not comfortable performing the installation, it is recommended to consult a professional plumber.

Tools and Materials (Not Included):

- Adjustable wrench or pipe wrench
- Plumber's tape (PTFE tape) or pipe thread sealant
- Bucket or rags for catching drips
- Safety glasses and gloves

Installation Steps:

1. **Turn Off Water Supply:** Locate the main water shut-off valve for your property or the specific line you are working on and turn it off completely. Open an existing faucet to drain any remaining water from the pipes.
2. **Prepare Mounting Surface:** Ensure the wall-mount connection point is clean and free of debris. If

replacing an old faucet, remove it and clean the area thoroughly.

3. **Apply Sealant:** Wrap plumber's tape clockwise around the threads of the steel nipple (or the pipe coming from the wall) 3-4 times. Alternatively, apply a suitable pipe thread sealant.
4. **Attach Faucet:** Carefully thread the faucet onto the prepared pipe connection. Hand-tighten first, then use an adjustable wrench to tighten it securely. Do not overtighten, as this can damage the threads or the faucet body. Ensure the faucet is oriented correctly.
5. **Install Flange:** Slide the stainless steel flange over the faucet body until it sits flush against the wall, covering the connection point for a neat appearance.
6. **Check for Leaks:** Slowly turn the main water supply back on. Check all connections for any signs of leaks. If leaks are present, turn off the water supply, tighten the connection slightly, and recheck. Repeat until no leaks are detected.
7. **Test Operation:** Once installed and leak-free, test the faucet's on/off operation.

6. OPERATION

The Foset Truper 49105 Bipp Faucet features a traditional single handle for water flow control.

- **To Turn On:** Rotate the handle counter-clockwise to open the valve and allow water to flow.
- **To Turn Off:** Rotate the handle clockwise to close the valve and stop water flow.

The flow rate is controlled by how much the handle is opened. This faucet provides a single temperature water output, typically cold water when connected to a single cold water line.

7. MAINTENANCE

Regular maintenance will help prolong the life and maintain the appearance of your faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap and water. Rinse thoroughly and dry with a soft cloth to prevent water spots. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish.
- **Leak Checks:** Periodically inspect the faucet and connections for any signs of leaks. Address any leaks promptly to prevent water damage.
- **Handle Operation:** If the handle becomes stiff or difficult to turn, it may indicate a need for lubrication or replacement of internal components. Consult a plumber if issues persist.
- **Winterization (for Outdoor Use):** If used outdoors in freezing climates, ensure the water supply to the faucet is shut off and the faucet is drained to prevent freezing and potential pipe bursts.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Faucet Leaks from Spout	Worn washer or internal seal.	Turn off water supply. Disassemble handle and replace worn washer or cartridge.
Leak at Base/Connection	Loose connection or insufficient sealant.	Turn off water supply. Tighten connection or reapply plumber's tape/sealant.

Problem	Possible Cause	Solution
Low Water Pressure	Partially closed water supply valve; debris in pipe.	Ensure water supply valve is fully open. Check for blockages in the supply line.
Handle is Stiff	Mineral buildup or worn internal components.	Clean around the handle base. If problem persists, internal components may need replacement by a professional.

If you encounter problems not listed here or if the suggested solutions do not resolve the issue, please contact customer support or a qualified plumber.

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided with your purchase or contact Foset customer service directly. Keep your proof of purchase for warranty claims.

Manufacturer: Truper

Brand: Foset

Contact Information: Please visit the official Foset or Truper website for the most current contact details and support resources.