## Octane Seating Diesel XS950

# Octane Seating Diesel XS950 Theater Seating Recliners User Manual

Model: Diesel XS950

## 1. Introduction

This manual provides essential instructions for the safe and efficient use of your Octane Seating Diesel XS950 Theater Seating Recliners. This product features a curved row of four chairs, including a loveseat section, with manual recline functionality. Please read this manual thoroughly before assembly and operation, and retain it for future reference.
Key features include 100% top-grain leather upholstery, gel-infused memory foam seating, and an accessory dock in each armrest for optional accessories (sold separately).

## 2. Safety Information

- Ensure all components are securely assembled before use.
- Do not allow children to play on or around the recliners unsupervised.
- Keep hands and feet clear of the reclining mechanism during operation to prevent injury.
- Do not exceed the maximum weight recommendation of 350 pounds per seat.
- Avoid placing hot items directly on the leather surface.
- This product is intended for indoor use only.

## 3. Package Contents

Your Octane Seating Diesel XS950 package typically includes the following components:

- Individual seat bases (4 units for a curved row of 4, including loveseat sections)
- Seat backs (4 units)
- Removable swivel tables (4 units, black)
- Assembly hardware (if applicable, typically pre-installed for back attachment)

*Note: Additional accessories such as wine glass holders, LED flex lights, tablet holders, or phone holders are sold separately and are not included in the standard package.*

## 4. Setup and Assembly

Assembly of the Diesel XS950 seating is designed to be straightforward. The main steps involve attaching the seat backs to the bases.

1. **Unpack Components:** Carefully remove all components from their packaging. Inspect for any shipping damage.
2. **Position Bases:** Place the seat bases in their desired configuration. For a curved row, ensure the bases are aligned correctly to form the curve.
3. **Attach Seat Backs:** Align the metal brackets on the seat back with the corresponding receivers on the seat base. Slide the seat back downwards firmly until it clicks into place. Ensure both sides are securely engaged.
4. **Verify Stability:** Once all backs are attached, gently push and pull on each seat back to confirm it is securely locked to the base.
5. **Install Swivel Tables:** Insert the post of the black swivel tables into the accessory docks located in the armrests.



*Image 4.1: Fully assembled Octane Seating Diesel XS950 theater seating in a curved row configuration.*



*Image 4.2: The Diesel XS950 recliners integrated into a home theater environment, showcasing their design and functionality.*

## 5. Operating Instructions

### 5.1 Manual Recline Operation

Your Diesel XS950 recliners feature a manual recline mechanism. To recline, locate the lever on the side of the seat (typically on the outer side of the armrest). Pull the lever to release the footrest, then lean back to achieve your desired reclining position. To return to the upright position, push the footrest down with your legs until it locks into place, and the backrest will follow.

### 5.2 Accessory Dock Usage

Each armrest is equipped with a stainless steel accessory dock. This dock is designed to hold various Octane Seating accessories (sold separately), such as the included swivel tables, wine glass holders, LED flex lights, tablet holders, or phone holders.

- To install an accessory, simply insert its compatible post into the dock until it is seated firmly.
- To remove an accessory, lift it straight out of the dock.




*Image 5.1: A close-up view of the accessory dock in an armrest, holding a black swivel table with popcorn and a wine bottle.*



*Image 5.2: The accessory dock accommodating a cigar and an ashtray, demonstrating versatility.*

## 6. Maintenance

### 6.1 Leather Care

The Diesel XS950 features top-grain leather. Proper care will extend its lifespan and maintain its appearance:

- **Regular Cleaning:** Dust the leather regularly with a soft, dry cloth.
- **Spills:** Blot spills immediately with a clean, absorbent cloth. Do not rub.
- **Conditioning:** Use a reputable leather conditioner every 6-12 months to keep the leather supple and prevent drying or cracking. Follow the product manufacturer's instructions.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight can cause fading and drying of the leather.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or household detergents, as these can damage the leather finish.

### 6.2 General Maintenance

- **Mechanism Check:** Periodically check the reclining mechanism for smooth operation. If it becomes stiff, a silicone-based lubricant can be applied to moving parts (avoid contact with leather).
- **Hardware:** Ensure all assembly hardware remains tight. Retighten if necessary.

## 7. Troubleshooting

| Problem | Possible Cause | Solution |
|---|---|---|
| Seat back is loose or wobbly. | Seat back not fully engaged with base brackets. | Remove the seat back and re-attach, ensuring it slides down completely and locks into place on both sides. |
| Reclining mechanism is stiff or difficult to operate. | Lack of lubrication or obstruction. | Check for any obstructions. Apply a silicone-based lubricant to the moving parts of the mechanism. |
| Accessory table is unstable in the dock. | Table post not fully inserted or dock is damaged. | Ensure the accessory post is fully inserted into the dock. If the dock appears damaged, contact customer support. |
| Missing parts upon delivery. | Packaging error or transit damage. | Contact Octane Seating customer support immediately with your purchase details. |

## 8. Specifications

| Feature | Detail |
|---|---|
| **Brand** | Octane Seating |
| **Model Name** | Diesel XS950 |
| **Product Dimensions (Overall)** | 43"D x 124"W x 43"H |
| **Color** | Black |
| **Upholstery Material** | Top-Grain Leather |
| **Fill Material** | Gel Infused Memory Foam |
| **Frame Material** | Kiln-dried hardwood |
| **Recline Type** | Manual Recline |
| **Maximum Weight Recommendation** | 350 Pounds per seat |
| **Seat Height** | 21 Inches |
| **Seat Depth** | 22 Inches |
| **Special Features** | Gel infused memory foam, 4 black removable swivel tables, Accessory docks in armrests, Premium pocketed coil construction, Space-saving design. |
| **Item Weight** | 340 pounds (total) |
| **UPC** | 841563103964 |
| **Item Model Number** | DIESEL-R4CLM-LM-BL |

## 9. Warranty and Support

### 9.1 Product Warranty

Octane Seating products typically come with a manufacturer's warranty covering defects in materials and workmanship. For specific warranty terms and duration, please refer to the warranty card included with your purchase or visit the official Octane Seating website. Protection plans may also be available for extended coverage.

### 9.2 Customer Support

Should you encounter any issues, require replacement parts, or have questions not addressed in this manual, please contact Octane Seating customer support. Have your model number (Diesel XS950) and purchase information ready when contacting support.

You can find contact information on the official Octane Seating Store on Amazon or their official website.


## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question