

[manuals.plus](#) /› [Bestway](#) /› **Bestway Power Steel 18' x 9' x 48" Rectangular Metal Frame Above Ground Swimming Pool Set Instruction Manual****Bestway 56536E**

Bestway Power Steel 18' x 9' x 48" Rectangular Metal Frame Above Ground Swimming Pool Set

Model: 56536E | Brand: Bestway

1. INTRODUCTION


Thank you for choosing the Bestway Power Steel 18' x 9' x 48" Rectangular Metal Frame Above Ground Swimming Pool Set. This manual provides essential information for the safe and efficient setup, operation, and maintenance of your new pool. Please read all instructions carefully before assembly and use.

This pool set offers a durable and stable swimming experience, featuring a rust and corrosion-resistant frame, a 3-ply PVC support band, and the patented Seal & Lock System for secure joint connections. The set includes a 1,500 GPH filter pump, a ladder, and a secure pool cover, along with a Chemconnect chemical dispenser for easy water maintenance.

POWER STEEL® RECTANGULAR POOL SET

Bestway

18 FT. X 9 FT. X 48 IN.



TRITECH™ MATERIAL

Ultra-durable 3-layer material
reinforced for strength



STEEL FRAME CONSTRUCTION

Constructed with superior
corrosion resistant steel



CLICKCONNECT SYSTEM™

Offers sturdy and secure
pipe connection

Figure 1: Bestway Power Steel 18' x 9' x 48" Rectangular Pool Set in use.

2. SETUP INSTRUCTIONS

Proper site preparation and assembly are crucial for the longevity and safety of your pool. No tools are required for the main assembly of this pool set.

2.1 Site Preparation

- Choose a solid, level surface for your pool. Uneven ground can cause the pool to collapse, leading to serious injury or property damage.
- Clear the area of any sharp objects, debris, or vegetation.
- Ensure the chosen location is near a power outlet for the filter pump and a water source for filling.
- Consider placing a ground cloth or tarp (not included) under the pool liner for added protection.

2.2 Assembly Steps

1. **Unpack and Lay Liner Flat:** Carefully unpack all components and lay the pool liner flat in the prepared area. Smooth out any wrinkles.
2. **Assemble Frame:** Follow the instructions provided in your product manual to connect the steel frame

components. The Seal & Lock System ensures secure connections without the need for screws or pins. It is recommended to have 2-3 people for this step.

3. **Install Filter Pump and Ladder:** Attach the 1,500 GPH filter pump according to the diagrams. Assemble and place the ladder securely.
4. **Fill with Water:** Begin filling the pool with water. As the water level rises, ensure the liner is properly aligned and smooth out any remaining wrinkles on the bottom.



Figure 2: Easy setup process for the Bestway Power Steel pool.

2.3 Setup Video Guide

Your browser does not support the video tag.

Video 1: Detailed setup guide for the Bestway Power Steel pool (Model 56536E-BW). This video demonstrates the assembly process and initial filling of the pool.

3. OPERATING INSTRUCTIONS

Once your pool is set up and filled, follow these guidelines for safe and enjoyable operation.

3.1 Filter Pump Operation

- Ensure the filter pump is connected to a grounded power outlet.
- Operate the 1,500 GPH filter pump daily to circulate and clean the pool water. The duration of operation depends on pool size and usage, typically 8-12 hours per day.
- Refer to the separate filter pump manual for detailed operating instructions, including priming and troubleshooting.



Figure 3: The included 1,500 GPH Filter Pump.

3.2 Chemconnect Chemical Dispenser

- The Chemconnect dispenser attaches to a valve on the pool wall, providing a convenient way to maintain proper chemical levels.
- Use appropriate pool chemicals (e.g., chlorine tablets) as recommended by pool chemical suppliers.
- Always follow chemical manufacturer's instructions for dosage and safe handling.

4. MAINTENANCE

Regular maintenance is essential to keep your pool water clean, safe, and extend the life of your pool.

4.1 Filter Cartridge Cleaning and Replacement

- The filter pump uses Type III-A/C filter cartridges.
- Clean the filter cartridge regularly (daily or every other day, depending on usage) by rinsing it with a garden hose.
- Replace the filter cartridge every 2-4 weeks to ensure optimal filtration.

4.2 Water Chemistry

- Test your pool water regularly (daily or every other day) for pH, chlorine, and alkalinity levels.
- Adjust chemical levels as needed using appropriate pool chemicals to maintain a balanced and sanitary swimming environment.

4.3 Pool Cover Usage

- Use the included pool cover when the pool is not in use to prevent debris from entering the water and reduce evaporation.
- Ensure the cover is securely fastened to prevent accidental entry by children or animals.



Figure 4: Bestway Power Steel pool with the included cover.

4.4 Draining the Pool

- The pool features a flow-controlled drain valve for easy emptying.
- Attach a garden hose to the drain valve and direct the water to a suitable drainage area, away from your home or property.

5. TROUBLESHOOTING

If you encounter issues with your pool, refer to the following common troubleshooting tips. For more complex problems, consult the detailed troubleshooting section in your product manual or contact Bestway customer support.

- **Cloudy Water:** Check filter cartridge for cleanliness and replace if necessary. Test water chemistry and adjust chemicals. Ensure adequate pump run time.
- **Pump Not Running:** Check power connection and ensure the outlet is functional. Verify that all hoses

are properly connected and not kinked. Check for airlock in the pump and prime if needed.

- **Water Leakage:** Inspect all hose connections for tightness. Check the pool liner for punctures or tears. Small punctures can often be repaired with a vinyl repair kit (sold separately).
- **Frame Instability:** Ensure the pool is on a completely level surface. Verify all frame connections are securely locked into place.

6. SPECIFICATIONS

Feature	Specification
Brand	Bestway
Model Number	56536E
Shape	Rectangular
Product Dimensions	216"L x 108"W x 48"H (18'L x 9'W x 48"H)
Water Capacity (90%)	3913 Gallons (14,812 L)
Material	Alloy Steel, Polyvinyl Chloride (PVC)
Color	Gray
Included Components	Filter Pump (1,500 GPH), Liner, Pool Cover, Ladder
Assembly Required	Yes
Indoor/Outdoor Usage	Outdoor
Box Weight	224 lbs

7. WARRANTY AND SUPPORT

For warranty information, product support, or to order replacement parts, please contact Bestway (Hong Kong) International Limited directly. Refer to the contact details provided in your product packaging or visit the official Bestway website for the most up-to-date support information.

- **Manufacturer:** Bestway (Hong Kong) International Limited
- **Customer Support:** Please refer to your product manual or the manufacturer's website for specific contact details.