

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Kegco](#) /

› [Kegco XCK-1B Commercial Kegerator Instruction Manual](#)

## Kegco XCK-1B

# Kegco XCK-1B Commercial Kegerator Instruction Manual

Model: XCK-1B

## 1. INTRODUCTION

This manual provides detailed instructions for the safe and efficient operation and maintenance of your Kegco XCK-1B Commercial Kegerator. Please read all instructions carefully before installation and use. Retain this manual for future reference.

The Kegco XCK-1B is a commercial-grade kegerator designed for dispensing beverages on tap. It features durable construction, efficient cooling, and a spacious interior. This unit is ETL and ETL Sanitation Listed and NSF Compliant, meeting recognized product safety standards for draft beer dispensers.





Figure 1: Front view of the Kegco XCK-1B Commercial Kegerator with single tap tower.

---

## 2. SAFETY INFORMATION

---

**WARNING: To reduce the risk of fire, electric shock, or injury, follow these basic precautions:**

- Read all instructions before using the appliance.
- Connect to properly grounded outlets only.
- Do not repair or replace any part of the unit unless specifically recommended in this manual. All other servicing should be referred to a qualified technician.
- Unplug the appliance before cleaning or performing any maintenance.
- Do not use this appliance near water or in excessively damp environments.
- Keep ventilation openings clear of obstruction.

- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
  - This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
  - Ensure the unit is placed on a stable, level surface.
  - Handle CO2 cylinders with care. Ensure proper ventilation when connecting or disconnecting CO2.
- 

### 3. PRODUCT OVERVIEW AND FEATURES

---

The Kegco XCK-1B Kegerator is designed for commercial and home use, offering robust construction and efficient beverage dispensing.

#### Key Features:

- **Commercial Grade:** NSF compliant and ETL sanitation listed.
- **Reliable Cooling:** Powerful 1/7 hp compressor with forced air refrigeration ensures consistent temperatures throughout the cabinet and up to the faucet.
- **Durable Construction:** Steel construction with a brushed stainless steel top and a diamond plate floor designed to withstand frequent keg changes.
- **Large Interior Capacity:** Accommodates one full-size keg, up to two quarter slim kegs, or up to four 5-gallon kegs.
- **External CO2 Tank Mount:** Allows for larger CO2 tanks or saves interior space.
- **Portability:** Equipped with 4-inch locking casters for easy movement.
- **Self-Closing Door:** Features a magnetic gasket for positive door sealing and a lock for security.
- **Integrated Drip Tray:** Built-in drip tray with a drain and internal drain receptacle for easy cleaning.
- **Air-Cooled Tower:** Cold air is directed into the 3-inch diameter draft tower to minimize foam.
- **Digital Temperature Control:** Easy-to-use digital display with a temperature range of 33-43°F, programmable defrost, and alarm functions.


## XCK-1B Special Features



Built-In Drip Tray with Drain



Cold Air Flow Through Tower




Drip Tray Drain Receptacle



Internal Thermometer



Digital Display on the Back Side



Rubber Floor Mat

Figure 2: Overview of key features including drip tray, air-cooled tower, internal thermometer, digital display, and rubber floor mat.

## 4. SETUP INSTRUCTIONS

### 4.1 Unpacking and Placement

1. Carefully remove all packaging materials. Keep packaging for future transport if needed.
2. Place the kegerator on a flat, level, and sturdy surface capable of supporting its weight when fully loaded.
3. Ensure there is adequate ventilation around the unit (at least 4 inches of space on the sides and back) to allow for proper heat dissipation.
4. Allow the unit to stand upright for at least 2-4 hours before plugging it in to allow refrigerants to settle.

### 4.2 Caster Installation

- The unit comes with 4-inch locking casters. Carefully tilt the unit and screw the casters into the designated holes at the bottom corners.
- Ensure all casters are securely tightened.

#### 4.3 Draft Tower Installation

- The kegerator includes a 3-inch diameter draft tower. Position the tower over the opening on the top of the unit.
- Connect the beer line from the tower to the internal cooling system.
- Secure the tower to the top surface using the provided hardware.

#### 4.4 CO2 Tank and Dispense Kit (Not Included)

This kegerator does not include a direct draw dispense kit. You will need to acquire a separate dispense kit and CO2 tank.

- Mount your CO2 tank externally using the provided knockout and mounting bracket. This allows for larger tanks and saves interior space.
- Connect the CO2 regulator to the CO2 tank and then connect the gas line to your dispense kit.
- Follow the instructions provided with your dispense kit for connecting the beer lines to the keg and the draft tower.

#### 4.5 Keg Loading



Figure 3: Keg capacity configurations for the XCK-1B.

- Open the kegerator door. The interior features a durable diamond plate floor and a rubber floor mat to reduce shock.
- Carefully place the desired keg(s) inside the unit. The XCK-1B can hold one full-size (15.5 gal) keg, one pony size (7.75 gal) keg, two quarter slim (7.75 gal) kegs, or up to four 5-gallon kegs (with an external CO2 tank).
- Ensure kegs are stable and do not obstruct the door or internal components.



Figure 4: Interior view of the Kegco XCK-1B, illustrating space for kegs and internal cooling components.

## 5. OPERATING INSTRUCTIONS

## 5.1 Initial Power-On and Temperature Setting

1. After allowing the unit to settle for 2-4 hours, plug the kegerator into a grounded electrical outlet.
2. Locate the digital temperature control panel, typically on the back side of the unit.
3. Use the controls to set your desired temperature. The optimal operating temperature range for most beverages is 33-43°F (0.5-6°C).
4. The unit features a programmable defrost function, an alarm to alert you of notifications, and a night mode for energy saving. Refer to the digital controller's specific instructions for detailed programming.



Figure 5: Digital temperature display and control panel.

## 5.2 Dispensing Beverages

1. Ensure your CO2 tank is connected, the regulator is set to the appropriate pressure (refer to your beverage's specific requirements, typically 10-12 PSI for beer), and the dispense kit is properly attached to the keg and tower.
2. The air-cooled tower ensures that the beer lines remain cold all the way up to the faucet, reducing foam during pours.

3. To dispense, pull the faucet handle forward. To stop, push the handle back.



Figure 6: Illustration of cold air circulation within the air-cooled tower to prevent foam.

## 6. MAINTENANCE

---

### 6.1 Cleaning the Drip Tray

- The built-in drip tray with drain collects spills from the faucet.
- Any spills are routed into an internal drain receptacle. Regularly check and empty this receptacle.
- The drip tray features a removable grill for quick and easy cleaning. Wash with mild soap and water.

## XCK-1B Drip Tray Drain



- Built-in drip tray with drain
- Drain receptacle with bottle catches any spills from faucet
- Removable grill for quick and easy cleaning

Figure 7: Detailed view of the drip tray and drain system.

### 6.2 Interior Cleaning

- Unplug the unit before cleaning.
- Wipe down the interior with a damp cloth and mild, food-safe cleaning solution.
- The rubber floor mat can be removed and cleaned separately. This mat helps reduce the shock of heavy kegs on the stainless steel floor.
- Ensure the interior is dry before plugging the unit back in.

### 6.3 Condenser Coil Cleaning

- Periodically clean the condenser coils located at the back or bottom of the unit. Dust and debris can accumulate, reducing cooling efficiency.
- Use a soft brush or vacuum cleaner to gently remove any buildup.

## 7. TROUBLESHOOTING

Before contacting customer support, review the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not operate	Not plugged in; circuit breaker tripped; power switch off.	Ensure unit is plugged in; reset circuit breaker; turn power switch on.
Temperature is not cold enough	Temperature set too high; door not closed properly; excessive door openings; poor ventilation; dirty condenser coils.	Adjust temperature setting; ensure door is sealed; minimize door openings; ensure adequate clearance around unit; clean condenser coils.
Excessive foam during dispensing	Beer lines not cold; incorrect CO2 pressure; dirty beer lines; warm keg.	Allow unit to cool completely; verify CO2 pressure settings; clean beer lines; ensure keg is adequately chilled.
Water on floor inside unit	Drain tube clogged; high humidity.	Clear any obstructions from the drain tube; this is normal in high humidity.

## 8. SPECIFICATIONS

---

Refer to the following table for detailed product specifications of the Kegco XCK-1B Commercial Kegerator.

## XCK-1B Dimensions




Figure 8: Dimensional drawing of the Kegco XCK-1B Kegerator.

Specification	Value
Brand	Kegco
Model Number	XCK-1B
Item Weight	143 pounds
Product Dimensions	31 x 23.5 x 40 inches (D x W x H)
Capacity	8.2 Cubic Feet
Installation Type	Freestanding
Form Factor	Tower
Special Features	Portable
Color	Black
Voltage	115 Volts
Door Hinges	Right

Specification	Value
Door Material Type	Stainless Steel
Certification	ETL
Included Components	Single Tap
Number Of Doors	1

## 9. WARRANTY AND SUPPORT

### 9.1 Warranty Information

For specific warranty details, please refer to the warranty card included with your product or contact Kegco customer support directly. Keep your proof of purchase for warranty claims.


### 9.2 Customer Support


If you have questions, require assistance with setup, or need troubleshooting beyond what is covered in this manual, please contact Kegco customer support. Our knowledgeable team is available during regular business hours to provide timely and reliable help.

You can typically find contact information on the manufacturer's website or on the product packaging.

© 2023 Kegco. All rights reserved.

## Related Documents - XCK-1B

	<p><a href="#">Kegco VSK-15 15" Built-In Undercounter Kegerator: Instruction Manual &amp; Operation Guide</a></p> <p>Comprehensive instruction manual for the Kegco VSK-15 15-inch built-in undercounter kegerator. Covers safety, installation, operation, maintenance, troubleshooting, technical specifications, and warranty information.</p>
	<p><a href="#">Kegco XCK-1 Control Panel Manual - Temperature Controller Operation and Parameters</a></p> <p>Detailed guide to operating the Kegco XCK-1 temperature control panel, including setting parameters, understanding alarm codes, and navigating the user interface. Features a comprehensive list of operating parameters and alarm configurations.</p>

	<p><a href="#"><u>Kegco VSK-24 24" Wide Outdoor Kegerator Instruction Manual</u></a></p> <p>Comprehensive instruction manual for the Kegco VSK-24 24" Wide Outdoor Kegerator, covering installation, operation, maintenance, troubleshooting, and warranty information. Learn how to set up, use, and care for your kegerator.</p>
	<p><a href="#"><u>Kegco HK-38 Full Size Kegerator Instruction Manual</u></a></p> <p>Comprehensive guide for the Kegco HK-38 full-size kegerator, covering installation, operation, maintenance, safety, troubleshooting, and warranty information.</p>
	<p><a href="#"><u>Kegco VSK-24 24" Wide Built-In Kegerator Instruction Manual</u></a></p> <p>Comprehensive instruction manual for the Kegco VSK-24 24" Wide Built-In Kegerator. Includes safety guidelines, installation steps, operation instructions, maintenance tips, troubleshooting, technical specifications, and warranty information.</p>
	<p><a href="#"><u>Kegco VSK-24 24" Wide Outdoor Kegerator Instruction Manual</u></a></p> <p>This instruction manual provides detailed information on the installation, operation, care, and maintenance of the Kegco VSK-24 24" Wide Outdoor Kegerator. It includes safety precautions, troubleshooting tips, technical specifications, and warranty information.</p>

## Documents - Kegco – XCK-1B

**Model XCK-1B-4**

**KEGCO 24" WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- HIGH-QUALITY STAINLESS STEEL TOP
- BUILT-IN DRAIN TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Full Size Keg	Half Size Keg	Half Size Keg	1/2 Keg

**DESCRIPTION**

- Ideal for busy restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drain collection tray
- Easily holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your particular needs
- NSF certified and ETL sanitation listed for commercial use

**Kegco**  
(800) 710 9939  
support@leveragefactory.com  
www.leveragefactory.com

**OUR SHOWROOM**  
8110 Mission Drive  
San Diego, CA 92126  
Mon-Fri, 7:00am - 4:00pm

**90 DAY**

### [Kegco XCK-1B-4 24" Commercial Kegerator - Four Tap Black Draft Beer Dispenser](#)

Detailed specifications and features of the Kegco XCK-1B-4 24-inch wide, four-tap commercial kegerator. Learn about its durable construction, capacity options, cooling system, and ideal use for restaurants, pubs, and bars.

lang:en score:52 filesize: 1.39 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B**

**KEGCO 24" WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Back Tap	Front Tap	Back Tap	Front Tap
Back Tap	Front Tap	Back Tap	Front Tap

**DESCRIPTION**

- Ideal for restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your needs
- NSF compliant and ETL sanitation listed for commercial use

**Kegco**  
(800) 710 9939  
support@beveragefactory.com  
www.beveragefactory.com

**OUR SHOWROOM**  
8510 Market Drive  
San Diego, CA 92126  
Mon-Fri, 7:00am - 4:00pm

**90 DAY WARRANTY**

[\[pdf\] Dimension Guide](#)

DOWNLOAD SPEC SHEET [Kegco XCK 1B Commercial Kegerator Single Faucet Tap Keg Restaurant Beer Refrigerator Black BeverageFactory](#) XCK BF 250122 [beveragefactory images guides 250122](#) |||

**Model: XCK-1B KEGCO 24 WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back She...**

lang:en score:43 filesize: 1.37 M page\_count: 2 document date: 2025-01-22

**U.S. Government** Federal law prohibits removal of this label before consumer purchase.

**ENERGYGUIDE**

Refrigerator-Freezer  
Automatic Defrost

Model: XCK-1B  
XCK-1S  
Capacity: 8.2 Cubic Feet

Compare ONLY to other labels with yellow numbers.  
Labels with yellow numbers are based on the same test procedures.

**Estimated Yearly Energy Cost**  
**\$39**

Cost range not available

**328.5 kWh**  
Estimated Yearly Electricity Use

\* Your cost will depend on your utility rates and use.  
\*\* Both cost ranges based on models of size for size capacity.  
† Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

[ftc.gov/energy](http://ftc.gov/energy)

[\[pdf\] Guide Label](#)

XCK 1 energy Federal Trade Commission Energy Guide Kegco 1B 4 Four Faucet Commercial Kegerator Restaurant Beer Refrigerator Black BeverageFactory 20062220145316 [beveragefactory images guides 250122](#) ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator-Freezer Automatic Defrost Kegco Models: **XCK-1B XCK-1S Capacity: 8.2 Cubic Feet** Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. E...

lang:en score:41 filesize: 279.97 K page\_count: 1 document date: 2020-06-22

**Model XCK-1B-2K**

**KEGCO 24" WIDE DUAL TAP BLACK COMMERCIAL KEGERATOR WITH KIT**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Back Tap	Front Tap	Back Tap	Front Tap
Back Tap	Front Tap	Back Tap	Front Tap

**INCLUDES DIRECT DRAW KIT**

- 5 lb. aluminum CO<sub>2</sub> tank
- Commercial grade double stage CO<sub>2</sub> regulator with air splitter
- 3-way ball valve with quick connect fittings
- 14.5" tall, 3" diameter polished stainless steel draft tower
- Hoses and fittings

**Kegco**  
(888) 980-4810  
support@kegco.com  
www.kegco.com

**OUR SHOWROOM**  
8510 Market Drive  
San Diego, CA 92126  
Monday - Friday  
7:00am - 4:00pm

**90 DAY WARRANTY**

[\[pdf\] Dimension Guide](#)

Download [24 Wide Dual Tap Black Commercial Kegerator with Kit](#) v1cdn shopify s files 1 0354 3020 3531

XCK 1B 2K Kegco 250122 v 1738343626 |||

**Model: XCK-1B-2K KEGCO 24 WIDE DUAL TAP BLACK COMMERCIAL KEGERATOR WITH KIT FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GA...**

lang:en score:36 filesize: 1.29 M page\_count: 2 document date: 2025-01-31

**Model XCK-1B-4**

**KEGCO 24" WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Full Size Keg	Full Size Keg	Full Size Keg	Full Size Keg
Half Size Keg	Half Size Keg	Half Size Keg	Half Size Keg
1/2 Keg	1/2 Keg	1/2 Keg	1/2 Keg
1/4 Keg	1/4 Keg	1/4 Keg	1/4 Keg

**DESCRIPTION**

- Ideal for busy restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your particular needs
- NSF compliant and ETL sanitation listed for commercial use

 **Kegco**  
(800) 710 9939  
support@beveragefactory.com  
www.beveragefactory.com

**OUR SHOWROOM**  
8510 Miraloma Drive  
San Diego, CA 92126  
Mon-Fri, 7:00am-4:00pm



## [pdf] Dimension Guide

KEGCO 24 WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR Ideal for busy restaurants pubs bars and tasting rooms ▶ Durable steel construction with stainless top built in drip tray to collect spills XCK 1B 4 BF 250122beveragefactory images guides XCK 250122 srsltid AfmBOoqyr XTWiTqfdf 4ncsKN66sufpOhrG2S9xbtczXT9qQMlggUP |||

**Model: XCK-1B-4 KEGCO 24 WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back She...**

lang:en score:36 filesize: 1.39 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B**

**KEGCO 24" WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Full Size Keg	Full Size Keg	Full Size Keg	Full Size Keg
Half Size Keg	Half Size Keg	Half Size Keg	Half Size Keg
1/2 Keg	1/2 Keg	1/2 Keg	1/2 Keg
1/4 Keg	1/4 Keg	1/4 Keg	1/4 Keg

**DESCRIPTION**

- Ideal for busy restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your particular needs
- NSF compliant and ETL sanitation listed for commercial use

 **Kegco**  
(888) 980-4810  
support@kegco.com  
www.kegco.com

**OUR SHOWROOM**  
8510 Miraloma Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am-4:00pm



## [pdf] Dimension Guide

Download24 Wide Single Tap Commercial Black KegeratorXCK 1B Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1737672576 |||

**Model: XCK-1B KEGCO 24 WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back She...**

lang:en score:27 filesize: 1.37 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B-4**

**KEGCO 24" WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Full Size Keg	Full Size Keg	Full Size Keg	Full Size Keg
Half Size Keg	Half Size Keg	Half Size Keg	Half Size Keg
1/2 Keg	1/2 Keg	1/2 Keg	1/2 Keg
1/4 Keg	1/4 Keg	1/4 Keg	1/4 Keg

**DESCRIPTION**

- Ideal for busy restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your particular needs
- NSF compliant and ETL sanitation listed for commercial use

 **Kegco**  
(888) 980-4810  
support@kegco.com  
www.kegco.com

**OUR SHOWROOM**  
8510 Miraloma Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am-4:00pm



## [pdf] Dimension Guide

Download24 Wide Four Tap Black Commercial KegeratorXCK 1B 4 Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1737672576 |||

**Model: XCK-1B-4 KEGCO 24 WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back She...**

lang:en score:27 filesize: 1.39 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B-2**

**KEGCO 24" WIDE DUAL TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1 15.5 GAL	1 7.75 GAL	2 7.75 GAL	4 5 GAL
Full Size Keg	Full Size Keg	Full Size Keg	Full Size Keg
Half Size Keg	Half Size Keg	Half Size Keg	Half Size Keg
1/2 Keg	1/2 Keg	1/2 Keg	1/2 Keg
1/4 Keg	1/4 Keg	1/4 Keg	1/4 Keg

**DESCRIPTION**

- Ideal for busy restaurants, pubs, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your particular needs
- NSF compliant and ETL sanitation listed for commercial use

 **Kegco**  
(888) 980-4810  
support@kegco.com  
www.kegco.com

**OUR SHOWROOM**  
8510 Miraloma Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am-4:00pm



## [pdf] Dimension Guide

Download24 Wide Dual Tap Black Commercial KegeratorXCK 1B 2 Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1737672576 |||

**Model: XCK-1B-2 KEGCO 24 WIDE DUAL TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back She...**

lang:en score:27 filesize: 1.35 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B-3**

**KEGCO 24" WIDE TRIPLE TAP BLACK COMMERCIAL KEGERATOR**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1	15.5 GAL	1	7.75 GAL	2	7.75 GAL	4	5 GAL
Full Size Keg		Half Size Keg		Half Size Keg		Half Size Keg	

**DESCRIPTION**

- Ideal for restaurants, bars and tasting rooms
- Durable steel construction with stainless steel top and built-in drip tray to collect spills
- Easy holds a full size keg or multiple smaller kegs
- Customize the draft beer dispensing system to suit your needs
- NSF compliant and ETL sanitization listed for commercial use

 **Kegco**

Call: (888) 980-4810 | Email: support@kegco.com | Website: www.kegco.com

**OUR SHOWROOM**  
8510 Miramar Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am - 4:00pm



[\[pdf\] Dimension Guide](#)

Download24 Wide Triple Tap Black Commercial KegeratorXCK 1B 3 Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1737672576 |||

**Model: XCK-1B-3 KEGCO 24 WIDE TRIPLE TAP BLACK COMMERCIAL KEGERATOR FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GAL Back S...**

lang:en score:27 filesize: 1.38 M page\_count: 2 document date: 2025-01-23

**Model XCK-1B-4K**

**KEGCO 24" WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR WITH KIT**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1	15.5 GAL	1	7.75 GAL	2	7.75 GAL	4	5 GAL
Full Size Keg		Half Size Keg		Half Size Keg		Half Size Keg	

**INCLUDES DIRECT DRAW KIT**

- 5 lb. aluminum CO<sub>2</sub> tank
- Commercial grade double gauge CO<sub>2</sub> regulator w/ air distributor
- 4 brewery grade D system lever handle keg coupler
- 1/8" tall, 3" diameter polished stainless steel draft tower
- Hoses and fittings

 **Kegco**

Call: (888) 980-4810 | Email: support@kegco.com | Website: www.kegco.com

**OUR SHOWROOM**  
8510 Miramar Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am - 4:00pm



[\[pdf\] Dimension Guide](#)

Download24 Wide Four Tap Black Commercial Kegerator with KitXCK 1B 4K Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1738343627 |||

**Model: XCK-1B-4K KEGCO 24 WIDE FOUR TAP BLACK COMMERCIAL KEGERATOR WITH KIT FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 GA...**

lang:en score:27 filesize: 1.41 M page\_count: 2 document date: 2025-01-31

**Model XCK-1B-K**

**KEGCO 24" WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR WITH KIT**

**FEATURES**

- COMMERCIAL GRADE
- HEAVY-DUTY STAINLESS STEEL TOP
- BUILT-IN DRIP TRAY WITH DRAIN
- STAINLESS STEEL INTERIOR WALLS AND CEILING
- DIGITAL TEMPERATURE CONTROL
- AIR COOLED TOWER PREVENTS FOAM

**CAPACITY OPTIONS**

1	15.5 GAL	1	7.75 GAL	2	7.75 GAL	4	5 GAL
Full Size Keg		Half Size Keg		Half Size Keg		Half Size Keg	

**INCLUDES DIRECT DRAW KIT**

- 5 lb. aluminum CO<sub>2</sub> tank
- Commercial grade double gauge CO<sub>2</sub> regulator
- 4 brewery D system lever handle keg coupler
- 1/4" tall, 3" diameter polished stainless steel draft tower
- Hoses and fittings

 **Kegco**

Call: (888) 980-4810 | Email: support@kegco.com | Website: www.kegco.com

**OUR SHOWROOM**  
8510 Miramar Drive  
San Diego, CA 92126  
Monday - Friday, 7:00am - 4:00pm



[\[pdf\] Dimension Guide](#)

Download24 Wide Single Tap Commercial Black Kegerator with KitXCK 1B K Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1738343627 |||

**Model: XCK-1B-K KEGCO 24 WIDE SINGLE TAP BLACK COMMERCIAL KEGERATOR WITH KIT FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OPTIONS 1 15.5 G...**

lang:en score:27 filesize: 1.33 M page\_count: 2 document date: 2025-01-31




### [pdf] Dimension Guide

Download24 Wide Triple Tap Black Commercial Kegerator with KitXCK 1B 3K Kegco 250122cdn shopify s files 1 0354 3020 3531 XCK 250122 v 1738343627 |||

**Model: XCK-1B-3K KEGCO 24 WIDE TRIPLE TAP BLACK COMMERCIAL KEGERATOR WITH KIT FEATURES COMMERCIAL GRADE HEAVY-DUTY STAINLESS STEEL TOP BUILT-IN DRIP TRAY WITH DRAIN STAINLESS STEEL INTERIOR WALLS AND CEILING DIGITAL TEMPERATURE CONTROL AIR COOLED TOWER PREVENTS FOAM CAPACITY OP...**

lang:en score:27 filesize: 1.37 M page\_count: 2 document date: 2025-01-31



### [pdf] Label

XCK 1 energy Federal Trade Commission Energy GuideFLASH SALE! Kegco 24 Wide Kombucha Triple Tap Commercial Kegerator KOMC1B 3 Bar Source USAZCK 1cdn shopify s files 0332 5431 0021 v

1586498994 1B GuideEnergy GuideKegco 1S 4 Stainless Steel Four Grade Outdoor Cooking ProsFLASH 4XCK 0020 9502 2131 127cdn GuideDownload Pros24 Dual Black KegeratorFLASH 43XCK 0354 3020 3531 43 1590593841cdn USAFLASH Cold Brew Coffee Single ICXCK 1XCK 20cdn 1586498994cdn 20 1586487704 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator-Freezer Automatic Defrost Cydea Inc Models: **XCK-1B XCK-1S Capacity: 8.2 Cubic Feet** Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures...

lang:en score:13 filesize: 182.92 K page\_count: 1 document date: 2017-04-18