

## Western Digital WD2000FYYZ

# Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive User Manual

## 1. INTRODUCTION

This manual provides essential information for the installation, operation, maintenance, and troubleshooting of your Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive. Please read this manual thoroughly before using the product to ensure proper functionality and longevity.

## 2. PRODUCT OVERVIEW

### 2.1 Key Features

- **High Capacity:** 2TB storage suitable for demanding enterprise applications.
- **High Performance:** Delivers 6 Gb/s transfer rates, sustained sequential data rates of 171 MB/s, and high random I/O rates.
- **Reliability:** Field-tested 1.2 million hour MTBF for 24x7 operation in up to 100% duty cycle applications.
- **Dual Processor:** Enhanced processing power for maximized performance.
- **Interface:** SATA 6 Gb/s.
- **Form Factor:** 3.5-inch.

### 2.2 What's in the Box

- Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive



Figure 1: The Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive securely packaged within a cardboard box, cushioned by protective inserts. This illustrates the typical packaging for safe transport.

### 3. SETUP AND INSTALLATION

---

This section outlines the general steps for installing your Western Digital RE WD2000FYYZ hard drive into a compatible system. Ensure your system is powered off and disconnected from the power source before proceeding.

#### 3.1 Physical Installation

1. **Prepare Your System:** Power down your computer and unplug all cables. Open the computer case to access the drive bays.
2. **Mount the Drive:** Slide the hard drive into an available 3.5-inch drive bay. Secure it using screws or the system's tool-less mounting mechanism.
3. **Connect Cables:**
  - Connect a SATA data cable from the drive to an available SATA port on your motherboard.
  - Connect a SATA power cable from your power supply unit (PSU) to the drive's power connector.
4. **Close Case:** Once secured and connected, close your computer case and reconnect all external cables.



Figure 2: Bottom view of the Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive, highlighting the SATA data and power connectors. The drive's label is clearly visible, displaying model information and a serial number WMC1P0219357.

### 3.2 Initial System Setup

1. **BIOS/UEFI Configuration:** Power on your computer and enter the BIOS/UEFI setup. Verify that the newly installed hard drive is detected. Ensure the SATA port mode is set appropriately (e.g., AHCI for optimal performance).
2. **Operating System Recognition:** Boot into your operating system. For a new drive, it will likely appear as unallocated space.
3. **Initialize and Format:** Use your operating system's disk management utility (e.g., Disk Management in Windows, Disk Utility in macOS, fdisk/gparted in Linux) to initialize the drive, create partitions, and format them. This makes the drive ready for data storage.



Figure 3: Angled view of the Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive, showcasing its metallic casing and product label. The label clearly displays the 'WD Enterprise-class' branding, 2.0TB capacity, and model number WD2000FYYZ.

## 4. OPERATING INSTRUCTIONS

Once installed and formatted, your Western Digital RE WD2000FYYZ hard drive functions like any other storage device. You can use it for:

- Storing operating system files and applications.
- Saving documents, media, and other personal or business data.
- Acting as a primary or secondary storage drive in a desktop or server environment.
- Integration into RAID arrays for enhanced performance or data redundancy.

Always ensure proper shutdown procedures for your computer to prevent data corruption or drive damage.

## 5. MAINTENANCE

Regular maintenance helps ensure the longevity and optimal performance of your hard drive.

- **Data Backup:** Regularly back up critical data to another storage device or cloud service. Hard drives can fail, and backups are essential for data recovery.
- **Drive Health Monitoring:** Utilize S.M.A.R.T. (Self-Monitoring, Analysis and Reporting Technology) tools

to monitor the drive's health status. Many operating systems and third-party utilities offer this functionality.

- **Keep System Clean:** Ensure your computer's internal environment is clean and free of dust to maintain proper airflow and prevent overheating, which can impact drive performance and lifespan.
- **Firmware Updates:** Periodically check the Western Digital support website for any available firmware updates for your specific model. Firmware updates can improve performance, stability, and compatibility.



Figure 4: Western Digital RE WD2000FYYZ 2TB Enterprise Hard Drive sealed in an anti-static bag, ready for installation or storage. The product label is visible through the bag, confirming the model and capacity. A serial number WMC1P0219357 is visible on the label.

## 6. TROUBLESHOOTING

If you encounter issues with your hard drive, consider the following basic troubleshooting steps:

- **Drive Not Detected:**
  - Check all SATA data and power cable connections. Ensure they are securely seated.
  - Verify the drive is enabled in your system's BIOS/UEFI settings.
  - Try connecting the drive to a different SATA port or using different cables.
  - Ensure your power supply unit (PSU) has sufficient wattage and available power connectors.
- **Slow Performance:**
  - Check for background processes consuming disk resources.
  - Ensure the drive is not excessively fragmented (for HDDs, defragmentation can help).
  - Run a S.M.A.R.T. diagnostic to check for potential drive health issues.
  - Verify that the SATA controller drivers are up to date.

- **Unusual Noises:**

- Clicking, grinding, or repetitive beeping sounds can indicate a failing drive. Immediately back up any critical data and consider replacing the drive.

- **Data Corruption/Errors:**

- Run a disk check utility (e.g.,chkdsk in Windows) to scan for and repair file system errors.
- Ensure your operating system and drivers are stable and up to date.



Figure 5: Western Digital RE WD2000FYYZ Hard Drive with PCB exposed. The PCB is green and contains various electronic components. The drive's label is visible on the metal casing, showing model number WD2000FYYZ and other specifications. A serial number WMC1P0219357 is visible on the label.

## 7. SPECIFICATIONS

| Feature      | Specification  |
|--------------|----------------|
| Model Number | WD2000FYYZ     |
| Capacity     | 2 TB (2000 GB) |
| Interface    | SATA 6 Gb/s    |

| Feature                           | Specification                                                                                                                                                   |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form Factor                       | 3.5 Inches                                                                                                                                                      |
| Rotational Speed                  | 7200 RPM                                                                                                                                                        |
| Cache                             | 64 MB                                                                                                                                                           |
| MTBF (Mean Time Between Failures) | 1.2 Million Hours                                                                                                                                               |
| Compatible Devices                | Desktop systems                                                                                                                                                 |
| Installation Type                 | Internal Hard Drive                                                                                                                                             |
| Item Weight                       | Approximately 0.01 ounces (Note: This value seems unusually low and may be a data entry error. Actual weight for a 3.5" HDD is typically around 1.5 lbs / 680g) |
| Package Dimensions                | 8.86 x 6.06 x 2.95 inches                                                                                                                                       |

## 8. WARRANTY AND SUPPORT

Western Digital products are backed by a limited warranty. For specific warranty terms and conditions applicable to your region and product, please refer to the warranty information included with your purchase or visit the official Western Digital website.

For technical support, driver downloads, firmware updates, and additional resources, please visit the Western Digital Support website:

<https://support.wdc.com>

When contacting support, please have your drive's model number (WD2000FYYZ) and serial number (if available, e.g., WMC1P0219357) ready.

### Related Documents - WD2000FYYZ

|                                                                                     |                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p><a href="#">WD Gold Enterprise Class SATA HDD: High-Capacity, Reliable Storage Solutions</a></p> <p>Data sheet for Western Digital's WD Gold Enterprise Class SATA HDDs, detailing specifications, features, and ideal use cases for demanding workloads. Capacities up to 26TB, 5-year warranty, and advanced reliability.</p> |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



[illegible]

[\[pdf\]](#) User Manual

Liaoyuewang 69442 HDD for DVR partizan global Manual ||

have been tested have compatibility issues Brand Name Device Name SEAGATE  
SEAGATE SEAGATE SEAGATE ... S S/N:WMC4N0196949 WD10EURX  
S/N:WMC4J0014332 WD5000AUDX S/N:WCC1U4254469 WD20PURX WD30PURX  
WD40PURX **WD2000FYYZ** WD3000FYYZ WD3000FYYZ 4T 3.0T 2.0T 1.0T 500G  
1T 1T 333.0G\*3 2.00T 2.00 T S/5N0:0WGC...

lang:tl score:24 filesize: 113.77 K page\_count: 1 document date: 2018-01-29

[illegible]

[\[pdf\]](#) Guide Accessories

Raja Mohammed Basheer Ramiz Compatibility Guide Zyxel Personal Cloud Storage Server 4 Bay with Remote Access and Media Streaming NAS540 Computers Accessories 81yNVz1D3mS m media amazon images I |||

Verified Hard Disk List Most 3.5 SATA hard disks are compatible with our NAS series.

The following ... ZEX 1TB SATA 6 Gb/s Hitachi Toshiba WD10EURX WD10EALX  
WD1002FAEX WD1001FALS WD1003FBYX WD15EURS **WD2000FYYZ**  
WD20EFRX RED WD2002FAEX WD20EURS WD2002FYPS WD20EARX  
WD30EFRX RED WD30EZRS WD30EZRX W...

lang:es score:24 filesize: 373.07 K page\_count: 3 document date: 2017-09-20



# WD Red

## Enterprise Capacity HDD

For maximum optimized high capacity storage  
for high intensity applications

Advance our hard technology that delivers consistent high performance in a multitude of applications, and will go as far as to ensure the workload capacity of database drives. The WD Red also uses non-magnetic air storage areas that demand a robust physical design, and our dual spin up time, capacity, and reliability make it ideal for high availability mission-critical, and high performance computing. The WD Red uses a 5.4AFC motor to provide maximum head and spindle longevity.



|                                                                                                                                 |                                            |                                     |                                   |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------|-----------------------------------|
| <b>REFERENCE</b><br>15.5" x 3.5"                                                                                                | <b>WARRANTY</b><br>3 years/5 million hours | <b>ROTATIONAL SPEED</b><br>7200 RPM | <b>CAPACITY</b><br>15 TB to 45 TB |
| <b>WHEEL MOUNTS</b><br>3.5" x 1.5" x 1.5" (mm)<br>3.5" x 1.5" x 1.5" (mm)<br>3.5" x 1.5" x 1.5" (mm)<br>3.5" x 1.5" x 1.5" (mm) |                                            |                                     |                                   |

### Product Benefits

**High capacity enables data growth**

WD Red Data Center HDDs are designed to support the growth of your data. With capacities ranging from 15TB to 45TB, you can store more data than ever before.

**Designed for high intensity**

WD Red Data Center HDDs are designed to handle the most demanding workloads. They are built to last, with a 5.4AFC motor and a robust physical design.

**Reliability**

WD Red Data Center HDDs are built to last. They have a 3-year warranty and a 5 million hour MTBF.

**Maximize productivity**

WD Red Data Center HDDs are designed to maximize productivity. They have a 7200 RPM rotational speed and a 12MB/s data rate.

**Maximize storage efficiency**

WD Red Data Center HDDs are designed to maximize storage efficiency. They have a 5.4AFC motor and a robust physical design.

**Designed for capacity and reliability**

WD Red Data Center HDDs are designed for capacity and reliability. They have a 3-year warranty and a 5 million hour MTBF.

**Designed for high availability**

WD Red Data Center HDDs are designed for high availability. They have a 5.4AFC motor and a robust physical design.

[\[pdf\]](#) Specifications

WD Re Datacenter Distribution Specification Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache  
2M MTBF WD6001FSYZ WD6001FXYZ WD6002FRYZ WD5001FSYZ WD5001FXYZ WD4000FYYZ  
WD4002FYYZ WD3000FYYZ WD2000FYYZ WD200MFYYZ WD2004FBYZ WD1004FBYZ Western  
Digital 1128371985 2879 800066 media flixcar f360cdn |||

WD ReTM Datacenter Capacity HDD Performance-optimized high-capacity storage  
for high-intensity appl ... CITIES 1TB to 6TB MODEL NUMBERS WD6001FSYZ  
WD6001FXYZ WD5001FSYZ WD5000FXYZ WD4000FYYZ WD3000FYYZ  
**WD2000FYYZ** WD200MFYYZ WD2004FBYZ WD1004FBYZ Product Benefits High  
capacity nearline drive Massive ...

lang:en score:24 filesize: 635.37 K page count: 3 document date: 2016-03-08

[\[pdf\]](#) Guide Declaration of Conformity

Compatible Peripherals List Technical Guide Network Video Recorder Enterprise Edition Sony  
 Management System Sep 12 2017 NVMSTG004 Revision 1 0 NVR V sony net Products CameraSystem  
 NVMS technical doc docs |||

Technical Guide Network Video Recorder Enterprise Edition Compatible Peripherals  
 List Network Vide ... Recorder Enterprise Edition Compatible Peripherals List  
 WD2000F9YZ WD4000FYYZ WD RE WD3000FYYZ **WD2000FYYZ** WD60PURZ  
 WD40PURZ WD Purple WD30PURZ WD20PURZ WD10PURZ WD05PURZ WD  
 Purple NV WD4NP...

lang:de **score:23** filesize: 82.93 K page\_count: 9 document date: 2017-09-12

[\[pdf\]](#) Guide Declaration of Conformity

Compatible Peripherals List Technical Guide Network Video Recorder Standard Edition Sony  
 Management System Sep 12 2017 NVMSTG005 Revision 1 0 NVR V sony net Products CameraSystem  
 NVMS technical doc docs |||

Technical Guide Network Video Recorder Standard Edition Compatible Peripherals  
 List Network Video ... Recorder Standard Edition Compatible Peripherals List  
 MD04ABA400V WD4000FYYZ WD RE WD3000FYYZ **WD2000FYYZ** WD4000F9YZ  
 WD SE WD3000F9YZ Western Digital WD2000F9YZ WD60PURZ WD40PURZ WD  
 Purple ...

lang:de **score:23** filesize: 83.81 K page\_count: 9 document date: 2017-09-12

[\[pdf\]](#) Guide Declaration of Conformity

Compatible Peripherals List Technical Guide Network Video Recorder Standard Edition Sony  
 Management System Apr 20 2018 NVMSTG005 Revision 1 2 0 NVR V 20180420 sony net Products  
 CameraSystem NVMS technical doc docs |||

Technical Guide Network Video Recorder Standard Edition Compatible Peripherals  
 List Network Video ... A400E MC04ACA300E MC04ACA200E MD04ABA500V  
 MD04ABA400V MG05ACA800E MG05ACA600E WD4000FYYZ WD3000FYYZ  
**WD2000FYYZ** WD4000F9YZ WD3000F9YZ WD2000F9YZ WD60PURZ WD50PURX  
 WD40PURZ WD30PURZ WD20PURZ WD10PURZ WD...

lang:de **score:22** filesize: 95.49 K page\_count: 10 document date: 2018-04-20



## [\[pdf\]](#) Specifications Datasheet Declaration of Conformity

WD Re Datacenter Capacity HDD WD4000FYYZ WD3000FYYZ WD2000FYYZ WD2004FBYZ

WD1004FBYZ 2879 800066 A04 Western Digital Product Benefits High capacity nearline drive Multiple

capacities to suit even data sheet wd re hdd sata 6 gb s 1 0 tb wd1004fbyz 95507 en documents

westerndigital content dam doc library us assets public product internal storage prodindex ch wdc 80


wdproducts SpecSheet ENG products

WD Re™ Datacenter Capacity HDD Performance-optimized high-capacity storage for high-intensity appl ... inch /1-inch ROTATIONAL SPEED 7200 RPM CAPACITIES

1TB to 4TB MODEL NUMBERS WD4000FYYZ WD3000FYYZ **WD2000FYYZ**

WD2004FBYZ WD1004FBYZ Product Benefits High capacity nearline drive Multiple capacities ...

lang:en **score:22** filesize: 660.41 K page\_count: 2 document date: 2016-05-04



## [\[pdf\]](#) Declaration of Conformity Warranty

WD RE Series Disti Spec Sheet WD4000FYYZ WD3000FYYZ WD2000FYYZ 3 5 inch SATA 6 Gb s 64

MB 7200 RPM Doc 25955070 media eetgroup documents

WD RE Enterprise SATA Hard Drives Ideal for enterprise servers and storage, video surveillance, and ... n tolerance and 5-year limited warranty. INTERFACE SATA 6

Gb/s MODEL NUMBERS WD4000FYYZ WD3000FYYZ **WD2000FYYZ**

WIDTH/HEIGHT 3.5-inch/1-inch ROTATIONAL SPEED 7200 RPM CAPACITIES 2 TB to 4 TB Note: N...

lang:en **score:21** filesize: 318.55 K page\_count: 2 document date: 2012-08-18



## [\[pdf\]](#)

WD RE SATA Hard Drives Product Overview WD4000FYYZ WD3000FYYZ WD2000FYYZ

WD2003FYYS WD1003FBYX WD5003ABYX WD2503ABYX 2178 771177 products wdc library AAG JPN

|||

WD RE SATA 247 3.5WD RE SATA WD RE SATA WDRE SATA 4TB WD RE

SATA6Gb/s 171MB/s I/O ... TB NoTouch / 2 SATA 6 Gb/sFYYZ SATA 3 Gb/s

WD4000FYYZ WD3000FYYZ **WD2000FYYZ** WD2003FYYS WD1003FBYX

WD5003ABYX WD2503ABYX 3.5 4TB 3TB 2TB 2TB 1TB 500GB 250GB 7200...

lang:de **score:21** filesize: 214.96 K page\_count: 2 document date: 2012-10-15



[pdf]


WD Re™ zhestkie diski wd re sata andpro ru upload western digital |||

- : 125480, ., ., .33/1; site: https://andpro.ru : 7 495 545-4870 email: info andpro.ru ...  
inch /1-inch ROTATIONAL SPEED 7200 RPM CAPACITIES 1TB to 4TB MODEL  
NUMBERS WD4000FYYZ WD3000FYYZ **WD2000FYYZ** WD2004FBY  
WD1004FBY Product Benefits High capacity nearline drive Multiple capacities ...  
lang:en score:21 filesize: 1.15 M page\_count: 2 document date: 2017-03-28



[pdf] Specifications

WD Re Datacenter Capacity HDD WD4000FYYZ WD3000FYYZ WD2000FYYZ WD2004FBY  
WD1004FBY 2879 800066 A04 Distribution Specification SheetGUID Partition Table Wikipediawdc  
wdproducts library SpecSheet ENG page 2 |||  
WD Re™ Datacenter Capacity HDD Performance-optimized high-capacity storage  
for high-intensity appl ... inch /1-inch ROTATIONAL SPEED 7200 RPM CAPACITIES  
1TB to 4TB MODEL NUMBERS WD4000FYYZ WD3000FYYZ **WD2000FYYZ**  
WD2004FBY WD1004FBY Product Benefits High capacity nearline drive Multiple  
capacities ...  
lang:en score:21 filesize: 660.41 K page\_count: 2 document date: 2016-05-04



[pdf]

WD RE SATA Hard Drives Product Overview WD4000FYYZ WD3000FYYZ WD2000FYYZ  
WD2003FYYS WD1003FBYX WD5003ABYX WD2503ABYX 2178 771177 products wdc library AAG  
ENG  
WD RE SATA Hard Drives Best-in-class performance. Low power consumption.  
Enterprise-ready storage. H ... roduct Specifications Interface SATA 6 Gb/s FYYZ  
models SATA 3 Gb/s Models WD4000FYYZ WD3000FYYZ **WD2000FYYZ**  
WD2003FYYS WD1003FBYX WD5003ABYX WD2503ABYX Form factor 3.5-inch  
Capacities 4 TB 3 TB 2 ...  
lang:en score:21 filesize: 163.29 K page\_count: 2 document date: 2012-09-26





| DMS-3401 Compatible List     |                            |                      |           |          |      |
|------------------------------|----------------------------|----------------------|-----------|----------|------|
| 1. Hard Disk Compatible List |                            |                      |           |          |      |
| Vendor                       | Model                      | Head                 | Interface | Capacity |      |
| HGST                         | Deskstar 7K1600            | H0ST7400.6A0.640     | SATA 6G   | 1 TB     | 4.78 |
| HGST                         | Deskstar 7K1601.D          | H0ST7401.0J0.630     | SATA 6G   | 1 TB     | 4.78 |
| HGST                         | Deskstar 7K1601.C          | H0ST7401.0C0.630     | SATA 3G   | 500GB    | 4.78 |
| HGST                         | Deskstar 7K1602            | H0ST7402.0A0.640     | SATA 6G   | 1 TB     | 4.78 |
| Hitachi                      | Deskstar 7P7300            | H0PT7500.0A0.640     | SATA 3G   | 500GB    | 4.78 |
| Maxtor                       | DiamondMax 22              | STMP73020A3          | SATA 3G   | 750 GB   | 4.78 |
| Seagate                      | Pyramid HD                 | ST7300.0A3           | SATA 6G   | 1 TB     | 4.78 |
| Seagate                      | ConquestLine 5.5.3         | ST7300.0A033         | SATA 6G   | 3 GB     | 4.78 |
| Seagate                      | Enterprise Capacity 3.5 HD | ST6600.0A024 (Revol) | SATA 6G   | 6 TB     | 4.78 |
| Seagate                      | Enterprise Capacity 3.5 HD | ST6600.0A024 (Revol) | SATA 6G   | 6 TB     | 4.78 |
| Seagate                      | Enterprise Capacity 3.5 HD | ST6600.0A024 (Revol) | SATA 6G   | 6 TB     | 4.78 |
| Seagate                      | Enterprise Capacity 3.5 HD | ST6600.0A024 (Revol) | SATA 6G   | 6 TB     | 4.78 |
| Seagate                      | NAS HD                     | ST4000.0A000 (Revol) | SATA 6G   | 4 TB     | 4.78 |
| Seagate                      | NAS HD                     | ST3200.0A000 (Revol) | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | NAS HD                     | ST3200.0A000 (Revol) | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | Vibe 3.5                   | ST3200.0A002         | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | ConquestLine 5.5           | ST3200.0A043         | SATA 3G   | 2 TB     | 4.78 |
| Seagate                      | Barrencia LP               | ST3200.0A043         | SATA 3G   | 2 TB     | 4.78 |
| Seagate                      | Barrencia 7200.12          | ST3200.0A001         | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | Barrencia ES               | ST3730.0A003         | SATA 3G   | 750 GB   | 4.78 |
| Seagate                      | Barrencia XT               | ST3100.0A045         | SATA 3G   | 1 TB     | 4.78 |
| Seagate                      | Barrencia 7200.12          | ST3100.0A003         | SATA 3G   | 1 TB     | 4.78 |
| Seagate                      | SV35                       | ST3300.0A003         | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | SV35                       | ST3300.0A003 (Revol) | SATA 6G   | 3 TB     | 4.78 |
| Seagate                      | SV35                       | ST3100.0A000 (Revol) | SATA 6G   | 1 TB     | 4.78 |
| Seagate                      | SV 35.3                    | ST3100.0A000         | SATA 3G   | 1 TB     | 4.78 |
| Seagate                      | Barrencia 7200.11          | ST3100.0A045         | SATA 3G   | 1.5 TB   | 4.78 |
| Western Digital              | WD1600RYZ                  | WD1600RYZ (Revol)    | SATA 6G   | 1.5 TB   | 4.78 |
| Western Digital              | RE                         | WD2000RYZ (Revol)    | SATA 6G   | 2 TB     | 4.78 |
| Western Digital              | RE                         | WD2000RYZ            | SATA 6G   | 2 TB     | 4.78 |
| Western Digital              | Black                      | WD1600FAX            | SATA 6G   | 1.5 TB   | 4.78 |
| Western Digital              | SE TR1000S                 | WD10EPRZ             | SATA 6G   | 1 TB     | 4.78 |

2014-10-28



[\[pdf\]](#) Datasheet

WD Re™ Datacenter Capacity HDD Product Overview WD4001FYYG WD3001FYYG WD200MFYYG

WD1001FYYG WD2001FYYG WD4000FYYZ WD3000FYYZ WD2000FYYZ WD2003FYYZ

WD1003FBYX WD5003ABYX WD2503ABYX WD4001FDYG WD3001FDYG WD200FDYG

WD1001FDYG WD2001FDYG WD4000FDYZ WD3000FDYZ WD2000FDYZ WD2003FDYZ data sheet

cdn.shopify.s/files/1/0011/8675/8756/|||

WD ReTM Datacenter Capacity HDD Durable capacity storage for high-availability deployments. Maximum ... 1FDYG Drive 1 TB 250 GB WD3001FYYG WD3000FYYZ

WD3001FDYG WD4000FDYZ 2 TB 4 TB WD200MFYYG **WD2000FYYZ**

WD200FDYG WD3000FDYZ 3 TB WD1001FYYG WD2003FYYZ WD1001FDYG

WD2000FDYZ 4 TB WD200...

lang:en score:19 filesize: 1.36 M page\_count: 2 document date: 2013-08-12

[\[pdf\]](#)

NAS HDD Compatible List user D Link Singapore WD VelociRaptor WD6000HLHX SATA 3G 600 GB

Western Digital Caviar Black WD5002AALX 500 DNS 340LCompatibilityList global dlink sg site support

340L

DNS-340L Compatible List 1. Hard Disk Compatible List Vendor HGST HGST HGST  
HGST Hitachi Maxtor Se ... 000 ST2000VX000 Note1 ST1000VX000 Note1

ST31000340SV ST31500341AS WD4000FYYZ WD3000FYYZ Note1 **WD2000FYYZ**

WD4001FAEX WD1002F9YZ Interface SATA 6G SATA 6G SATA 3G SATA 6G

SATA 3G SATA 3G SATA 6G ...

lang:it score:18 filesize: 495.4 K page count: 4 document date: 2014-10-23

[\[pdf\]](#) Specifications

WD Re Datacenter Distribution Specification Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache

2M MTBF WD6001FSYZ WD6001FXYZ WD6002FRYZ WD5001FSYZ WD5001FXYZ WD4000FYYZ

WD4002FYYZ WD3000FYYZ WD2000FYYZ WD200MFYYZ WD2004FBYZ WD1004FBYZ Deltaco

Product Benefits High capacity nearline drive deltaco se sites cdn InformationDocumentsLibrary

WD ReTM Datacenter Capacity HDD Performance-optimized high-capacity storage  
for high-intensity appl ... L NUMBERS WD6002FRYZ WD6001FSYZ WD6001FXYZ

WD5001FSYZ WD5001FXYZ WD4002FYYZ WD4000FYYZ WD3000FYYZ

**WD2000FYYZ WD200MFYYZ WD2004FBYZ WD1004FBYZ Product Benefits High**

capacity nearline drive Massive...

lang:en score:18 filesize: 952.58 K page count: 3 document date: 2016-01-05

[\[pdf\]](#)

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF HD W6000RE www.xcomputers.co.za western digital |||

WD ReTM Datacenter Capacity HDD Performance-optimized high-capacity storage

for high-intensity appl ... L SPEED 7200 RPM MODEL NUMBERS WD6001FSYZ

WD6001FXYZ WD5001FSYZ WD5001FXYZ WD4000FYYZ WD3000FYYZ

WD2000FYYZ WD200MFYYZ WD1003FBYZ WD5003ABYZ WD2503ABYZ

## CAPACITIES 250 GB to 6 TB Product Benefits...

lang:en score:18 filesize: 561.55 K page count: 3 document date: 2015-08-06

lang:it score:18 filesize: 302.58 K page\_count: 4 document date: 2014-12-19

| DNS-340L Compatible List       |                             |                     |           |          |  |
|--------------------------------|-----------------------------|---------------------|-----------|----------|--|
| 1. Hard Disk Compatible List : |                             |                     |           |          |  |
| Vendor                         | Family                      | Model               | Interface | Capacity |  |
| Hitachi                        | Deskstar 7K500              | HD571616LA.6840     | SATA-6G   | 4 TB     |  |
| Hitachi                        | Deskstar 7K500-L2           | HD571616LA.6830     | SATA-6G   | 4 TB     |  |
| Hitachi                        | Deskstar 7K500              | HD57161600.A450     | SATA-3G   | 500GB    |  |
| Hitachi                        | Deskstar 7K500              | HD57161600.A460     | SATA-3G   | 3 TB     |  |
| Hitachi                        | Deskstar 7K500              | HD57161600.A380     | SATA-3G   | 500 GB   |  |
| Maxtor                         | Maxtorville 2L              | 8T801300333         | SATA-6G   | 750 GB   |  |
| Samsung                        | Pogoplug DS                 | ST1000NA003         | SATA-6G   | 1 TB     |  |
| Samsung                        | ConnectStation ES-3         | ST1000NA003         | SATA-6G   | 3 TB     |  |
| Samsung                        | Enterprise Capacity 3.5 HDD | ST1000NM024 (He402) | SATA-6G   | 6 TB     |  |
| Samsung                        | Enterprise Capacity 3.5 HDD | ST1000NM024 (He401) | SATA-6G   | 6 TB     |  |
| Samsung                        | Enterprise Capacity 3.5 HDD | ST1000NM024 (He400) | SATA-6G   | 4 TB     |  |
| Samsung                        | Enterprise Capacity 3.5 HDD | ST1000NM024 (He401) | SATA-6G   | 2 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002 (He401) | SATA-6G   | 4 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002 (He401) | SATA-6G   | 4 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002         | SATA-6G   | 3 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002 (He401) | SATA-6G   | 3 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002         | SATA-6G   | 3 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002 (He401) | SATA-6G   | 3 TB     |  |
| Samsung                        | NAS HDD                     | ST1000NM002         | SATA-6G   | 3 TB     |  |
| Samsung                        | Video 3.5                   | ST1000NM002         | SATA-6G   | 3 TB     |  |
| Samsung                        | ConnectStation ES           | ST1000NM045         | SATA-3G   | 2 TB     |  |
| Samsung                        | BarrioCloud LP              | ST1000NM010         | SATA-6G   | 2 TB     |  |
| Samsung                        | BarrioCloud 102             | ST1000NM010         | SATA-6G   | 2 TB     |  |
| Samsung                        | ES                          | ST1000NM045         | SATA-3G   | 750 GB   |  |
| Samsung                        | BarrioCloud XT              | ST1000NM014         | SATA-6G   | 3 TB     |  |
| Samsung                        | BarrioCloud 102             | ST1000NM010         | SATA-6G   | 3 TB     |  |
| Samsung                        | SVO5                        | ST1000NM004 (He401) | SATA-6G   | 3 TB     |  |
| Samsung                        | SVO5                        | ST1000NM000         | SATA-6G   | 3 TB     |  |
| Samsung                        | SVO5                        | ST1000NM002 (He401) | SATA-6G   | 3 TB     |  |
| Samsung                        | SVO5                        | ST1000NM002 (He401) | SATA-6G   | 2 TB     |  |
| Samsung                        | SVO5                        | ST1000NM002 (He401) | SATA-6G   | 1 TB     |  |
| Samsung                        | SVO5                        | ST1000NM002 (He401) | SATA-6G   | 1 TB     |  |
| Samsung                        | SV 25.5                     | ST1000NM014         | SATA-6G   | 1 TB     |  |
| Samsung                        | BarrioCloud 70011           | ST1000NM045         | SATA-3G   | 1.5 TB   |  |

2014.11.28

NAS HDD Compatible List user D Link WD VelociRaptor WD6000HLHX SATA 3G 600 GB Western

product item ables

lang:it score:18 filesize: 501.24 K page\_count: 4 document date: 2014-12-01

WD RE SATA Hard Drives Product Overview WD4000FYYZ WD3000FYYZ WD2000FYYZ

```
771177NPO          RAID          2178 771177wdc 771177 |||
```

lang:de score:18 filesize: 214.96 K page\_count: 2 document date: 2012-10-15

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache 1 2M

CACHE ADISES v1 adises mx media Data WD1003FBYZ

wd inline content WD10 49E5ADC3BBCAA16276709E457B33B4148A85BF66 sourceadises |||

lang:es score:16 filesize: 556.21 K page\_count: 3 document date: 2015-03-25





# WD RE

## SATA7 ードディスクドライブ

クラス最高のパフォーマンス  
低消費電力  
エンタープライズ対応ストレージ

大容量

高性能


24時間7日稼働の信頼性

3.5インチWD RE SATAドライブは、更上の厳しい高性能コンピューティング環境およびビジネスクリティカルな環境で必要とされるエンタープライズクラスの性能と大容量を提供します。




PUT YOUR LIFE OR IT™

[illegible]




[pdf]

Untitled HDD Compatibility list Hanwha Vision Latam1 Western Digital 250 ~ 1 TB \* The AV GP line of HDDs has been WD Gold Model name WD1003FBYZ 010FB0 WD1002F9YZ 09H1JL0 WD1002F9YZ v1hanwhavisionlatam 2023 01 Rev 11 7 List v11 20220907 ||| HDD Compatibility list SQE TEAM Security Solution Business Revision 11.7 2022.09.07 Prepared by Yo ... 03FBYZ- 010FB0 SATA 6Gb/s SE WD1002F9YZ- 09H1JL0 SATA 6Gb/s SE WD1002F9YZ- 09H1JL1 SATA 6Gb/s RE **WD2000FYYZ-** 01UL1B1 SATA 6Gb/s RE **WD2000FYYZ-** 01UL1B2 SATA 6Gb/s RE WD3000FYYZ- 01UL1B1 SATA 6Gb/s... lang:af score:15 filesize: 823.84 K page\_count: 32 document date: 2023-10-21




[pdf] Technical Bulletin

Olga Skelly HOME i3 INTERNATIONAL TECHNICAL BULLETIN CANADA 780 Birchmount Road Unit 16 Scarborough ON M1K 5H4 i3international 1 866 840 0004 Technical Bulletin 160302 HW 01 USA 4450 Witmer Industrial Estates Hardware Requirements for SRX Pro Software docs media medialibrary MediaLibrary English Bulletins Archived ||| March 2, 2016 Re: Hardware Requirement for SRX-Pro v3.3.x or higher software To all of our customer ... BB080G601 Intel SSD, 80GB WD1003FBYZ Western Digital 1TB Re WD1004FBYZ Western Digital 1TB Re **WD2000FYYZ** Western Digital 2TB Re WD2004FBYZ Western Digital 2TB Re WD1004FBYZ Western Digital... lang:en score:15 filesize: 72.93 K page\_count: 1 document date: 2016-03-04



[pdf] Documentation Technical Bulletin

Olga Skelly 160208 HW 01 Hardware Requirements for SRX Pro Software Documentation i3 International docs i3international media medialibrary MediaLibrary English Technical Bulletins Archived ||| February 8, 2015 Re: Hardware Requirement for SRX-Pro v3.3.x or higher software To all of our custo ... ngston mSATA, 30GB I-WD1003FBYZ Western Digital 1TB RE4 I-SSDSC2BB080G601 Intel SSD, 80GB I-**WD2000FYYZ** Western Digital 2TB RE I-WD1003FBYZ Western Digital 1TB RE4 I-WD3000FYYZ Western D... lang:en score:15 filesize: 179.76 K page\_count: 1 document date: 2016-02-22




[pdf] Technical Bulletin

Olga Skelly HOME i3 INTERNATIONAL TECHNICAL BULLETIN CANADA 780 Birchmount Road Unit 16  
Scarborough1 866 840 0004 ON M1K 5H4 i3international Technical Bulletin 151217 HW 01 USA 4450

Witmer Industrial Estates Hardware Requirements for SRX Pro Software docs media medialibrary  
MediaLibrary English Bulletins Archived |||

December 17, 2015 Re: Hardware Requirement for SRX-Pro v3.3.x or higher  
software To all of our cust ... Kingston mSATA, 30GB I-SSDSC2BB080G601 Intel  
SSD, 80GB I-WD1003FBYZ Western Digital 1TB RE4 I-**WD2000FYYZ** Western  
Digital 2TB RE ST31000526SV Seagate 1TB Surveillance HUA723030ALA640  
Hitach...

lang:en score:15 filesize: 71.58 K page\_count: 1 document date: 2015-12-18



[pdf] Technical Bulletin


Olga Skelly i3 INTERNATIONAL TECHNICAL BULLETIN CANADA 780 Birchmount Road Unit 16  
Scarborough1 866 840 0004 NY ON M1K 5H4 i3international Technical Bulletin 161020 HW 01 USA 4450

Witmer Industrial Estates Hardware Requirements for i3International Software docs media medialibrary  
MediaLibrary English Bulletins Archived |||

Oct 20, 2016 Re: Hardware Requirement for i3 International Software: To all of our  
customers and pa ... Intel SSD, 80GB or higher WD1003FBYZ Western Digital 1TB  
Re WD1004FBYZ Western Digital 1TB Re **WD2000FYYZ** Western Digital 2TB Re  
WD2004FBYZ Western Digital 2TB Re WD1004FBYZ Western Digital...

lang:en score:15 filesize: 228.6 K page\_count: 2 document date: 2016-10-26






[\[pdf\]](#) Technical Bulletin

Olga Skelly HOME i3 INTERNATIONAL TECHNICAL BULLETIN CANADA 780 Birchmount Road Unit 16 Scarborough ON M1K 5H4 i3international 1 866 840 0004 Technical Bulletin 170505 HW 0 01 Hardware Requirements for i3International Software docs media medialibrary MediaLibrary English Bulletins Archived |||

May 5, 2017 Re: Hardware Requirement for i3 International Software: To all of our customers and pa ... tern Digital 1TB RE or Gold WD1003FBYZ ; WD1004FBYZ; WD1005FBYZ Western Digital 2TB RE or Gold **WD2000FYYZ**; WD2004FBYZ; WD2005FBYZ Western Digital 1TB RE or Gold WD1003FBYZ ; WD1004FBYZ; WD100...

lang:en **score:15** filesize: 79.54 K page\_count: 2 document date: 2017-05-09




[\[pdf\]](#) Documentation

DNS 1560 04 cl reva HDDCompatibilityList ftp dlink de dns documentation |||

Type inch Vendor 3,5 HGST 3,5 HGST 3,5 HGST 3,5 HGST 3,5 Seagate 3,5 Seagate 3,5 Seagate 3,5 S ... 1 5TB 7200 4TB 7200 4TB 5900 ST3000DM001 3TB 7200 MG03ACA300 3TB WD4000FYYZ-01UL1B0 4TB **WD2000FYYZ-01UL1B1** 2TB WD1002F9YZ-09N20L0 1TB WD4001FFSX-68JNUN0 4TB 7200 7200 7200 7200 Data Rat...

lang:es **score:15** filesize: 13.92 K page\_count: 1 document date: 2014-11-11



[\[pdf\]](#) Technical Bulletin

Olga Skelly HOME SRX Pro Server Requirements CANADA 780 Birchmount Road Unit 16 Scarborough1 866 840 0004 ON M1K 5H4 i3international i3 INTERNATIONAL TECHNICAL BULLETIN Technical Bulletin 170821 HW 0 01 Hardware for i3International Software docs media medialibrary MediaLibrary English Bulletins Archived |||

Re: Hardware Requirement for i3 International Software: August 21, 2017 To all of our customers an ... tern Digital 1TB RE or Gold WD1003FBYZ ; WD1004FBYZ; WD1005FBYZ Western Digital 2TB RE or Gold **WD2000FYYZ**; WD2004FBYZ; WD2005FBYZ Western Digital 4TB RE or Gold WD4000FYYZ, WD4001FYYG, WD4002F...

lang:en **score:15** filesize: 80.68 K page\_count: 2 document date: 2017-08-21




[\[pdf\]](#)

Oscar Navarro DSN 6210 6510 SERIES REVA HDD COMPATABILITY LIST 20150202 ftp2 dlink PRODUCTS 626

SATA HDD Type inch Vendor 3.5 HGST 3.5 HGST 3.5 HGST 3.5 Seagate 3.5 Seagate 3.5 Seagate 3.5 ... 00 6Gb/s MG04ACA400E 4TB 128 MG04ACA300E 3TB MG04ACA200E 2TB MG03ACA300 WD4000FYYZ-01UL1B0 **WD2000FYYZ-01UL1B1** WD4000F9YZ-09N20L0 WD1002F9YZ-09N20L0 2.5 SATA SSD SSDSC2BB120G4 3TB 7200 4TB ...

lang:es **score:15** filesize: 200.03 K page\_count: 1 document date: 2015-07-02



HDD Compatible List for Dahua HCVR  
---2015-8

[pdf]

20150826ethnwl dahuasecurity asset upload

HDD Compatible List for Dahua HCVR ---2015-8 Product Series Product Model 720P-Lite HCVR HCVR410 ... URX WD40PURX WD Caviar Purple WD50PURX WD60PURX WD4NPURX WD6NPURX WD1003FBYZ Enterprise HDD **WD2000FYYZ** WD RE series SATA interface WD3000FYYZ WD4000FYYZ Enterprise HDD WD2000F9YZ WD3000F9Y...

lang:it score:14 filesize: 137.23 K page\_count: 9 document date: 2015-08-26

| Model      | Capacity | Interface | Form Factor | Rotation | Cache | MTBF            | Warranty |
|------------|----------|-----------|-------------|----------|-------|-----------------|----------|
| WD40PURX   | 40TB     | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD50PURX   | 50TB     | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD60PURX   | 60TB     | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD4NPURX   | 40TB     | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD6NPURX   | 60TB     | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD1003FBYZ | 100TB    | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD2000FYYZ | 2TB      | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD3000FYYZ | 3TB      | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD4000FYYZ | 4TB      | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD2000F9YZ | 2TB      | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |
| WD3000F9YZ | 3TB      | SATA      | 3.5"        | 7200 RPM | 64MB  | 3,000,000 hours | 5 years  |

[pdf]

HDD Compatibility List DSN 6210 6510 Series SERIES REVA COMPATABILITY LIST 20151123 ftp2

dlink PRODUCTS 6000

AB C 1 2 Type inch Vendor 3 4 3.5 HGST 3.5 5 6 3.5 7 3.5 8 3.5 9 3.5 HGST HGST

HGST HGST ... /s 128 FS2B MG04ACA500E 5TB 7200 6Gb/s 128 FP3B

MG03ACA300 3TB 7200 WD4000FYYZ-01UL1B0 4TB **WD2000FYYZ-01UL1B1** 2TB

WD4000F9YZ-09N20L0 4TB WD1002F9YZ-09N20L0 1TB 2.5 SATA SSD 7200 7200

...

lang:it score:14 filesize: 359.46 K page\_count: 2 document date: 2018-03-29



### WD Re<sup>®</sup>

Жесткий диск большой емкости для ЦОД

Максимальная емкость до 100 ТБ, высокая производительность, надежность, низкая стоимость владения (TCO) - все это делает WD Re идеальным решением для центров обработки данных.

WD Re - это жесткий диск, который был разработан специально для центров обработки данных. Он имеет высокую емкость, высокую производительность, высокую надежность и низкую стоимость владения (TCO). WD Re - это жесткий диск, который был разработан специально для центров обработки данных. Он имеет высокую емкость, высокую производительность, высокую надежность и низкую стоимость владения (TCO).

WD Re - это жесткий диск, который был разработан специально для центров обработки данных. Он имеет высокую емкость, высокую производительность, высокую надежность и низкую стоимость владения (TCO).



WD Re - это жесткий диск, который был разработан специально для центров обработки данных. Он имеет высокую емкость, высокую производительность, высокую надежность и низкую стоимость владения (TCO).

#### Преимущества WD Re

- Высокая емкость
- Высокая производительность
- Высокая надежность
- Низкая стоимость владения (TCO)

#### Области применения

- Центры обработки данных
- Серверы
- Хранилища данных

#### Преимущества WD

- Высокая емкость
- Высокая производительность
- Высокая надежность
- Низкая стоимость владения (TCO)

[pdf] Datasheet

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF 2879 800044 wdc content dam website able assets rus spec data sheet

WD ReTM . WD Re, , , , -- WD . WD Re, , , , . WD Re SATA, . SATA 6 // 3,5 / 1 7200 /

WD6001FSYZ WD6001FXYZ WD5001FYYZ WD5001FSYZ WD5001FXYZ

WD4000FYYZ WD3000FYYZ **WD2000FYYZ** WD200MFYYZ WD1003FBYZ

WD5003ABY...

lang:i-klngon score:14 filesize: 553.11 K page\_count: 3 document date: 2015-03-06



[pdf] Specifications

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb/s 3.5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF 2879 800044 products wdc library SpecSheet THA


WD Re™ HDD WD Re WD Re WD Re WD Re SATA SATA 6 Gb/s WD6001FSYZ

WD6001FXYZ WD5001FYYZ WD5001FSYZ / 3.5 / 1 WD5001FXYZ WD4000FYYZ

WD3000FYYZ **WD2000FYYZ** WD200MFYYZ WD1003FBYZ WD5003ABYZ

WD2503ABYZ 7200 RPM 250 GB 6 TB 6 TB 550 TB - 3.5 - MTBF 1.2 24 ...

lang:en **score:14** filesize: 598.85 K page\_count: 3 document date: 2015-03-09



[pdf]

User DSN 6510 6210 SERIES REVA HDD COMPATIBILITY LIST 20151123 COMPATABILITY ftp2 dlink

PRODUCTS 626 656

SATA HDD Type inch Vendor 3.5 HGST 3.5 HGST 3.5 HGST 3.5 HGST 3.5 HGST 3.5

Seagate ... /s 128 FS2B MG04ACA500E 5TB 7200 6Gb/s 128 FP3B MG03ACA300

3TB 7200 WD4000FYYZ-01UL1B0 4TB **WD2000FYYZ-01UL1B1** 2TB WD4000F9YZ-

09N20L0 4TB WD1002F9YZ-09N20L0 1TB 2.5 SATA SSD 7200 7200 ...

lang:it **score:14** filesize: 194 K page\_count: 3 document date: 2015-11-30



[pdf] Datasheet

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb/s 3.5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF 2879 800044 wdc content dam website able assets kor spec data sheet

WD Re™ HDD 10WDR Re WD.WDR Re . WDR ReSATA . SATA 6 Gb/s / 3.5/1 7200 RPM

WD6001FSYZ WD6001FXYZ WD5001FYYZ WD5001FSYZ WD5001FXYZ

WD4000FYYZ WD3000FYYZ **WD2000FYYZ** WD200MFYYZ WD1003FBYZ

WD5003ABYZ WD2503ABYZ 250GB - 6TB nearline , 6TB . 550TB ...

lang:de **score:14** filesize: 692.1 K page\_count: 3 document date: 2015-03-09



[pdf] Specifications

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb/s 3.5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF 2879 800066 wdc 80 wdproducts library SpecSheet CHT

WD Re™ WD Re 10 WD WD Re /WD Re SATA SATA 6 Gb/s / 3.5 / 1 WD6001FSYZ

WD6001FXYZ WD5001FSYZ WD5001FXYZ WD4000FYYZ WD3000FYYZ

**WD2000FYYZ** WD200MFYYZ WD2004FBYZ WD1004FBYZ 7200 RPM 1 TB 6 TB 6

TB 3.5 550 TB StableTrac™ FSYZ FXYZ FYYZ RAFFTM ...

lang:en **score:14** filesize: 687.18 K page\_count: 3 document date: 2015-10-30

## HDD Compatibility

May 30, 2014

Prepared by Choi Hyun  
Reviewed by Lee Hyun Su  
Approved by An Shin Hu

R&D Quality Assurance Group  
Quality Assurance Team  
Security Solution Division  
SAMSUNG TECHWIN Co., LTD

[pdf]

Samsung Eletronics Mobile Phone Rev 6 0 Recommended HDD Device List 2014 05 30 adiglobal pl

shop document www telewizja przemyslowa rejestratory cyfrowe samsung |||

HDD Compatibility May 30, 2014 Prepared by Choi Hyun Reviewed by Lee Hyun Su

Approved by An Shin Hu ... HDD Information Capacity Model name Interface 1T 1T 2T

3T 1T WD1003FBYX WD1003FBYZ010FB0 **WD2000FYYZ01UL1B1**

WD3000FYYZ01UL1B1 WD1002F9YZ09H1JL0 SATA 3Gb SATA 6Gb SATA 6Gb

SATA 6Gb SAT...

lang:tl **score:14** filesize: 997.83 K page\_count: 21 document date: 2014-09-10



[pdf] Specifications

WD Re Datacenter Marketing Spec Sheet SATA 6 Gb s 3 5 inch 7200 RPM 64 MB 128 cache 1 2M

MTBF 2879 800044 products wdc library SpecSheet CHT

WD ReTM WDRé 10 WD WDRé /WDRéSATA SATA 6 Gb/s WD6001FSYZ

WD6001FXYZ WD5001FYYZ WD5001FSYZ / 3.5 /1 WD5001FXYZ WD4000FYYZ

WD3000FYYZ **WD2000FYYZ** WD200MFYYZ WD1003FBYZ WD5003ABYZ

WD2503ABYZ 7200 RPM 250 GB 6 TB 6TB 3.5 550TB 120MTBF24 RAFFTM 2TB

StableTracTM ...

lang:en **score:14** filesize: 752.08 K page\_count: 3 document date: 2015-03-26