

ADAM Audio Sub8

ADAM Audio Sub8 Active Subwoofer User Manual

Model: Sub8 | 160W 8.5" Active Subwoofer

1. INTRODUCTION

Thank you for choosing the ADAM Audio Sub8 Active Subwoofer. This manual provides essential information for the safe and efficient operation of your device. Please read it thoroughly before initial use and retain it for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

- Read these instructions carefully.
- Keep these instructions for future reference.
- Heed all warnings.
- Follow all instructions.
- Do not use this apparatus near water.
- Clean only with a dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding-type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- Only use attachments/accessories specified by the manufacturer.
- Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

3. PACKAGE CONTENTS

Please check that all items are present and in good condition:

- ADAM Audio Sub8 Active Subwoofer
- Power Cable
- User Manual (this document)

4. PRODUCT OVERVIEW

The ADAM Audio Sub8 is a powerful and precise active subwoofer designed to extend the low-frequency response of your audio system. It features an 8.5-inch woofer and a 160W amplifier, providing deep and accurate bass reproduction.



Figure 4.1: Front View of Sub8 Subwoofer. This image displays the front of the ADAM Audio Sub8 subwoofer, featuring the 8.5-inch woofer with a protective grille and the control panel located at the top center. The control panel includes knobs for adjusting settings.



Figure 4.2: Rear View of Sub8 Subwoofer. This image shows the rear panel of the ADAM Audio Sub8, highlighting the various input and output connections. These include XLR and RCA inputs and outputs, along with the power inlet and main power switch. Warning labels are also visible.

5. SETUP

5.1 Placement

Optimal placement of the Sub8 is crucial for achieving the best sound performance. Consider the following:

- **Room Acoustics:** Room size and shape significantly affect bass response. Experiment with different positions.
- **Corner Placement:** Placing the subwoofer in a corner can increase bass output, but may also lead to boomy or uneven bass.
- **Wall Proximity:** Placing the subwoofer closer to a wall (but not in a corner) can also enhance bass.
- **Listening Position:** The subwoofer should ideally be placed in a position that provides balanced bass at your primary listening position.
- **Vibration:** Ensure the subwoofer is placed on a stable, level surface to minimize unwanted vibrations.

5.2 Connections

The Sub8 offers both balanced XLR and unbalanced RCA input/output options. Always ensure your audio system is powered off before making any connections.

- **XLR Connections:** For professional setups, connect your audio source (e.g., audio interface, monitor controller) to the XLR inputs on the Sub8. Use XLR outputs to connect to your main studio monitors.
- **RCA Connections:** For consumer-grade equipment, connect your audio source to the RCA inputs. Use RCA outputs to connect to other audio devices if needed.

- **Power Connection:** Connect the supplied power cable to the power inlet on the rear panel of the Sub8 and then to a suitable AC power outlet.

6. OPERATING THE SUBWOOFER

6.1 Controls

The Sub8 features several controls on its front panel for fine-tuning its performance:

- **Volume Control:** Adjusts the overall output level of the subwoofer. Start with a low setting and gradually increase.
- **Phase Switch:** Allows you to invert the phase of the subwoofer's output (0° or 180°). This helps to ensure proper integration with your main speakers. Experiment with both settings to find the one that provides the most coherent bass response.
- **Crossover Frequency Control:** Sets the upper frequency limit for the subwoofer. Frequencies above this point will be handled by your main speakers. Adjust this to seamlessly blend the subwoofer with your main speakers. A common starting point is around 80 Hz.

6.2 Power On/Off

To power on the Sub8, ensure all connections are secure, then flip the main power switch located on the rear panel to the 'ON' position. To power off, flip the switch to 'OFF'. It is recommended to power on your subwoofer after your main speakers and power it off before your main speakers to avoid any transient noises.

7. MAINTENANCE

To ensure the longevity and optimal performance of your Sub8 subwoofer, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior surfaces of the subwoofer. Do not use liquid cleaners, aerosols, or abrasive materials, as these can damage the finish or internal components.
- **Ventilation:** Ensure that the ventilation openings are not blocked. Adequate airflow is essential to prevent overheating.
- **Environment:** Avoid exposing the subwoofer to extreme temperatures, high humidity, direct sunlight, or excessive dust.
- **Power Cord:** Regularly inspect the power cord for any signs of damage. If damaged, replace it with an approved cord.

8. TROUBLESHOOTING

If you encounter issues with your Sub8, refer to the table below for common problems and their solutions.

Problem	Possible Cause	Solution
No sound from subwoofer	Power cable not connected or power switch off. Input cables not connected correctly. Volume control set too low. Source device not sending signal.	Ensure power cable is securely connected and power switch is ON. Check all audio input cables for secure connection. Increase the volume control on the subwoofer and your source device. Verify the source device is playing audio.
Distorted or unclear bass	Volume set too high. Incorrect phase setting. Poor subwoofer placement. Crossover frequency set too high or too low.	Reduce the volume level. Toggle the phase switch (0°/180°) to find the best integration. Experiment with different subwoofer placements. Adjust the crossover frequency for a smoother blend with main speakers.
Humming or buzzing noise	Ground loop issue. Faulty cables. Interference from other electronics.	Try connecting all audio equipment to the same power outlet or power strip. Replace audio cables with high-quality, shielded cables. Move the subwoofer or other electronic devices to reduce interference.

9. SPECIFICATIONS

Detailed technical specifications for the ADAM Audio Sub8 Active Subwoofer:

Feature	Detail
Model Name	Sub8
Item Model Number	397262
Brand	ADAM Audio
Speaker Maximum Output Power	160 Watts
Connectivity Technology	RCA, XLR
Mounting Type	Floor Standing
Woofer Size	8.5 inches
Manufacturer	Adam Audio
Date First Available	April 9, 2014







Figure 9.1: Sub8 Dimensions. This image illustrates the physical dimensions of the ADAM Audio Sub8 subwoofer, showing a height of 19.75 inches and a depth of 13 inches. The width is not explicitly labeled but can be inferred from the overall shape.

10. WARRANTY AND SUPPORT

ADAM Audio products are designed for reliability and performance. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official ADAM Audio website. For technical support, service, or further inquiries, please contact your authorized ADAM Audio dealer or distributor.

ADAM Audio Official Website: www.adam-audio.com

Related Documents - Sub8


	ADAM Audio T10S Active Subwoofer Quick Start Guide This guide provides essential information for setting up and operating the ADAM Audio T10S active subwoofer. It covers safety instructions, audio connections, and initial level settings for optimal performance.
	ADAM Audio T Series Active Loudspeakers: Quick Start Guide Get started quickly with your ADAM Audio T Series active loudspeakers (T7V, T5V, T8V). This guide covers essential safety instructions, audio connections, and level settings for optimal performance.
	ADAM Audio D3V Active Desktop Monitor System Operation Manual This operation manual provides comprehensive instructions for setting up, connecting, and using the ADAM Audio D3V Active Desktop Monitor System. It covers safety instructions, included components, connection types (analog, digital, USB-C), installation advice, controls, room compensation EQ, firmware updates, maintenance, troubleshooting, and technical data.
	ADAM Audio D3V Active Desktop Monitor System Operation Manual This operation manual provides comprehensive instructions for setting up, connecting, and using the ADAM Audio D3V Active Desktop Monitor System. It covers safety precautions, installation advice, controls, room compensation EQ, firmware updates, maintenance, troubleshooting, and technical data.
	ADAM Audio D3V Active Studio Monitors Quick Start Guide A concise guide to setting up and using the ADAM Audio D3V active studio monitors, covering connections, controls, and LED indicators.
	ADAM Audio A Series Active Studio Monitors Operation Manual Comprehensive operation manual for ADAM Audio A Series active studio monitors, including models A4V, A44H, A7V, A77H, and A8H. Covers safety instructions, overview, installation, configuration, remote control via A Control software, use, troubleshooting, shipping, regulatory documents, technical data, and accessories.



[\[pdf\]](#) User Manual Borchure

Adam Audio Sub8 Brochure americanmusical ItemFiles Manual |||


Product Bulletin Sub 8 ADAM Audio GmbH Lobeckstr. 36 10969 Berlin-Germany phone: 49 30-863 00 97-0 30-863 00 97-7 email: info@adam-audio.com web: www.adam-audio.com Description: The **Sub8** is a small yet powerful subwoofer designed to extend the low frequency capabilities of any nearfield...
lang:en score:44 filesize: 720.43 K page_count: 1 document date: 2014-01-27



[\[pdf\]](#) User Manual Instructions


ADAM AUDIO SUB8 01 MANUAL HUB COM drive google file d 1hdycSYfIV1XVspeRZA 9r3yyewgVVesx preview |||

Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** https://manual-hub.com/ Safety Instructions Please read the following safety instructions before setting up your system. Keep the instruction subsequent reference. Please heed the warnings and follow the instructions. Cauti...
lang:en score:41 filesize: 5.67 M page_count: 32 document date: 2023-09-09



[\[pdf\]](#) User Manual Instructions Warranty


Operation Manual Bedienungsanleitung ADAM Audio adam audio sub8 subwoofer user manual en de English Deutsch Safety Instru
3 1 Introduction 5 Sub8 Protect the cord from being walked on or pinched Always use fully checked cables Defective can harm your speakers They are a common source for any kind of noise hum crackling etc keep electrical equipment out reach children unplug ser electronic during lightning storms This is intended to provide you with information about new It contains important regarding safety se handling and warranty We request that read these sections carefully ensure easy set prevent potential problems Sub 8 User audiosh manuals content 2018 03
Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...
lang:en score:40 filesize: 4.94 M page_count: 32 document date: 2018-03-18



[\[pdf\]](#) User Manual Instructions

Untitled ADAM audio sub8 subwoofer user manual AUDIO Sub8 Active Subwoofer 160 W 1 x 8 5 Bayview Technology adam en de bayviewtech au 2022 10 |||


Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...
lang:en **score:38** filesize: 810.01 K page_count: 32 document date: 2024-05-04



[\[pdf\]](#) User Manual Instructions

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installat Provided By MANUALSLIB COM manualslib Adam A5X инструкция на англ яз ADAM Sub8 Bundle Купить студийные мониторы и лучшей цене 436f766d6790d1666959ba316566087aproduct 28661 0 muzcentre ru |||


A5X Nearfield Monitor Operation manual / Bedienungsanleitung English / deutsch A5X Downloaded from www.Manualslib.com manuals search engine Safety Instructions Please read the following safety instructor before setting up your system. Keep the instructions for subsequent reference. Please heed t...
lang:en **score:37** filesize: 2.95 M page_count: 32 document date: 2014-03-27



[\[pdf\]](#) User Manual Instructions

Parsisiyüsti →Adam Audio Sub8 Soundiumadam audio sub8 subwoofer user manual en desoundium lt cdn shop files adam de v 5232461822296771985 →→Adam SoundiumAdam deadam 5232461822296771985soundium dk →→Sub8 User ManualAdam SoundiumADAM Active Subwooferadam 5232461822296771985cdn shopify s 1 2422 2859 1653293819soundium |||

Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...
lang:en **score:37** filesize: 4.94 M page_count: 32 document date: 2018-03-18



[\[pdf\]](#) User Manual

Sub8 Français Mode d'emploi Sub7 Manual English 3 Protect the cord from being walked on or pinched Always use fully checked ca Defective can harm your speakers They are a common source for any kind of noise hum crackling etc adam audio sub8 subwoofer u manual french content 2016 11 |||

Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...
lang:fr **score:35** filesize: 1.63 M page_count: 17 document date: 2021-05-06



[pdf]

Sub8 Description ADAM Audio adam audio en print pro products sub8 description


Published on ADAM Audio GmbH <http://www.adam-audio.com> , 09/16/2014 **Sub8** ADAM Audio subwoofers designed with one primary goal in mind: Achieving absolute accuracy and an authentic natural sound in the process of music reproduction. This means combining exceptional bass power with precision and ...
lang:en **score:35** filesize: 786.65 K page_count: 1 document date: 2014-09-16



[pdf] User Manual

Sub8 Beschreibung ADAM Audio adam audio de print pro products sub8 description

Verfentlicht auf ADAM Audio GmbH <http://www.adam-audio.com> , 18.04.2016 **Sub8** Auch die Subwoofer verfolgen das erklärte Ziel aller ADAM Lautsprecher, größtmögliche Authentizität bei der Wiedergabe von Musik zu erreichen. Bei den Subwoofern bedeutet dies, imposanten Basseindruck mit einzigartiger Klarheit...
lang:de **score:34** filesize: 786.84 K page_count: 1 document date: 2016-04-18



[pdf] User Manual Instructions

Operation Manual Bedienungsanleitung English deutsch 2 Quick Start a Before connecting the subwoofer to your audio components power source make sure that loudspeakers adam professional sub8 240w 8 active 48390 user manual 19356 ADAMAUDIOsub8User 8f8c34f306816f6b38f06fd28274b6e manuals fullcompass common files deep sound ru upload iblock 8f8
Sub8 Operation Manual / Bedienungsanleitung English / deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. I heed the warnings and follow the instructions. Caution Risk of electrical sho...
lang:en **score:33** filesize: 1.22 M page_count: 32 document date: 2012-07-05



[pdf]

F7 Sub8 reviewed by Tape Op Magazine ADAM Audio adam audio en print pro news f7 sub8 tape op magazine

Published on ADAM Audio GmbH <http://www.adam-audio.com> , 07/19/2016 News F7 **Sub8** reviewed by Tape Magazine 10/28/2015 Berlin, October 28, 2015 The American recording magazine Tape Op recently tested combination of our F7 monitors together with the **Sub8** in its September/October issue 2015. Pl... lang:en **score:33** filesize: 816.92 K page_count: 1 document date: 2016-07-19



[pdf]


Kombination aus F7 Sub8 getestet vom amerikanischen Magazin Tape Op ADAM Audio adam audio de print pro news kombination magazin tape op
Verffentlicht auf ADAM Audio GmbH <http://www.adam-audio.com> , 13.06.2016 News Kombination aus F7 **S** getestet vom amerikanischen Magazin Tape Op 28.10.2015 Berlin, 28. Oktober 2015 Das US-amerikanisch Recording-Magazin Tape Op testete in seiner September/Okttober-Ausgabe 2015 die Kombination aus... lang:de **score:32** filesize: 817.98 K page_count: 2 document date: 2016-06-13



[pdf]

Sub8 paper E adam audio studio sub bulletin

Product Bulletin Sub 8 ADAM Audio GmbH Lobeckstr. 36 10969 Berlin-Germany phone: 49 30-863 00 97-0 30-863 00 97-7 email: info@adam-audio.com web: www.adam-audio.com Description: The **Sub8** is a small yet powerful subwoofer designed to extend the low frequency capabilities of any nearfield... lang:en **score:32** filesize: 702.92 K page_count: 1 document date: 2006-03-21



[pdf] Warranty

Untitled Subwoofer ADAM Audio SUB8 Product Sheet bayviewtech au 2022 10 |||


SUB8 Subwoofer Product Sheet English **SUB8** The **Sub8** is a small yet powerful subwoofer designed to extend the low frequency capabilities of any nearfield monitoring system down to 30 Hz. It houses a robust 8.5 woofer with a 1.5 voice coil driven by a 160 W ICE power amplifier. This amp combines lo... lang:en **score:32** filesize: 106.11 K page_count: 2 document date: 2024-05-04



[pdf]

Sub8 paper D adam audio german studio sub bulletin

Product Bulletin Sub 8 ADAM Audio GmbH Lobeckstr. 36 10969 Berlin-Germany phone: 49 30-863 00 97-0 30-863 00 97-7 email: info adam-audio.com web: www.adam-audio.com Beschreibung: Der **Sub8** ist ein leistungsstarker Subwoofer mit kleinen Abmessungen, der den Wiedergabebereich von Nearfie... lang:de score:31 filesize: 698.59 K page_count: 1 document date: 2006-03-21



[pdf] User Manual

Sub8 active subwoofer Strumenti Musicali First of all we would like to thank you for choosing ADAM Audio! Studio Subwoofers are bi maximum in reproduction quality and perfection To SUB8 ENG strumentimusicali net manuali

Sub8 active subwoofer Operation manual / Bedienungsanleitung english / deutsch**Sub8** Introduction First of we would like to thank you for choosing ADAM Audio ADAM Studio Subwoofers are built to a maximum in reproduction quality and perfection. To enjoy the capabilities of your new subwoofer pl... lang:en score:30 filesize: 1.35 M page_count: 20 document date: 2010-02-23

[pdf] User Manual Instructions

Operation Manual Bedienungsanleitung English deutsch SETZEN SIE DAS GERÄT WEDER REGEN NOCH FEUCHTIGKEIT AUS Sicherheitshinweise Page 19 Sub8 Vermeiden Sie dass Flüssigkeiten 19356 ADAMAudioSub8UserManual fullcompass common file AfmBOOpXm1HVN0G3SRVHNGLmzmZOp2sRfZeu3c9BeBLk86U0KnyUFB deutschOperation deutschSETZEN Flüssigkeiten Sub8 Flüssigkeiten jeglicher Art ins Gehäuseinnere gelangen Sprühen weder direkt auf fullcompass


AfmBOOpXm1HVN0G3SRVHNGLmzmZOp2sRfZeu3c9BeBLk86U0KnyUFBfullcompass AfmBOOpXm1HVN0G3SRVHNGLmzmZOp2sRfZeu3c9BeBLk86U0KnyUFBfullcompass ov14QKI2FQis061cOYPzUq86GSNIAspBi6d8feY auf Bitte lesen diese vor der Inbetriebnahme und beachten die Garantiebestimmur nachfolgenden Tipps undfullcompass ov14QKI2FQis061cOYPzUq86GSNIAspBi6d8feYfullcompass AfmBOOpvpyzFYBfcxUs0xvcP5iZjI4ektZp7AKafGk8mQYfyOZ7Bxl4Jb undSub8

AfmBOOpvpyzFYBfcxUs0xvcP5iZjI4ektZp7AKafGk8mQYfyOZ7Bxl4Jbfullcompass AfmBOOr15qrZQVW D X7bS2YkKqHvK tRZdvEu 0et6nWPbnWhBZ2x9P auf Sub8 english 1 Introduction Dear customer Thank you for choosing 3 Connections On the rear side of speaker fullcompass 0et6nWPbnWhBZ2x9Pfullcompass AfmBOOpXqddCpNpPne8UE7bp UsW3YyllxvgFyzCEN0zj5wcGGiRICH1 speaker Bitte c Nichtbeachtung d Modifikation der fullcompass UsW3YyllxvgFyzCEN0zj5wcGGiRICH1fullcompass AfmBOOp6gOr j1kVHTRetYdu7 7Bi5sJhXxboRvXHzaiO5 R5yjh3EN8 der Bitte R5yjh3EN8fullcompass AfmBOOqejwPma9Kr J5MxvG EgSOBwPiAJcwlhF5cmHOYq8TsPXTviyo EgSOBwPiAJcwlhF5cmHOYq8TsPXTviyofullcompass AfmBOOrUCw9MMTT0TPC2sfaOh8kKYRjx49icRb56K0bB0j6HTmkbBlf AfmBOOrUCw9MMTT0TPC2sfaOh8kKYRjx49icRb56K0bB0j6HTmkbBlffullcompass

AfmBOOrFLyBPkrn2mPuMjeASgUfG7I1dm2f02OjGiB2IWTIEt7sc2d der Operation 2 Please read following safety instructions before up your system Keep fullcompass AfmBOOrFLyBPkrn2mPuMjeASgUfG7I1dm2f02OjGiB2IWTIEt7sc2dfullcompass AfmBOOr652P 3o5RY4x3024kYhfDJ gpJokufBt0u7VFKWUY9FZ8Zplm Keep Sub8 Version 06 2012 All data subject to change without prior notice Änderung technischen Daten ohne v1fullcompass gpJokufBt0u7VFKWUY9FZ8Zplmfullcompass

AfmBOOofbGzKIQdwCRf41eSi0rWWU97kYS6FeUXMANLqZwF URczjyVM |||

Sub8 Operation Manual / Bedienungsanleitung English / deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho... lang:en score:29 filesize: 1.22 M page_count: 32 document date: 2012-07-05





[\[pdf\]](#)

TapeOp109Online Tape Op Magazine issue 109 online edition the Creative Recording Larry Crane and John Baccigaluppi Download Audio Sub8 review adam audio sub8 tape op cn content 2016 11 |||


The Creative Music Recording Magazine Glyn Johns Rolling Stones, Who, Led Zeppeelin, Faces Manny Mæ www.roswellproaudio.com Tony SanFilippo Record OxideLounge.com ADAM Audio F7 active monitor **Sub8** subwoofer Here at Tape Op, we ve covered several of ADAM Audio s fine products, so I won... lang:en score:29 filesize: 585.62 K page_count: 3 document date: 2015-09-28



[\[pdf\]](#) User Manual


TapeOp109Online Tape Op Magazine issue 109 online edition the Creative Recording Larry Crane and John Baccigaluppi Glyn John Manny Marroquin Unknown Mortal ADAM Audio The Music Orchestra manual states that loudspeakers will take some break in time t achieve optimum performance but I didn t expect such an apparent change felt like a good 20 hours of playback was required before speaker s intended response After three days monitors won get into 12 Gauge mic as Joel Hamilton did great review already What s totally different from Mini K47 adam audio sub8 tape op f7 content 2016 11

The Creative Music Recording Magazine Glyn Johns Rolling Stones, Who, Led Zeppeelin, Faces Manny Mæ www.roswellproaudio.com Tony SanFilippo Record OxideLounge.com ADAM Audio F7 active monitor **Sub8** subwoofer Here at Tape Op, we ve covered several of ADAM Audio s fine products, so I won... lang:en score:28 filesize: 579.65 K page_count: 3 document date: 2015-09-28




[Professional Audio Equipment Catalog: Preamps, Monitors, Amplifiers & More | Full Compass](#)

Explore a comprehensive catalog of professional audio equipment from leading brands. Featuring Radial Engineering 500 Series racks, high-quality mic preamplifiers, studio monitors, power amplifiers, AV conferer systems, and more. Find the latest gear for your studio or installation. lang:en score:26 filesize: 21.49 M page_count: 71 document date: 2013-12-05



[\[pdf\]](#) Warranty

Subwoofer ADAM Audio The front baffle features two motorized knobs that let you tailor input level and crossover frequency settings can also be controlled via ADAM_Audio_SUB8_Product_Sheet adam-audio content uploads 2021 03 **SUB8** Subwoofer Product Sheet English **SUB8** The **Sub8** is a small yet powerful subwoofer designed to ext the low frequency capabilities of any nearfield monitoring system down to 30 Hz. It houses a robust 8.5 woo a 1.5 voice coil driven by a 160 W ICE power amplifier. This amp combines lo... lang:en score:25 filesize: 445.1 K page_count: 2 document date: 2021-03-03



[\[pdf\]](#) User Manual Instructions Accessories

musicalstore2005 adam ax sub8 strumenti accessori |||

Operation Manual / Bedienungsanleitung English / deutsch AX Series A3X / A5X / A7X / A8X / A77X A77 ...
change without prior notice. nderung der technischen Daten ohne Vorankndigung vorbehalten. **Sub8** active
subwoofer Operation manual / Bedienungsanleitung english / deutsch **Sub8** Introduction F...
lang:en **score:24** filesize: 4.58 M page_count: 52 document date: 2020-10-30



[\[pdf\]](#) Catalog

CONTROL ROOM AND STUDIO MONITORS 149 Shop fullcompass today! For expert advice call 800 356 5844 M F 00 530 C ADAI
AUDIO A7X SUB8 SUB 15 speakers2 monitors s catalog fw14
control room and studio monitors 149 ADAM F-Series Near-Field Monitors The F5 and F7 near-field mo ... a
unbalanced RCA input connectors, allowing it to be used in almost any audio application. The **Sub8** complir
the A7X with its compact design and extended low frequency reproduction down to 28...
lang:en **score:23** filesize: 2.35 M page_count: 6 document date: 2014-09-05

ADAM AUDIO STUDENT DISCOUNT PROGRAM
Student Discount Eligibility Form

ADAM Audio is offering a 10% instant discount* for all students of acknowledged** educational facilities participating in ADAM Audio's program.

NAME / SURNAME (for identification) _____
COUNTRY OF RES. _____
UNIVERSITY _____
STREET _____
POSTCODE / COUNTRY / CITY _____

I hereby certify that I am currently enrolled into an acknowledged** educational facility and am therefore eligible to purchase ADAM Audio products at a special price.

Signature of Student: _____

Do you want to receive newsletters, information on products and special offers from ADAM Audio?
☐ Yes, please keep me updated.
☐ No, thanks, I will check myself for news at www.adam-audio.com

TO BE COMPLETED BY THE PARTICIPATING ADAM AUDIO DEALER

NAME OF STORE: _____
DATE AND SIGNATURE: _____

*This discount is valid for selected products from the ADAM Audio - Pro Audio range (T5V, T7V, A3X, A5X, A7X, A8X, A77X, Sub8, Sub10, Sub12, Sub20, Sub24, S5VA, S6A, S7A, S8A, S9A, S10A, S11A, S12A, S13A, S14A, S15A, S16A, S17A, S18A, S19A, S20A, S21A, S22A, S23A, S24A, S25A, S26A, S27A, S28A, S29A, S30A, S31A, S32A, S33A, S34A, S35A, S36A, S37A, S38A, S39A, S40A, S41A, S42A, S43A, S44A, S45A, S46A, S47A, S48A, S49A, S50A, S51A, S52A, S53A, S54A, S55A, S56A, S57A, S58A, S59A, S60A, S61A, S62A, S63A, S64A, S65A, S66A, S67A, S68A, S69A, S70A, S71A, S72A, S73A, S74A, S75A, S76A, S77A, S78A, S79A, S80A, S81A, S82A, S83A, S84A, S85A, S86A, S87A, S88A, S89A, S90A, S91A, S92A, S93A, S94A, S95A, S96A, S97A, S98A, S99A, S100A, S101A, S102A, S103A, S104A, S105A, S106A, S107A, S108A, S109A, S110A, S111A, S112A, S113A, S114A, S115A, S116A, S117A, S118A, S119A, S120A, S121A, S122A, S123A, S124A, S125A, S126A, S127A, S128A, S129A, S130A, S131A, S132A, S133A, S134A, S135A, S136A, S137A, S138A, S139A, S140A, S141A, S142A, S143A, S144A, S145A, S146A, S147A, S148A, S149A, S150A, S151A, S152A, S153A, S154A, S155A, S156A, S157A, S158A, S159A, S160A, S161A, S162A, S163A, S164A, S165A, S166A, S167A, S168A, S169A, S170A, S171A, S172A, S173A, S174A, S175A, S176A, S177A, S178A, S179A, S180A, S181A, S182A, S183A, S184A, S185A, S186A, S187A, S188A, S189A, S190A, S191A, S192A, S193A, S194A, S195A, S196A, S197A, S198A, S199A, S200A, S201A, S202A, S203A, S204A, S205A, S206A, S207A, S208A, S209A, S210A, S211A, S212A, S213A, S214A, S215A, S216A, S217A, S218A, S219A, S220A, S221A, S222A, S223A, S224A, S225A, S226A, S227A, S228A, S229A, S230A, S231A, S232A, S233A, S234A, S235A, S236A, S237A, S238A, S239A, S240A, S241A, S242A, S243A, S244A, S245A, S246A, S247A, S248A, S249A, S250A, S251A, S252A, S253A, S254A, S255A, S256A, S257A, S258A, S259A, S260A, S261A, S262A, S263A, S264A, S265A, S266A, S267A, S268A, S269A, S270A, S271A, S272A, S273A, S274A, S275A, S276A, S277A, S278A, S279A, S280A, S281A, S282A, S283A, S284A, S285A, S286A, S287A, S288A, S289A, S290A, S291A, S292A, S293A, S294A, S295A, S296A, S297A, S298A, S299A, S300A, S301A, S302A, S303A, S304A, S305A, S306A, S307A, S308A, S309A, S310A, S311A, S312A, S313A, S314A, S315A, S316A, S317A, S318A, S319A, S320A, S321A, S322A, S323A, S324A, S325A, S326A, S327A, S328A, S329A, S330A, S331A, S332A, S333A, S334A, S335A, S336A, S337A, S338A, S339A, S340A, S341A, S342A, S343A, S344A, S345A, S346A, S347A, S348A, S349A, S350A, S351A, S352A, S353A, S354A, S355A, S356A, S357A, S358A, S359A, S360A, S361A, S362A, S363A, S364A, S365A, S366A, S367A, S368A, S369A, S370A, S371A, S372A, S373A, S374A, S375A, S376A, S377A, S378A, S379A, S380A, S381A, S382A, S383A, S384A, S385A, S386A, S387A, S388A, S389A, S390A, S391A, S392A, S393A, S394A, S395A, S396A, S397A, S398A, S399A, S400A, S401A, S402A, S403A, S404A, S405A, S406A, S407A, S408A, S409A, S410A, S411A, S412A, S413A, S414A, S415A, S416A, S417A, S418A, S419A, S420A, S421A, S422A, S423A, S424A, S425A, S426A, S427A, S428A, S429A, S430A, S431A, S432A, S433A, S434A, S435A, S436A, S437A, S438A, S439A, S440A, S441A, S442A, S443A, S444A, S445A, S446A, S447A, S448A, S449A, S450A, S451A, S452A, S453A, S454A, S455A, S456A, S457A, S458A, S459A, S460A, S461A, S462A, S463A, S464A, S465A, S466A, S467A, S468A, S469A, S470A, S471A, S472A, S473A, S474A, S475A, S476A, S477A, S478A, S479A, S480A, S481A, S482A, S483A, S484A, S485A, S486A, S487A, S488A, S489A, S490A, S491A, S492A, S493A, S494A, S495A, S496A, S497A, S498A, S499A, S500A, S501A, S502A, S503A, S504A, S505A, S506A, S507A, S508A, S509A, S510A, S511A, S512A, S513A, S514A, S515A, S516A, S517A, S518A, S519A, S520A, S521A, S522A, S523A, S524A, S525A, S526A, S527A, S528A, S529A, S530A, S531A, S532A, S533A, S534A, S535A, S536A, S537A, S538A, S539A, S540A, S541A, S542A, S543A, S544A, S545A, S546A, S547A, S548A, S549A, S550A, S551A, S552A, S553A, S554A, S555A, S556A, S557A, S558A, S559A, S560A, S561A, S562A, S563A, S564A, S565A, S566A, S567A, S568A, S569A, S570A, S571A, S572A, S573A, S574A, S575A, S576A, S577A, S578A, S579A, S580A, S581A, S582A, S583A, S584A, S585A, S586A, S587A, S588A, S589A, S590A, S591A, S592A, S593A, S594A, S595A, S596A, S597A, S598A, S599A, S600A, S601A, S602A, S603A, S604A, S605A, S606A, S607A, S608A, S609A, S610A, S611A, S612A, S613A, S614A, S615A, S616A, S617A, S618A, S619A, S620A, S621A, S622A, S623A, S624A, S625A, S626A, S627A, S628A, S629A, S630A, S631A, S632A, S633A, S634A, S635A, S636A, S637A, S638A, S639A, S640A, S641A, S642A, S643A, S644A, S645A, S646A, S647A, S648A, S649A, S650A, S651A, S652A, S653A, S654A, S655A, S656A, S657A, S658A, S659A, S660A, S661A, S662A, S663A, S664A, S665A, S666A, S667A, S668A, S669A, S670A, S671A, S672A, S673A, S674A, S675A, S676A, S677A, S678A, S679A, S680A, S681A, S682A, S683A, S684A, S685A, S686A, S687A, S688A, S689A, S690A, S691A, S692A, S693A, S694A, S695A, S696A, S697A, S698A, S699A, S700A, S701A, S702A, S703A, S704A, S705A, S706A, S707A, S708A, S709A, S710A, S711A, S712A, S713A, S714A, S715A, S716A, S717A, S718A, S719A, S720A, S721A, S722A, S723A, S724A, S725A, S726A, S727A, S728A, S729A, S730A, S731A, S732A, S733A, S734A, S735A, S736A, S737A, S738A, S739A, S740A, S741A, S742A, S743A, S744A, S745A, S746A, S747A, S748A, S749A, S750A, S751A, S752A, S753A, S754A, S755A, S756A, S757A, S758A, S759A, S760A, S761A, S762A, S763A, S764A, S765A, S766A, S767A, S768A, S769A, S770A, S771A, S772A, S773A, S774A, S775A, S776A, S777A, S778A, S779A, S780A, S781A, S782A, S783A, S784A, S785A, S786A, S787A, S788A, S789A, S790A, S791A, S792A, S793A, S794A, S795A, S796A, S797A, S798A, S799A, S800A, S801A, S802A, S803A, S804A, S805A, S806A, S807A, S808A, S809A, S810A, S811A, S812A, S813A, S814A, S815A, S816A, S817A, S818A, S819A, S820A, S821A, S822A, S823A, S824A, S825A, S826A, S827A, S828A, S829A, S830A, S831A, S832A, S833A, S834A, S835A, S836A, S837A, S838A, S839A, S840A, S841A, S842A, S843A, S844A, S845A, S846A, S847A, S848A, S849A, S850A, S851A, S852A, S853A, S854A, S855A, S856A, S857A, S858A, S859A, S860A, S861A, S862A, S863A, S864A, S865A, S866A, S867A, S868A, S869A, S870A, S871A, S872A, S873A, S874A, S875A, S876A, S877A, S878A, S879A, S880A, S881A, S882A, S883A, S884A, S885A, S886A, S887A, S888A, S889A, S890A, S891A, S892A, S893A, S894A, S895A, S896A, S897A, S898A, S899A, S900A, S901A, S902A, S903A, S904A, S905A, S906A, S907A, S908A, S909A, S910A, S911A, S912A, S913A, S914A, S915A, S916A, S917A, S918A, S919A, S920A, S921A, S922A, S923A, S924A, S925A, S926A, S927A, S928A, S929A, S930A, S931A, S932A, S933A, S934A, S935A, S936A, S937A, S938A, S939A, S940A, S941A, S942A, S943A, S944A, S945A, S946A, S947A, S948A, S949A, S950A, S951A, S952A, S953A, S954A, S955A, S956A, S957A, S958A, S959A, S960A, S961A, S962A, S963A, S964A, S965A, S966A, S967A, S968A, S969A, S970A, S971A, S972A, S973A, S974A, S975A, S976A, S977A, S978A, S979A, S980A, S981A, S982A, S983A, S984A, S985A, S986A, S987A, S988A, S989A, S990A, S991A, S992A, S993A, S994A, S995A, S996A, S997A, S998A, S999A, S1000A, S1001A, S1002A, S1003A, S1004A, S1005A, S1006A, S1007A, S1008A, S1009A, S1010A, S1011A, S1012A, S1013A, S1014A, S1015A, S1016A, S1017A, S1018A, S1019A, S1020A, S1021A, S1022A, S1023A, S1024A, S1025A, S1026A, S1027A, S1028A, S1029A, S1030A, S1031A, S1032A, S1033A, S1034A, S1035A, S1036A, S1037A, S1038A, S1039A, S1040A, S1041A, S1042A, S1043A, S1044A, S1045A, S1046A, S1047A, S1048A, S1049A, S1050A, S1051A, S1052A, S1053A, S1054A, S1055A, S1056A, S1057A, S1058A, S1059A, S1060A, S1061A, S1062A, S1063A, S1064A, S1065A, S1066A, S1067A, S1068A, S1069A, S1070A, S1071A, S1072A, S1073A, S1074A, S1075A, S1076A, S1077A, S1078A, S1079A, S1080A, S1081A, S1082A, S1083A, S1084A, S1085A, S1086A, S1087A, S1088A, S1089A, S1090A, S1091A, S1092A, S1093A, S1094A, S1095A, S1096A, S1097A, S1098A, S1099A, S1100A, S1101A, S1102A, S1103A, S1104A, S1105A, S1106A, S1107A, S1108A, S1109A, S1110A, S1111A, S1112A, S1113A, S1114A, S1115A, S1116A, S1117A, S1118A, S1119A, S1120A, S1121A, S1122A, S1123A, S1124A, S1125A, S1126A, S1127A, S1128A, S1129A, S1130A, S1131A, S1132A, S1133A, S1134A, S1135A, S1136A, S1137A, S1138A, S1139A, S1140A, S1141A, S1142A, S1143A, S1144A, S1145A, S1146A, S1147A, S1148A, S1149A, S1150A, S1151A, S1152A, S1153A, S1154A, S1155A, S1156A, S1157A, S1158A, S1159A, S1160A, S1161A, S1162A, S1163A, S1164A, S1165A, S1166A, S1167A, S1168A, S1169A, S1170A, S1171A, S1172A, S1173A, S1174A, S1175A, S1176A, S1177A, S1178A, S1179A, S1180A, S1181A, S1182A, S1183A, S1184A, S1185A, S1186A, S1187A, S1188A, S1189A, S1190A, S1191A, S1192A, S1193A, S1194A, S1195A, S1196A, S1197A, S1198A, S1199A, S1200A, S1201A, S1202A, S1203A, S1204A, S1205A, S1206A, S1207A, S1208A, S1209A, S1210A, S1211A, S1212A, S1213A, S1214A, S1215A, S1216A, S1217A, S1218A, S1219A, S1220A, S1221A, S1222A, S1223A, S1224A, S1225A, S1226A, S1227A, S1228A, S1229A, S1230A, S1231A, S1232A, S1233A, S1234A, S1235A, S1236A, S1237A, S1238A, S1239A, S1240A, S1241A, S1242A, S1243A, S1244A, S1245A, S1246A, S1247A, S1248A, S1249A, S1250A, S1251A, S1252A, S1253A, S1254A, S1255A, S1256A, S1257A, S1258A, S1259A, S1260A, S1261A, S1262A, S1263A, S1264A, S1265A, S1266A, S1267A, S1268A, S1269A, S1270A, S1271A, S1272A, S1273A, S1274A, S1275A, S1276A, S1277A, S1278A, S1279A, S1280A, S1281A, S1282A, S1283A, S1284A, S1285A, S1286A, S1287A, S1288A, S1289A, S1290A, S1291A, S1292A, S1293A, S1294A, S1295A, S1296A, S1297A, S1298A, S1299A, S1300A, S1301A, S1302A, S1303A, S1304A, S1305A, S1306A, S1307A, S1308A, S1309A, S1310A, S1311A, S1312A, S1313A, S1314A, S1315A, S1316A, S1317A, S1318A, S1319A, S1320A, S1321A, S1322A, S1323A, S1324A, S1325A, S1326A, S1327A, S1328A, S1329A, S1330A, S1331A, S1332A, S1333A, S1334A, S1335A, S1336A, S1337A, S1338A, S1339A, S1340A, S1341A, S1342A, S1343A, S1344A, S1345A, S1346A, S1347A, S1348A, S1349A, S1350A, S1351A, S1352A, S1353A, S1354A, S1355A, S1356A, S1357A, S1358A, S1359A, S1360A, S1361A, S1362A, S1363A, S1364A, S1365A, S1366A, S1367A, S1368A, S1369A, S1370A, S1371A, S1372A, S1373A, S1374A, S1375A, S1376A, S1377A, S1378A, S1379A, S1380A, S1381A, S1382A, S1383A, S1384A, S1385A, S1386A, S1387A, S1388A, S1389A, S1390A, S1391A, S1392A, S1393A, S1394A, S1395A, S1396A, S1397A, S1398A, S1399A, S1400A, S1401A, S1402A, S1403A, S1404A, S1405A, S1406A, S1407A, S1408A, S1409A, S1410A, S1411A, S1412A, S1413A, S1414A, S1415A, S1416A, S1417A, S1418A, S1419A, S1420A, S1421A, S1422A, S1423A, S1424A, S1425A, S1426A, S1427A, S1428A, S1429A, S1430A, S1431A, S1432A, S1433A, S1434A, S1435A, S1436A, S1437A, S1438A, S1439A, S1440A, S1441A, S1442A, S1443A, S1444A, S1445A, S1446A, S1447A, S1448A, S1449A, S1450A, S1451A, S1452A, S1453A, S1454A, S1455A, S1456A, S1457A, S1458A, S1459A, S1460A, S1461A, S1462A, S1463A, S1464A, S1465A, S1466A, S1467A, S1468A, S1469A, S1470A, S1471A, S1472A, S1473A, S1474A, S1475A, S1476A, S1477A, S1478A, S1479A, S1480A, S1481A, S1482A, S1483A, S1484A, S1485A, S1486A, S1487A, S1488A, S1489A, S1490A, S1491A, S1492A, S1493A, S1494A, S1495A, S1496A, S1497A, S1498A, S1499A, S1500A, S1501A, S1502A, S1503A, S1504A, S1505A, S1506A, S1507A, S1508A, S1509A, S1510A, S1511A, S1512A, S1513A, S1514A, S1515A, S1516A, S1517A, S1518A, S1519A, S1520A, S1521A, S1522A, S1523A, S1524A, S1525A, S1526A, S1527A, S1528A, S1529A, S1530A, S1531A, S1532A, S1533A, S1534A, S1535A, S1536A, S1537A, S1538A, S1539A, S1540A, S1541A, S1542A, S1543A, S1544A, S1545A, S1546A, S1547A, S1548A, S1549A, S1550A, S1551A, S1552A, S1553A, S1554A, S1555A, S1556A, S1557A, S1558A, S1559A, S1560A, S1561A, S1562A, S1563A, S1564A, S1565A, S1566A, S1567A, S1568A, S1569A, S1570A, S1571A, S1572A, S1573A, S1574A, S1575A, S1576A, S1577A, S1578A, S1579A, S1580A, S1581A, S1582A, S1583A, S1584A, S1585A, S1586A, S1587A, S1588A, S1589A, S1590A, S1591A, S1592A, S1593A, S1594A, S1595A, S1596A, S1597A, S1598A, S1599A, S1600A, S1601A, S1602A, S1603A, S1604A, S1605A, S1606A, S1607A, S1608A, S1609A, S1610A, S1611A, S1612A, S1613A, S1614A, S1615A, S1616A, S1617A, S1618A, S1619A, S1620A, S1621A, S1622A, S1623A, S1624A, S1625A, S1626A, S1627A, S1628A, S1629A, S1630A, S1631A, S1632A, S1633A, S1634A, S1635A, S1636A, S1637A, S1638A, S1639A, S1640A, S1641A, S1642A, S1643A, S1644A, S1645A, S1646A, S1647A, S1648A, S1649A, S1650A, S1651A, S1652A, S1653A, S1654A, S1655A, S1656A, S1657A, S1658A, S1659A, S1660A, S1661A, S1662A, S1663A, S1664A, S1665A, S1666A, S1667A, S1668A, S1669A, S1670A, S1671A, S1672A, S1673A, S1674A, S1675A, S1676A, S1677A, S1678A, S1679A, S1680A, S1681A, S1682A, S1683A, S1684A, S1685A, S1686A, S1687A, S1688A, S1689A, S1690A, S1691A, S1692A, S1693A, S1694A, S1695A, S1696A, S1697A, S1698A, S1699A, S1700A, S1701A, S1702A, S1703A, S1704A, S1705A, S1706A, S1707A, S1708A, S1709A, S1710A, S1711A, S1712A, S1713A, S1714A, S1715A, S1716A, S1717A, S1718A, S1719A, S1720A, S1721A, S1722A, S1723A, S1724A, S1725A, S1726A, S1727A, S1728A, S1729A, S1730A, S1731A, S1732A, S1733A, S1734A, S1735A, S1736A, S1737A, S1738A, S1739A, S1740A, S1741A, S1742A, S1743A, S1744A, S1745A, S1746A, S1747A, S1748A, S1749A, S1750A, S1751A, S1752A, S1753A, S1754A, S1755A, S1756A, S1757A, S1758A, S1759A, S1760A, S1761A, S1762A, S1763A, S1764A, S1765A, S176



[pdf] Catalog

Catalogue 0406 llores adam audio

ADAM Studio Monitors at a glance Nearfield Monitors A-Series P-Series ANF10 A7 Artist P11A P2 ...

..... 14/15 Mastering MP1 mastering piece 16 Subwoofer **Sub8**

.....17 Sub10 MK 2

lang:en score:22 filesize: 2.93 M page_count: 20 document date: 2006-04-01



[pdf]

Product Bulletin Sub 8 Soundland GmbHThe Sub8 houses an excellent woofer with a large 50 mm voicecoil and is driven by 160 W

Power amp This stays cool while hand ling maximum power b 255079 paper Esoundland de media 45 98 72 b E srsltld

AfmBOoqWfcrEy5jVXOFYIb1wJGVx9LCU rjZinYNmglB03Hdz5CuAa8X |||

Product Bulletin Sub 8 ADAM Audio GmbH Lobeckstr. 36 10969 Berlin-Germany phone: 49 30-863 00 97-0

30-863 00 97-7 email: info adam-audio.com web: www.adam-audio.com Description: The **Sub8** is a small y

powerful subwoofer designed to extend the low frequency capabilities of any nearfield...

lang:en score:21 filesize: 702.92 K page_count: 1 document date: 2006-03-21



[pdf]

House of Glass Studio Italy is relying exclusively on ADAM Monitoring Audio adam audio en print pro news house glass studio italy


monitoring

Published on ADAM Audio GmbH http://www.adam-audio.com , 07/07/2014 News House of Glass Studio It:

toring it is almost based exclusively on ADAM models, including two A7s, five A8Xs, two S3X-Hs, one **Sub8**

two S7A MK2s. They all have been used for everything recorded at House of Glass. Please rea...

lang:en score:21 filesize: 799.12 K page_count: 1 document date: 2014-07-07



[pdf]

PROGRAMA DE DESCUENTO PARA ESTUDIANTES ADAM Formulario de elegibilidad descuento para estudiantes adam audio st

discount eligibility form spanish content 2019 03 |||

PROGRAMA DE DESCUENTO PARA ESTUDIANTES ADAM Formulario de elegibilidad de descuento par:

estudiantes ... productos seleccionados de la gama ADAM Audio - Pro Audio F5, F7, A3X, A5X, A7X, A8X,

Sub7, **Sub8**, Sub10 MkII y solo se puede aplicar con este formulario completo y una copia de una identifica

lang:es score:21 filesize: 140.18 K page_count: 1 document date: 2018-12-12



[pdf] Guide

Enceinte de proximité 7 50w 20w tweeter ruban T7V Adam Audio LA BS dt la bs Objets |||

T7V Enceinte de monitoring bi-amplifiée 7 La T7V est une enceinte de monitoring conçue pour un usage ... de pour la production musicale, la postproduction vidéo et le broadcast. Le subwoofer Adam **SUB8** complètera idéalement les T7V pour tendre au besoin le bas du spectre. Caractéristiques Techniques...

lang:fr score:20 filesize: 75.19 K page_count: 1 document date: 2018-09-25



[pdf] Guide

Enceinte de proximité 5 50w 20w tweeter ruban T5V Adam Audio LA BS dt la bs Objets |||

T5V Enceinte de monitoring bi-amplifiée 5 La T5V est une enceinte de monitoring particulièrement abordable pour ... vous besoin de plus de basses fréquences, vous pouvez ajouter aux T5V un subwoofer Adam SUB7 ou **SUB8**. Caractéristiques Techniques Tweeter U-ART Woofer 5"

lang:fr score:20 filesize: 76.39 K page_count: 2 document date: 2018-09-25



[pdf]

Layout 1 09281 03050 8 0 5 © ADAM Audio 0928103050 is a German firm that largely responsible for the repopularization in recent Air Motion Transformer AMT tweeter invented 05 \$5.99us 99can vol twenty nine number eight may 2016 usa 99 canada review adam a7x recording magazine sub10 mk2 content 11

VOL. TWENTY NINE NUMBER EIGHT MAY 2016 USA 5.99 CANADA 5.99 5.99US 5.99CAN 05 0 09281 0 re ADAM A line. From smallest to largest, they pair the A3X with the Sub7 1199 , the A5X with the **Sub8** 1599 the A7X with the Sub 10 MK2 2549 , and the A8X with the Sub12 3499 . For this review...

lang:en score:19 filesize: 1.86 M page_count: 3 document date: 2016-04-18



[pdf]

Layout 1 ADAM Audio A5X Active Monitors 0928103050 09281 03050 8 0 9 © is a German firm that makes active monitors for every from very small desktop systems to main rooms in studios 09 \$5.99us 99can vol twenty seven number twelve september 2014 usa 99 canada sep t m b r 2 4 review adam audio a5x recording magazine content 2016 11

VOL. TWENTY SEVEN NUMBER TWELVE 5.99US 5.99CAN SEPTEMBER 2014 0 9 USA 5.99 CANADA 092 ... t the very low end. The A5X would be a very good candidate for pairing with a subwoofer like ADAM's **Sub8**, but it did perfectly well on its own, with mixes translating well to larger monitors. I found ...

lang:en score:19 filesize: 1.68 M page_count: 3 document date: 2014-08-07

Published on ADAM Audio GmbH <http://www.adam-audio.com>, 02/26/2015

Sub8

Technical Data

Model	Sub8
Frequency range	20 - 120 Hz
Power handling	160 W
Impedance	8 Ω
Dimensions (W x H x D)	210 x 210 x 110 mm
Weight	4.5 kg
Material	Paper
Voice coil	38 mm
Construction	Built-in Amplifier
Controls	Volume, Crossover
Inputs	Line, XLR
Outputs	Line, XLR
Connectors	1/4" TRS, XLR
Accessories	Sub8-MK2, Sub8-MK1

Page 1 of 1

[pdf] Warranty

Sub8 Technical Data Subwoofer Number 1 Basket Ø 8 5 210 mm Voice coil 38 Cone material Paper Built in Amplifiers Amp power R musicAdam Audio SUB Technische Details 7830c7cdn billiger dyming F5DWzkepGAA2TBeiMPWxeTt4H9rycHjeBa9LTdXG2DAnjRlgckWgfEhsXMomKI aPltRSgXiJLNaJYNC4vzuDY Adam 7830c7 ||| Published on ADAM Audio GmbH <http://www.adam-audio.com> , 02/26/2015 **Sub8** Technical Data Subwoofe Number Basket Voice coil Cone material Built-in Amplifiers Subwoofer Amp. power RMS / music Input conn Analog General data Panel Frequency response THD 60 Hz Peak SPL max at 1m Crossov... lang:af **score:19** filesize: 737.71 K page_count: 1 document date: 2015-02-26



[pdf]

ProKatalog0406 lores adam audio german ADAM Studio Monitore im berblick Nearfield Monitore A-Serie P-Serie ANF10 A7 Artist P11A P22A 14/15 Mastering MP1 mastering piece 16 Subwoofer **Sub8** 17 Sub10 MK 2..... lang:it **score:19** filesize: 2.88 M page_count: 20 document date: 2006-04-01

Subwoofer

Sub8

The Sub8 is a small yet powerful subwoofer designed to extend the low frequency capabilities of any nearfield monitoring system. The Sub8 houses an excellent 8" woofer with a large 50mm voice coil, and is driven by a 160W ICE Power amp. This amp stays cool while handling maximum power...

Sub10 MK2

The Sub10 MK2 is a powerful subwoofer designed to extend the low frequency capabilities of any nearfield monitoring system. The Sub10 MK2 houses an excellent 10" woofer with a large 50mm voice coil, and is driven by a 200W ICE Power amp. This amp stays cool while handling maximum power...

Sub12

The Sub12 is a powerful subwoofer designed to extend the low frequency capabilities of any nearfield monitoring system. The Sub12 houses an excellent 12" woofer with a large 50mm voice coil, and is driven by a 200W ICE Power amp. This amp stays cool while handling maximum power...

Subwoofer Features

- 160W ICE Power amp
- 50mm voice coil
- 8" woofer
- 20 Hz - 120 Hz frequency range
- 8 Ω impedance
- 210 x 210 x 110 mm dimensions
- 4.5 kg weight
- Paper cone material
- Built-in amplifier
- Volume and Crossover controls
- Line and XLR inputs
- Line and XLR outputs
- 1/4" TRS and XLR connectors


[pdf]

subTech adam audio studio sub bulletin Subwoofer **Sub8** The **Sub8** is a small yet powerful subwoofer designed to extend the low frequency capabil any nearfield monitoring system. The **Sub8** houses an excellent 8 woofer with a large 50mm voicecoil, and driven by a 160W ICE Power amp. This amp stays cool while handling maximum power... lang:en **score:18** filesize: 482.57 K page_count: 1 document date: 2006-12-19

[pdf] Guide Catalog

SERIES THE X ART AND S TWEETER T SUB WOOFER 6 5 7 The A3X is the most compact monitor of AX Series It s par ticularly interesting for quali ty conscious user that on a tight budget adam audio pro catalog 2019 english web content 01 S SERIES NEAR-/MIDFIELD MONITORS 6 5 7 4 1 2 3 MAIN MONITORS HEADPHONES THE X-ART ANI ... Control Warranty: 2 years plus 3 years upon product registration in the MyADAM user area Awards **Sub8** Technical Data 8,5 Woofer Amplifier Power: 160 W RMS Controls: Volume, Crossover Frequency... lang:en **score:18** filesize: 1.52 M page_count: 2 document date: 2019-01-24






[\[pdf\]](#) Catalog

proCatalogue catalogue lowres adam audio 80

ADAM Studio Monitors at a glance P-Series ANF10 Artist P11A P22A P33A S-Series Nearfield S1A ... emie choice for mobile recording facilities and DAW setups. Together with a subwoofer such as the **Sub8** or Sub1 superb stereo or 5.1 monitoring can be obtained within a limited space. The S2/S2-A...

lang:en score:18 filesize: 951.16 K page_count: 9 document date: 2004-08-23




[\[pdf\]](#) User Manual Instructions

146284 1 d1aeri3ty3izns cloudfront net media 14 cdns3 gear4music

Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...

lang:en score:17 filesize: 1.18 M page_count: 32 document date: 2015-04-08



[\[pdf\]](#) User Manual Instructions

e3b6af401ca94e312388d38dfb7a8125 pult ru upload iblock e3b |||

Sub8 Operation Manual / Bedienungsanleitung English / Deutsch **Sub8** Safety Instructions Please read the following safety instructions before setting up your system. Keep the instructions for subsequent reference. | heed the warnings and follow the instructions. Caution Risk of electrical sho...

lang:en score:17 filesize: 1.18 M page_count: 32 document date: 2015-09-14



[\[pdf\]](#)

Active Nearfield Monitors ADAM Audio Adam T7V £358 p r o s Well balanced full range sound Good stereo imaging Very affordable c power or clip LEDs visible from the front u m a r y All speakers are compromise but here compromises have been managed very can deliver speaker that compares well adam audio t7v review on content 2018 01 cheerful monitors around for those with basic bedroom and there also no shortage of more professional £750 11

on test Adam T7V Active Nearfield Monitors 74 August 2018 / w w w . s o u n d o n s o u n d . c o m ... akers designed to provide full-range coverage, they can also be used in conjunction with Adam s **Sub8** subwoofer create a 2.1 system. The 15mm MDF cabinet features a moulded plastic baffle with t...

lang:en score:17 filesize: 2.54 M page_count: 3 document date: 2018-07-04



[pdf]

ADAM ALL ENG Strumenti Musicali Audio s famous S Series models are reference monitors in many of the most prestigious sound : around globe In only a few years they have become strumentimusicali net manuali

The Proof Is In The Listening... Firehouse 12 Studio USA Acoustics and Design by Walters-Storyk Des ... M S-Series: S5A Mk2 20-21 S5VA Mk2 20-21 S6A Mk2 22-25 S7A Mk2 22-25 Subwoofer Sub7, **Sub8**, Sub10 Sub12 26-27 Sub20, Sub24, Sub2100 28 Mastering Piece MP1 29 Technical Data 30-3...

lang:en score:14 filesize: 7.19 M page_count: 19 document date: 2009-03-19



[pdf] Catalog

STUDIO MONITORS Strumenti Musicali The A3X is now ADAMs smallest monitor ever and the larger A8X opens door to midfield m top of AX line Page 6 smallest ADAM MONITORSTUDIO ENG strumentimusicali net manuali |||

STUDIO MONITORS Catalog 04/2010 English Professional Audio Home Audio Radio Canada Studio 12 M enables this subwoofer to reproduce register of even this range in a highly authentic manner. **Sub8** The **Sut** small yet deceptively powerful subwoofer designed to extend the low frequency cap...

lang:en score:14 filesize: 2.93 M page_count: 44 document date: 2010-03-24



[pdf]

20 21 BB63 Inside Adam T5V Layout 1 Piero Chianura ADAM Audio Sono anni che i monitor della tedesca ricevono premi da testate specializzate di tutto il mondo L azienda è riuscita low adam audio content 2019 01

BIGBOX INSIDE - ADAM T5V UN MONITOR NEARFIELD DAL PREZZO ACCESSIBILE CHE ALZA L ASTICELLA DELLA Q ... un livello massimo di pressione sonora di 106 dB per coppia. T5V compatibile con ADAM Sub7 e **Sub8**. COMINCIARE CON ADAM ORA POSSIBILE Quando ho posizionato i due nearfield n T5V all inter...

lang:it score:14 filesize: 440.75 K page_count: 2 document date: 2018-12-05




[pdf] Catalog

English ProMusicBari Near Midfield Monitors AX Series A History of Excellence SX ADAM introduced a new top line studio monitors Prolight Sound Frankfurt Germany and AES New 53268749543cdd17d185e promusicbari it products images |||

STUDIO MONITORS Catalog 04/2011 English Professional Audio Home Audio Multimedia Radio Canada S oint enables this subwoofer to reproduce register of even this range in a highly authentic manner. **Sub8** The is a small yet deceptively powerful subwoofer designed to extend the low frequency cap...

lang:en score:14 filesize: 9.23 M page_count: 44 document date: 2011-04-07



[Full Compass: Professional Audio & A/V Equipment Catalog](#)

Explore a comprehensive catalog of professional audio and A/V equipment from leading brands, including F Engineering 500 Series racks, mic preamps, power amplifiers, studio monitors, and conferencing systems.

lang:es score:14 filesize: 32.12 M page_count: 70 document date: 2013-05-15