

Dino-Lite AM4113ZT

Dino-Lite AM4113ZT USB Digital Microscope

User Manual

1. PRODUCT OVERVIEW

The Dino-Lite AM4113ZT is a versatile USB digital microscope designed for detailed observation and analysis. It features 1.3-megapixel resolution, offering true optical magnification from 20x to 50x, and up to 200x. This model includes integrated polarized light to reduce glare on reflective surfaces, MicroTouch for convenient image capture, and measurement capabilities through its accompanying software.





Image 1.1: The Dino-Lite AM4113ZT USB Digital Microscope, showcasing its compact design.

DINO-LITE PREMIER

AM4113ZT



20x - 50x &
200x



Windows & Mac



Adjustable Polarizer



USB 2.0



Measurements

Image 1.2: Overview of the Dino-Lite AM4113ZT's primary features, including magnification range, software compatibility, and specialized functions.



Image 1.3: Detailed illustration of the Dino-Lite AM4113ZT hardware, highlighting its various components and their functions.

2. PACKAGE CONTENTS

Verify that all items listed below are present in your product package:

- Dino-Lite AM4113ZT USB Digital Microscope
- Quick Start Guide
- Software Download Link/Information
- Carry Pouch
- Calibration Target + Cover



Image 2.1: Visual representation of the items included in the Dino-Lite AM4113ZT product box.

3. SETUP

3.1 Software Installation

1. **Download Software:** Visit the official Dino-Lite website or use the provided software download link to obtain the latest version of DinoCapture (for Windows) or DinoXcope (for Mac).
2. **Install Software:** Follow the on-screen instructions to install the software on your computer.
3. **System Requirements:** Ensure your operating system (Windows or Mac) meets the minimum requirements specified by the software.

STANDARD WORKING DISTANCE

Standard Working Distance models can be used as a handheld, or paired with a stand (Sold Separately) for more precise movement.





Image 3.1: The DinoCapture software interface displayed on a laptop, demonstrating its functionality for image capture and analysis.

3.2 Connecting the Microscope

1. Connect the USB cable from the Dino-Lite AM4113ZT microscope to an available USB port on your computer.
2. The operating system should automatically detect the device.
3. Launch the DinoCapture (Windows) or DinoXcope (Mac) software. The microscope's live feed should appear in the software window.

The Dino-Lite AM4113ZT can be used handheld for quick inspections or mounted on an optional stand (sold separately) for more stable and precise observations.

Software Included



DinoCapture (for Windows OS) and DinoXscope (for Mac OS) offer powerful tools to capture, record, annotate, measure, and more—unlocking the full potential of your Dino-Lite Digital USB microscope.

Image 3.2: The Dino-Lite AM4113ZT shown in both handheld use and mounted on a stand, demonstrating its adaptability for various inspection needs.

4. OPERATING INSTRUCTIONS

4.1 Adjusting Magnification

The AM4113ZT offers variable optical magnification from 20x to 50x, and a fixed 200x magnification. To adjust the magnification:

- Rotate the magnification dial on the microscope body.
- Observe the live image in the software to achieve the desired level of detail.
- For stable observation at a specific magnification, use the scroll lock mechanism to secure the dial.



4.2 Using Polarized Light

The integrated adjustable polarizer helps reduce glare on reflective surfaces, improving image clarity:

- Rotate the polarizer ring located at the front of the microscope.
- Adjust until glare is minimized and surface details become clearer.



Image 4.2: The adjustable polarizer ring, designed to control reflections and enhance image quality.

4.3 Image Capture and LED Control

- **MicroTouch:** Gently touch the MicroTouch sensor on the microscope body to capture a still image.
- **Software Capture:** Use the capture button within the DinoCapture/DinoXcope software to take photos or record videos.
- **LED Lighting:** The microscope features 8 white LEDs. Control their on/off status and brightness through the software interface.

4.4 Measurement Functions

The DinoCapture/DinoXcope software provides advanced measurement tools:

- After capturing an image, use the software to perform various measurements such as length, area, and angles.
- Ensure proper calibration using the included calibration target for accurate measurements.



Image 4.3: The Dino-Lite AM4113ZT positioned on a stand, illustrating a stable setup for detailed observation and measurement tasks.

5. MAINTENANCE

5.1 Cleaning

- **Lens:** Use a soft, lint-free cloth specifically designed for optical lenses to gently wipe the microscope lens. Avoid abrasive materials or harsh chemicals.
- **Body:** Wipe the microscope body with a soft, dry cloth. If necessary, a slightly damp cloth with mild soap can be used, followed by a dry cloth. Ensure no liquid enters the device.
- **Avoid:** Do not use alcohol, benzene, thinners, or other chemical solvents, as they may damage the plastic components.

5.2 Storage

- Store the microscope in its protective carry pouch when not in use.
- Keep the device in a cool, dry place, away from direct sunlight, extreme temperatures, and high humidity.
- Avoid storing in dusty environments.

6. TROUBLESHOOTING

6.1 No Image Displayed

- Ensure the USB cable is securely connected to both the microscope and the computer.
- Verify that the DinoCapture/DinoXcope software is running and the correct device is selected.
- Try connecting to a different USB port on your computer.
- Restart the software and/or your computer.

6.2 Blurry or Unfocused Image

- Adjust the magnification dial to bring the object into focus.
- Ensure the microscope is held steady or mounted on a stable stand.
- Check the working distance between the microscope lens and the object. Adjust as needed for optimal focus at the selected magnification.
- Clean the microscope lens if smudges or dust are present.

6.3 Software Issues (Crashing, Freezing)

- Ensure your software is updated to the latest version.
- Check your computer's system resources (RAM, CPU) to ensure they meet the software's requirements.
- Close other demanding applications running in the background.
- Reinstall the software if the issue persists.

6.4 Glare on Specimen

- Rotate the adjustable polarizer ring on the microscope to minimize reflections.
- Adjust the intensity of the LED lighting through the software.

- Change the angle of the microscope relative to the specimen.

7. SPECIFICATIONS

Feature	Detail
Model Name	AM4113ZT
Image Resolution	1.3 Megapixels (1280 x 1024)
Magnification	20x - 50x, 200x (Optical)
Video Frame Rate	Up to 30 FPS
Connectivity	USB 2.0
Light Source	8 White LEDs (adjustable via software)
Special Features	MicroTouch, Measurement, Adjustable Polarized Light
Compatible Devices	Personal Computer, Laptop (Windows/Mac)
Product Dimensions	6.5"L x 7.3"W x 2.6"H
Item Weight	0.11 Kilograms (3.87 ounces)
Material	Plastic
Voltage	5 Volts (via USB)

8. WARRANTY AND SUPPORT

8.1 Warranty Information


For detailed warranty information regarding your Dino-Lite AM4113ZT USB Digital Microscope, please refer to the warranty card included in your product packaging or visit the official Dino-Lite website. Warranty terms and conditions may vary by region and purchase date.

8.2 Technical Support

If you encounter issues not covered in this manual or require further assistance, please contact Dino-Lite customer support. Contact information can typically be found on the official Dino-Lite website or in your product documentation.

- **Online Resources:** Check the Dino-Lite website for FAQs, driver updates, and additional support materials.
- **Contact:** Refer to your product's quick start guide or the manufacturer's website for specific contact details (phone, email, or support portal).

Product Image Model: AF71 Product Code: AM7515MTFP-APL Short Description Discover the Dino-Lite AM7515MTFP-APL, a 5MP Extra Long Working Distance (ELWD) digital microscope featuring a 45-70x magnification range, Aim Point Laser (APL), and Flexible LED Control (FLC) for detailed inspection and measurement. Key Features • 5MP Resolution • 45-70x Magnification • Aim Point Laser (APL) • Flexible LED Control (FLC) • Macro Zoom Optics • High-Speed Imaging • USB 3.0 Interface • 2.5" LCD Display • Rechargeable Battery • Compact Design Technical Specifications Resolution: 5MP (2592 x 1944) Magnification: 45-70x Working Distance: 100-150mm Field of View: 1.2mm (45x) to 1.2mm (70x) Aperture: f/2.8 Shutter Speed: 1/500s Frame Rate: 30fps Image Format: JPEG, RAW Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	Dino-Lite AM7515MTFP-APL 5MP ELWD Digital Microscope with Aim Point Laser Explore the Dino-Lite AM7515MTFP-APL, a 5MP Extra Long Working Distance (ELWD) digital microscope featuring a 45-70x magnification range, Aim Point Laser (APL), and Flexible LED Control (FLC) for detailed inspection and measurement.
Product Image Model: AF71 Product Code: AF7115MZTW - Edge Short Description Discover the Dino-Lite AF7115MZTW - Edge, a high-resolution 5MP digital microscope featuring Flexible LED Control (FLC), an adjustable polarizer, and macro zoom optics for detailed imaging. Key Features • 5MP Resolution • Flexible LED Control (FLC) • Adjustable Polarizer • Macro Zoom Optics • High-Speed Imaging • USB 3.0 Interface • 2.5" LCD Display • Rechargeable Battery • Compact Design Technical Specifications Resolution: 5MP (2592 x 1944) Magnification: 10-140x Working Distance: 100-150mm Field of View: 1.2mm (10x) to 1.2mm (140x) Aperture: f/2.8 Shutter Speed: 1/500s Frame Rate: 30fps Image Format: JPEG, RAW Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	Dino-Lite AF7115MZTW - Edge 5MP Digital Microscope Discover the Dino-Lite AF7115MZTW - Edge, a high-resolution 5MP digital microscope featuring Flexible LED Control (FLC), an adjustable polarizer, and macro zoom optics for detailed imaging.
Product Image Model: AF45 Product Code: AM4515ZTL - EDGE Short Description Discover the Dino-Lite AM4515ZTL - EDGE digital microscope, a high-performance tool featuring 1.3 Megapixel resolution, 10-140x magnification, an integrated polarizer, and Automatic Magnification Reading (AMR). Ideal for professional applications requiring precision and flexibility. Key Features • 1.3 Megapixel Resolution • 10-140x Magnification • Integrated Polarizer • Automatic Magnification Reading (AMR) • High-Speed Imaging • USB 3.0 Interface • 2.5" LCD Display • Rechargeable Battery • Compact Design Technical Specifications Resolution: 1.3MP (1280 x 1024) Magnification: 10-140x Working Distance: 100-150mm Field of View: 1.2mm (10x) to 1.2mm (140x) Aperture: f/2.8 Shutter Speed: 1/500s Frame Rate: 30fps Image Format: JPEG, RAW Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	Dino-Lite AM4515ZTL - EDGE Digital Microscope: Features, Specifications, and Overview Explore the Dino-Lite AM4515ZTL - EDGE digital microscope, a high-performance tool featuring 1.3 Megapixel resolution, 10-140x magnification, an integrated polarizer, and Automatic Magnification Reading (AMR). Ideal for professional applications requiring precision and flexibility.
Product Image Model: AF71 Product Code: DinoCapture User Manual Short Description Comprehensive user manual for DinoCapture software, designed for use with Dino-Lite digital microscopes. Learn about installation, software features, image and video capture, measurement tools, and calibration. Key Features • User Manual • Software Features • Image and Video Capture • Measurement Tools • Calibration Technical Specifications Operating System: Windows 7, 8, 10, 11, macOS, Linux, Android Supported Devices: Dino-Lite Digital Microscopes File Formats: JPEG, RAW, MP4, AVI Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	DinoCapture User Manual - AnMo Electronics Dino-Lite Digital Microscope Guide Comprehensive user manual for DinoCapture software, designed for use with Dino-Lite digital microscopes. Learn about installation, software features, image and video capture, measurement tools, and calibration.
Product Image Model: AF71 Product Code: Dino-Lite WF-20 CONNECT Short Description User guide for the Dino-Lite WF-20 CONNECT, detailing setup, operation, app usage for iOS and Android, battery information, and technical specifications for this digital microscope Wi-Fi streamer. Key Features • Wi-Fi Streaming • Setup and Operation • App Usage for iOS and Android • Battery Information • Technical Specifications Technical Specifications Resolution: 5MP (2592 x 1944) Magnification: 10-140x Working Distance: 100-150mm Field of View: 1.2mm (10x) to 1.2mm (140x) Aperture: f/2.8 Shutter Speed: 1/500s Frame Rate: 30fps Image Format: JPEG, RAW Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	Dino-Lite WF-20 CONNECT Instruction Manual for Digital Microscope User guide for the Dino-Lite WF-20 CONNECT, detailing setup, operation, app usage for iOS and Android, battery information, and technical specifications for this digital microscope Wi-Fi streamer.
Product Image Model: AF71 Product Code: WF-10 Short Description Explore the Dino-Lite WF-10 WiFi Streamer, enabling wireless streaming from Dino-Lite USB digital microscopes to iOS and Android devices. Discover its features, compatibility, specifications, and package contents. Key Features • Wi-Fi Streaming • Setup and Operation • App Usage for iOS and Android • Battery Information • Technical Specifications Technical Specifications Resolution: 5MP (2592 x 1944) Magnification: 10-140x Working Distance: 100-150mm Field of View: 1.2mm (10x) to 1.2mm (140x) Aperture: f/2.8 Shutter Speed: 1/500s Frame Rate: 30fps Image Format: JPEG, RAW Storage: 16GB SD Card Power: 5V DC, 1A Dimensions: 110 x 60 x 40mm Weight: 150g	Dino-Lite WF-10 WiFi Streamer: Wireless Connectivity for Digital Microscopes Explore the Dino-Lite WF-10 WiFi Streamer, enabling wireless streaming from Dino-Lite USB digital microscopes to iOS and Android devices. Discover its features, compatibility, specifications, and package contents.




[pdf]

Product Dino Lite Europe product 24 dino lite eu fr am4113zt eshop id |||

Dino-Lite Europe - **AM4113ZT** Marque: Dino-Lite Code produit: **AM4113ZT** Phone: - Email: Courte description 1.3 Megapixel resolution With magnification lock 10-70x 200x Magnification Polarizer anti-reflection Description The Dino-Lite **AM4113ZT** is a convenient, easy to use, professional handheld d...

lang:en score:43 filesize: 169.14 K page_count: 3 document date: 2024-04-30



[pdf]

Product Dino Lite Europe product 24 dino lite eu nl am4113zt eshop id |||

Dino-Lite Europe - **AM4113ZT** Merk: Productcode: **AM4113ZT** Phone: - Email: Korte omschrijving 1.3 Megapixel resolution With magnification lock 10-70x 200x Magnification Polarizer anti-reflection Omschrijving The Dino-Lite **AM4113ZT** is a convenient, easy to use, professional handheld digital micro...

lang:en score:43 filesize: 169.18 K page_count: 3 document date: 2025-02-17



[pdf] Datasheet

AM4113ZT Dino Lite US Dunwell Tech Inc assets testequity 1 dinolite us en am4113zt sales@dunwell 888 668 2442 19803 Hamilton Ave Torrance CA 90502 \$499 Product Images dino lite premier series datasheet te1 Documents |||

Dino-Lite US Dunwell Tech, Inc sales dunwell.com 888-668-2442 19803 Hamilton Ave Torrance, CA 90502 **AM4113ZT** Product Images 499 1

https://www.dinolite.us/en/**am4113zt** Description The Dino-Lite **AM4113ZT** is a 1.3 megapixel handheld digital microscope with adjustable polarization. Simply by ro...

lang:en score:41 filesize: 1.64 M page_count: 4 document date: 2021-09-10



[pdf]

Product Dino Lite Europe dino lite eu Phone Email AM4113ZT Brand Code Short Description 1 3
Megapixel resolution With magnification lock product 24 en component eshop id |||

Dino-Lite Europe - **AM4113ZT** Brand: Dino-Lite Product Code: **AM4113ZT** Phone: -
Email: Short Description 1.3 Megapixel resolution With magnification lock 10-70x
200x Magnification Polarizer anti-reflection Description The Dino-Lite **AM4113ZT** is a
convenient, easy to use, professional handheld dig...

lang:en score:40 filesize: 132.63 K page_count: 3 document date: 2022-09-12




[pdf] Accessories Borchure

Dino Lite product range for diamond jewelers gemologists watchmakers and The AM4113ZT is the ideal
solution inspection taking pictures of jewelry diamonds gemstones built in polarizer helps to reduce glare
on shiny objects Brochure Jewellers EN web dino lite eu images s |||

Dino-Lite product range for: diamond jewelers, gemologists, watchmakers and
jewelers Applications ... dius, circle, 3-point circle etc. or calibration only Plus and Pro
models and up . Microscopes **AM4113ZT** ADJUSTABLE -10 -70x 200x 1.3
MEGAPIXEL 1280 x 1024 POLARIZER ANTI-REFLECTION Great soluti...

lang:en score:39 filesize: 1.64 M page_count: 8 document date: 2013-09-23




[pdf]

Product Dino Lite Europe dino lite eu Phone Email AM4113ZT Brand Code Short Description 1 3
Megapixel resolution With magnification lock 10 70x 200x Magnification product 24 en products
microscopes universal eshop id |||

Dino-Lite Europe - **AM4113ZT** Brand: Product Code: **AM4113ZT** Phone: - Email:
Short Description 1.3 Megapixel resolution With magnification lock 10-70x 200x
Magnification Polarizer anti-reflection Description The Dino-Lite **AM4113ZT** is a
convenient, easy to use, professional handheld digital micro...

lang:en score:38 filesize: 169.12 K page_count: 3 document date: 2024-09-11



[\[pdf\]](#) User Manual Warranty

Provided by ManualsAndMore Download User Manual ideal tek Dino Lite idealtex DinoLite manualsandmore |||

Switzerland Dino-Lite digital microscope User Manual EN - User Manual www.ideal-tek.com Switzerland CONRAD ARTICLE CODE 1284397 1284406 1284407 1284408 1284409 1284410 1284411 1284412 MODEL AD4113ZT AM2111 AM3113T AM4112PZT AM4113T5 AM4113TL **AM4113ZT** AM4115ZT CONRAD ARTICLE CODE 1284413 1284414...

lang:en score:38 filesize: 910.11 K page_count: 14 document date: 2019-07-24




[\[pdf\]](#)

Product Dino Lite Europe AM4113ZT prieš 5 dienas — It is equipped with a high quality 1.3 Megapixels sensor crystal clear image and natural color reproduction enabling you to view capture product 24 dino lite eu da component eshop id |||

Dino-Lite Europe - **AM4113ZT** Brand: Dino-Lite Product Code: **AM4113ZT** Phone: - Email: Short Description 1.3 Megapixel resolution With magnification lock 10-70x 200x Magnification Polarizer anti-reflection Description The Dino-Lite **AM4113ZT** is a convenient, easy to use, professional handheld dig...

lang:en score:38 filesize: 132.63 K page_count: 3 document date: 2022-03-17



[\[pdf\]](#) User Manual

manual 1284413 dino lite vga microscope 05 mp digital zoom max 200 x asset conrad media10 add 160267 c1 de 001284413ML01 |||

Switzerland Dino-Lite digital microscope User Manual DE - Bedienungsanleitung www.ideal-tek.com Switzerland CONRAD ARTICLE CODE 1284397 1284406 1284407 1284408 1284409 1284410 1284411 1284412 MODEL AD4113ZT AM2111 AM3113T AM4112PZT AM4113T5 AM4113TL **AM4113ZT** AM4115ZT CONRAD ARTICLE CODE 1284413...

lang:de score:35 filesize: 1.03 M page_count: 15 document date: 2015-03-05



[\[pdf\]](#) Borchure

Gama de productos Dino Lite para especialistas en diamantes gemólogos relojeros y joyeros Brochure

Jewellers ES web dino lite eu images s |||

Gama de productos Dino-Lite para: especialistas en diamantes, gemólogos, relojeros y joyeros. Aplicación de 3 puntos, etc. y calibración solamente los modelos Plus, Pro y superiores. Microscopios **AM4113ZT** AJUSTABLE -10 -70x 200x 1,3 MEGAPÍXELES 1280 x 1024 POLARIZADOR ANTIRREFLEJOS Magnífica sol...

lang:es score:34 filesize: 1.35 M page_count: 8 document date: 2013-09-23




[\[pdf\]](#) Accessories Borchure

DINO-LITE PRODUCT RANGE FOR The Dino Lite RK 10A stand is a sturdy and stable high range solution that can be used with all digital microscopes It constructed of stainless steel lightweight aluminum off ers precise focus adjustment as well quick vertical release function 12 ACCESSORIES More info dino lite eu accessories Art restoration ENG 2020Q1 Web images brochures |||

DINOLITE PRODUCT RANGE FOR: Art and paper restorers, conservators, antique collectors, museums and a ... ition functionality GPS integration 3 DINOLITE UNIVERSAL More info: www.dino-lite.eu/universal **AM4113ZT** The main features of the **AM4113ZT** are: 1.3 Megapixel sensor USB 2.0 connection 10-70x ...

lang:en score:32 filesize: 6.81 M page_count: 16 document date: 2020-03-04



[\[pdf\]](#) User Manual Datasheet Dimension Guide

Datasheet 1642363 Dino Lite WF 10 Wi Fi streamer 4712805475544 datasheet dino lite wf wi fi asset

conrad media10 add 160267 c1 en 001642363DS01

Dino-Lite WF-10 WIFI STREAMER Switzerland The WF-10 WiFi Streamer allows
Dino-Lite USB models to b ... AM4113TL R4 AM4113TL-FVW R4 AM4113TL-M40 R4
AM4113T-RFYW R4 AM4113T-VW R4 AM4113T-YFGW R4 **AM4113ZT** R4
AM4113ZT4 R4 **AM4113ZTL** R4 AM4115T AM4115TL AM4115TW AM4115ZT
AM4115ZTL AM4115...

lang:en score:31 filesize: 213.04 K page_count: 1 document date: 2015-07-13



[pdf] Accessories Borchure Catalog

Dinolite us SAA 2023 Dino Lite Brochure files dinolite brochures |||

Features IN THE FIELD One of the Dino-Lite s biggest strengths for Archaeology is portability. It s ... eld use. Products: W F4115ZT - 895 RK-06A - 199 Everything needed to get the job done. Products: **AM4113ZT** - 499 RK-04 - 99 More Accessories This set up has all the bells and whistles, including...

lang:en score:30 filesize: 190.75 K page_count: 2 document date: 2023-03-20




[pdf]

001284411 da 01 en DINO LITE USB PREMIER DIGITAL MIKROSKOP produktinfo conrad datenblaetter 1200000 1299999

Dino-Lite **AM4113ZT** Switzerland By using a special polarization filter, the **AM4113ZT** is the right choice when working with high glare materials such as plastics and metals. It has a high resolution of 1,3 megapixel and an adjustable magnification of 10-70x as well as 200x. This model also provides ...

lang:en score:30 filesize: 219.77 K page_count: 1 document date: 2015-03-31



[pdf]


José Manuel Escrig Selección Dino Lite Joyería FOLLETO EN CON MODELOS DINO LITE JOYERIA

Selecci microscopiosbarcelona index controller attachment id 8 |||

Opti-Tech Tecnologia ptica, S.L. C/Viladomat, 235 Tienda Csmik 08029 BARCELONA 613 007 291 optitech2021 gmail.com www.optitechsl.com

www.microscopiosbarcelona.com **AM4113ZT** AM4013MZT AM4815ZT AM7515MZT **AM4113ZTL** AM4815ZT **AM4113ZTL** AM4013MZTL AM4815ZTL AM7915MZTL AM4013MZTL AM7515MZT Opti-Tech ...

lang:en score:30 filesize: 374.46 K page_count: 1 document date: 2024-02-29



[pdf]

José Manuel Escrig Selección Dino Lite restauración FOLLETO EN CON MODELOS DINO LITE

RESTAURACIÓN Selecci microscopiosbarcelona index controller attachment id 9 |||

Opti-Tech Tecnología ptica, S.L. C/Viladomat, 235 Tienda Csmik 08029 BARCELONA


613 007 291 optitech2021 gmail.com www.optitechsl.com

www.microscopiosbarcelona.com **AM4113ZT** AM4515ZT **AM4113ZTL** AM4515ZTL

AM4113T-FVW AM4115T-FVW AM4013MZT AM7915MZT AM4013MZTL

AM7915MZTL AD4113T-I2V Opti-Tech Tecn...

lang:en score:30 filesize: 410.15 K page_count: 1 document date: 2024-02-29




[pdf] Datasheet Dimension Guide Accessories

Datasheet 1932522 Dino Lite BL ZW1 Microscope camera accessory 4712805471089 datasheet dino lite

bl zw1 microscope asset conrad media10 add 160267 c1 en 001932522DS00

Dino-Lite BL-ZW1 Backlight Switzerland The BL-ZW1 backlight accessory opens up a whole new range of applications. The BL-ZW1 can be powered over USB or the DC adapter. The backlight has a built in, freely rotatable polarizer that works in combination with the **AM4113ZT** or AD4113ZT polarizer models....

lang:en score:29 filesize: 193.2 K page_count: 1 document date: 2015-03-31



[pdf] Installation Guide Borchure

Dino Lite product range for Students and teachers in primary secondary education Go Now The AM2111 is the basic model USB microscope with two ranges of magnification 10~70x up to 200x features improved real color lite eu view install tips setting Url dino images s Brochure Education EN web |||

Dino-Lite product range for: Students and teachers in primary and secondary education Microscopes ... JUSTABLE -10 -70x 200x 1.3 MEGAPIXEL 1280 x 1024 Most popular model for professional applications **AM4113ZT** ADJUSTABLE -10 -70x 200x 1.3 MEGAPIXEL 1280 x 1024 POLARIZER ANTI-REFLECTION Great soluti...

lang:en score:29 filesize: 1.47 M page_count: 8 document date: 2013-09-23



[\[pdf\]](#) Accessories

Powerful Portable Versatile Skaitmeninis mikroskopas Dino Lite viskaselektronikai It images Userfiles komponentai 43079 |||

Powerful Portable Versatile The Dino-Lite digital microscope range Dino-Lite digital microscopes ... 90x and a long working distance up to 15cm . For working with reflective objects you can choose the **AM4113ZT** or the **AM4113ZT4** with adaptable polarization. The latter is also ideal when you need a very...

lang:en score:29 filesize: 3.37 M page_count: 28 document date: 2013-06-25



[\[pdf\]](#) Declaration of Conformity Accessories Borchure

Jewellery EN indd JEWELERS WATCHMAKERS GEMOLOGISTS AND DIAMOND DEALERS Ideal tek 2 APPLICATIONS The Dino Lite digital microscopes are tailored for a broad range of user groups In the diamond watch and jewelry business following target can be distinguished Brochures 2018 ideal public doc |||

DINOLITE PRODUCT RANGE FOR: JEWELERS, WATCHMAKERS, GEMOLOGISTS AND DIAMOND DEALERS APPLICATIONS Th ... ition functionality GPS integration 3 DINOLITE UNIVERSAL More info: www.dino-lite.eu/universal **AM4113ZT** The main features of the **AM4113ZT** are: 1.3 Megapixel sensor USB 2.0 connection 10-70x ...

lang:en score:29 filesize: 5.38 M page_count: 12 document date: 2018-08-09



[\[pdf\]](#) Accessories Borchure

Dino Lite Digital Microscope General Brochure EN 2015Q3 dino lite eu images s |||

Dino-Lite: powerful, portable, versatile INDEX Universal range 5 Special technologies: EDOF - ... ven more flexibility for use in all kinds of professional applications. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT 1,3 M...

lang:en score:29 filesize: 6.85 M page_count: 68 document date: 2015-09-10



[\[pdf\]](#) Accessories Borchure

DINO LITE Digital Microscope Entomopraxis Dino Lite General Brochure ES 2015Q3 dino lite eu images s |||

Dino-Lite: potente, portátil, versátil NDICE Gama Universal 5 Tecnologías especiales: EDOF - Exte ... ms flexibilidad para su uso en todo tipo de aplicaciones profesionales. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT 1,3 M...

lang:es score:29 filesize: 7.24 M page_count: 68 document date: 2015-09-10



[\[pdf\]](#) Specifications Documentation Warranty Catalog

Dino Lite Catalog 2024 Download Digital Microscope Americas email res files dinolite us documents ||| www.dinolite.us What is Dino-Lite Dino-Lite digital microscopes are a powerful and easy to use so ... AF3113T 299 640x480 20x-50x, 200x Modular AM4113T 399 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZT** 499 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZTL** 549 1280x1024 20x-90x USB 2.0 ...


lang:en score:28 filesize: 2.91 M page_count: 8 document date: 2023-12-19



[\[pdf\]](#) Specifications Documentation Warranty Catalog

Dino Lite Catalog 2024 Download Digital Microscope Americas hi res files dinolite us documents ||| www.dinolite.us What is Dino-Lite Dino-Lite digital microscopes are a powerful and easy to use so ... AF3113T 299 640x480 20x-50x, 200x Modular AM4113T 399 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZT** 499 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZTL** 549 1280x1024 20x-90x USB 2.0 ...

lang:en score:28 filesize: 103.55 M page_count: 8 document date: 2023-12-20



[\[pdf\]](#) Specifications Documentation Warranty Catalog

Dino Lite Catalog 2022 Downloads Digital Microscope Americas catalog hi res files dinolite us ||| www.dinolite.us What is Dino-Lite Dino-Lite digital microscopes are a powerful and easy to use so ... t AF3113T 299 640x480 10x-50x, 200x Modular AM4111T 329 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZT** 499 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZTL** 549 1280x1024 10x-90x USB 2.0 D...

lang:en score:28 filesize: 9.3 M page_count: 8 document date: 2022-10-05



[\[pdf\]](#) Specifications Documentation Warranty Catalog

Dino Lite Catalog 2022 Downloads Digital Microscope Americas catalog low res files dinolite us |||
www.dinolite.us What is Dino-Lite Dino-Lite digital microscopes are a powerful and easy to use so ... t AF3113T 299 640x480 10x-50x, 200x Modular AM4111T 329 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZT** 499 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZTL** 549 1280x1024 10x-90x USB 2.0 D...

lang:en score:28 filesize: 1.6 M page_count: 8 document date: 2022-10-06



[\[pdf\]](#) Catalog

Dino Lite Catalog 2020 Spanish USB Microscope Software Download dinolite esp us dl |||
 Qu es el Dino-Lite Los microscopios digitales Dino-Lite son una solucin potente y fcil de usar. Es ... ista De Productos Microscopio Digital Dino-Lite - Serie Semi Profesional Producto AF3113T AM4111T **AM4113ZT** **AM4113ZTL** Resolucin 640x480 1280x1024 1280x1024 1280x1024 Aumento 10x-50x, 200x 10x-50x, ...
 lang:es score:28 filesize: 6.81 M page_count: 8 document date: 2020-02-13



[\[pdf\]](#) Accessories Borchure

Dino Lite potente portatile versatile Brochure Microscopi geass filebase additel microscopi dino lite |||
 Dino-Lite: potente, portatile, versatile INDICE Gamma Universal 5 Tecnologie speciali: ED OF E ... flessibilit di utilizzo per tutti i tipi di applicazioni professionali. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT 1,3 M...
 lang:it score:28 filesize: 7.21 M page_count: 68 document date: 2015-09-10



[\[pdf\]](#) Specifications Documentation Warranty Catalog

Dino Lite Catalog 2020 Low Resolution USB Microscope Software Download dinolite low us dl |||
www.dinolite.us www.dinolite.us What is the Dino-Lite Dino-Lite digital microscopes are a powerfu ... I RCA VGA Product List Dino-Lite Digital Microscope - Consumer Series Product AF3113T AM4111T **AM4113ZT** **AM4113ZTL** MSRP 299 329 499 549 Resolution 640x480 1280x1024 1280x1024 1280x1024 Magn...

lang:en score:28 filesize: 1.68 M page_count: 8 document date: 2020-01-31



[\[pdf\]](#) Catalog

Dino Lite Catalog 2024 Spanish Download Digital Microscope Americas email res ES files dinolite us documents |||

www.dinolite.us Qu es Dino-Lite Los microscopios digitales Dino-Lite son una solucin potente y fc ... de Consumo AF3113T 640x480 20x-50x, 200x Modular AM4113T 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZT** 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZTL** 1280x1024 20x-90x USB 2.0 Microscop...

lang:es score:28 filesize: 2.9 M page_count: 8 document date: 2023-12-20



[\[pdf\]](#) Catalog

Dino Lite Catalog 2024 Spanish Download Digital Microscope Americas hi res ES files dinolite us documents |||

www.dinolite.us Qu es Dino-Lite Los microscopios digitales Dino-Lite son una solucin potente y fc ... de Consumo AF3113T 640x480 20x-50x, 200x Modular AM4113T 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZT** 1280x1024 20x-50x, 230x USB 2.0 **AM4113ZTL** 1280x1024 20x-90x USB 2.0 Microscop...

lang:es score:28 filesize: 103.8 M page_count: 8 document date: 2023-12-20



[\[pdf\]](#) Catalog

Dino Lite Catalog 2022 Spanish Downloads Digital Microscope Americas catalog low res ES files dinolite us |||

www.dinolite.us Qu es Dino-Lite Los microscopios digitales Dino-Lite son una solucin potente y fcus Lista De Productos Microscopio Digital Dino-Lite - Serie de Consumo Producto AF3113T AM4111T **AM4113ZT** **AM4113ZTL** Resolutin 640x480 1280x1024 1280x1024 1280x1024 Aumento 10x-50x, 200x 10x-50x, ...

lang:es score:28 filesize: 1.6 M page_count: 8 document date: 2022-10-06



[\[pdf\]](#) Specifications Documentation Warranty Borchure Catalog

DINOLITE RegularBrochure V23 indd Dino Lite Catalog 2020 High Resolution USB Microscope Software
Download dinolite hi us dl |||

www.dinolite.us What is the Dino-Lite Dino-Lite digital microscopes are a powerful and easy to us ... I RCA VGA Product List Dino-Lite Digital Microscope - Consumer Series Product AF3113T AM4111T **AM4113ZT AM4113ZTL** MSRP 299 329 499 549 Resolution 640x480 1280x1024 1280x1024 1280x1024 Magn...

lang:en **score:27** filesize: 9.13 M page_count: 8 document date: 2020-02-03




[\[pdf\]](#) Accessories Borchure

hier Digiformat Dino Lite shop Voor onze 67 pagina s tellende uitgebreide NL brochure en keuzehulp klik
General Brochure 2015Q3 dino lite eu images |||

Dino-Lite: krachtig, mobiel, veelzijdig INHOUDSOPGAVE Universal reeks 5 Speciale technologieën ... bieden nog meer flexibiliteit voor diverse professionele toepassingen. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT 1,3 M...

lang:nl **score:27** filesize: 7.26 M page_count: 68 document date: 2015-09-10




[\[pdf\]](#) User Manual

001284419 an 01 fr DINO LITE HALTERUNG M VERTIKALER EINST produktinfo conrad datenblaetter
1200000 1299999

Switzerland Dino-Lite digital microscope User Manual FR - Mode d emploi www.idealtek.com Switzerland CONRAD ARTICLE CODE 1284397 1284406 1284407 1284408 1284409 1284410 1284411 1284412 MODEL AD4113ZT AM2111 AM3113T AM4112PZT AM4113T5 AM4113TL **AM4113ZT** AM4115ZT CONRAD ARTICLE CODE 1284413 12844...

lang:fr **score:27** filesize: 1.02 M page_count: 15 document date: 2015-03-05



[\[pdf\]](#) User Manual

Upute za rukovanje 1284409 Dino Lite USB mikroskop 13 Megapiksela Digitalno povećanje maks 500 x
MegaShop spletna trgovina Megashop hr upute dino lite usb 13 megapiksela digitalno povecanje asset
conrad media10 add 160267 c1 fr 001284409ML03 |||

Switzerland Dino-Lite digital microscope User Manual FR - Mode d'emploi www.ideal-tek.com Switzerland CONRAD ARTICLE CODE 1284397 1284406 1284407 1284408 1284409 1284410 1284411 1284412 MODEL AD4113ZT AM2111 AM3113T AM4112PZT AM4113T5 AM4113TL **AM4113ZT** AM4115ZT CONRAD ARTICLE CODE 1284413 12844...

lang:fr score:27 filesize: 1.1 M page_count: 15 document date: 2015-03-05



[\[pdf\]](#) Accessories Brochure Catalog

Brochure Dino Lite 2018Q2 wt indd Please click here to see the Digital Microscopes Other Brands
Inspection Equipment dino lite catalog vtech smt co uk media attachments inspection equipment |||

Click here for Vtech's Website powerful portable versatile index Special technologies: EDOF - AMR ... ARIZER METAL HOUSING ESDSAFE GENERATION ADDITIONAL FEATURES PRICE RANGE UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4115TW AM4115ZTW AM4515T AM4515ZT AM4815T AM4815ZT AM7013MT AM...

lang:en score:26 filesize: 17.84 M page_count: 80 document date: 2021-04-21




[\[pdf\]](#) Catalog

¿Qué es Dino Lite dinolite us 28 nov 2022 — Las cámaras Eye conectan su microscopio actual con el software Esto permite la colaboración documentación las mediciones y mucho más catalog hi res ES files |||

www.dinolite.us Qu es Dino-Lite Los microscopios digitales Dino-Lite son una solucin potente y fcus Lista De Productos Microscopio Digital Dino-Lite - Serie de Consumo Producto AF3113T AM4111T **AM4113ZT AM4113ZTL** Resolutin 640x480 1280x1024 1280x1024 1280x1024 Aumento 10x-50x, 200x 10x-50x, ...

lang:es score:25 filesize: 9.29 M page_count: 8 document date: 2022-10-05



[\[pdf\]](#) User Manual Warranty

digital microscope User Manual Conrad Electronic A full manual can be found in the help function of DinoCapture as a on CD HARDWARE INSTALLATION 1 After installation software and driver package connect Dino Lite to one USB ports your computer SOFTWARE ENGLISH ideal tek Switzerland 6 an existing ocular C model is intended connected mount adapter suitable or optical device 8 Models with letters TW have macro zoom INTERFACE DINOCAPTURE WINDOWS bruksanvisning 1284409 dino lite usb mikroskop 13 megapixel foerstoring max 500 x bedienungsanleitung 1284419 vertikaler staender fuer mikroskope AN Mikroskop 3 Mio Pixel Digitale Vergroesserung 200 asset conrad media10 add 160267 c1 en 001284409ML02 001284419ML02 re de 001284411ML02

Switzerland Dino-Lite digital microscope User Manual EN - User Manual www.ideal-tek.com Switzerland CONRAD ARTICLE CODE 1284397 1284406 1284407 1284408 1284409 1284410 1284411 1284412 MODEL AD4113ZT AM2111 AM3113T AM4112PZT AM4113T5 AM4113TL **AM4113ZT** AM4115ZT CONRAD ARTICLE CODE 1284413 1284414...

lang:en score:25 filesize: 1.01 M page_count: 14 document date: 2015-03-05



[\[pdf\]](#) Decleration of Conformity Accessories Borchure

Brochure Dino Lite 2018Q2 wt indd general brochure 2018 2019 v5 ENG LR ideal tek public doc |||

powerful portable versatile index Special technologies: EDOF - AMR - EDR - FLC - Polarizer 4 Un ... ARIZER METAL HOUSING ESDDSAFE GENERATION ADDITIONAL FEATURES PRICE RANGE UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4115TW AM4115ZTW AM4515T AM4515ZT AM4815T AM4815ZT AM7013MT AM...

lang:en **score:25** filesize: 17.21 M page_count: 80 document date: 2018-10-09



[\[pdf\]](#) Accessories Borchure

Brochure Dino Lite 2019Q3 Lambda indd WF4915ZT 1 3MP 20 200x Wireless Microscop general

brochure LAMBDA lambdaphoto co uk s dinolite |||

powerful portable versatile index Special technologies: EDOF - AMR - EDR - FLC - Polarizer 4 Un ... ARIZER METAL HOUSING ESDDSAFE GENERATION ADDITIONAL FEATURES PRICE RANGE UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4115TW AM4115ZTW AM4515T AM4515ZT AM4815T AM4815ZT AM7013MT AM...

lang:en **score:24** filesize: 31.78 M page_count: 80 document date: 2019-07-31



[\[pdf\]](#) Accessories

Dino Lite DKPå National Tsing Hua University i Hsinchu Taiwan driver professor Yung AM2111 Basic er

et glimrende valg for hobbyfolk skoler børn 2lbqtv8zrgavvypaf industry supply dk 2 I b 2lbqtv8zrgavvypa |||

Dino-Lite: kraftfuld, brbar, alsidig INDEKS Universal-sortiment 5 Srlige teknologier:

EDOF - E ... nu mere fleksibilitet til brug i alle slags professionelle anvendelser.

UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT

AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT

AM7815...

lang:da **score:24** filesize: 7.12 M page_count: 68 document date: 2015-04-08



[\[pdf\]](#) Datasheet

0900766b814406c0 docs rs online 5828 |||

Product data sheet Dino-Lite **AM4113ZT** By using a special polarization filter, the

AM4113ZT is the right choice when working with high glare materials such as plastics and metals. It has a high resolution of 1,3 megapixel and an adjustable magnification of 10-70x as well as 200x. This model also prov...

lang:en **score:22** filesize: 299.33 K page_count: 1 document date: 2015-09-08



[pdf]

8949434e49e1513ffc17781cf3350107 west | 80 uf 894

Dino-Lite Dino-Lite , 500 5 , , , Dino-Lite . USB , ... te . 1.3 . Pro , AM4113T 200x , AM4113TL 90 15 . **AM4113ZT AM4113ZT4** . ; 400-470x. : / , , , , : , 1 2...

lang:it score:22 filesize: 5.8 M page_count: 28 document date: 2013-08-14

[pdf] Accessories Borchure

Brochure Dino Lite 2019Q3 Lambda indd v1lambdaphoto co uk s dinolite general brochure LAMBDA

srsltid AfmBOOqsxtlbz9benHyqcknZs6Nhryq4fgDorj4fW7FYz33wn29YTGis v1v1lambdaphoto

AfmBOOqsxtlbz9benHyqcknZs6Nhryq4fgDorj4fW7FYz33wn29YTGislambdaphoto AfmBOopxr

WC5ullroBP7a5lu1WHSfWJ8PIHxqz gnHrn56LSZwcG3cC v1v1v1lambdaphoto

AfmBOOr3yLmLPB7trS14YzCsMzIXl8z6pa8O nW6lCnrY2IG9o0oEyWylambdaphoto

v1v1v1v1lambdaphoto AfmBOOpzSMfPEu0Ai 1MEx05oMLrbBHZf9LMWLJKg

7MldL8cMcYhtxzlambdaphoto v1v1v1v1v1lambdaphoto gnHrn56LSZwcG3cClambdaphoto

AfmBOOrRLYL0JPnD ZO5fznzPVsriMUbwO4tMDXIAGJ3 j0OBWU 7aLxy v1v1v1v1v1v1lambdaphoto

7aLxylambdaphoto AfmBOOrDdFT0a9V8UziBPTT1BiR4dH9AY2kQ brkpQwt8DpxuMyGNMBZ

v1v1v1v1v1v1v1lambdaphoto AfmBOorkl QrrazlhVtMrWXYcaZPPNo6gQcFXt7UwMP5nkph

FdG8gdwlambdaphoto v1v1v1v1v1v1v1lambdaphoto brkpQwt8DpxuMyGNMBZlambdaphoto

AfmBOooykuW wO4ZpyoRgggu8X4J9SgC8i99 9V4 PC1cXiUluuav9m6r

v1v1v1v1v1v1v1v1v1lambdaphoto PC1cXiUluuav9m6rlambdaphoto

AfmBOOpPWAAa0uRxlqwzmdmH2vp9SleYw4bfaw3hUDibLDiZb0qPjjvr

v1v1v1v1v1v1v1v1v1v1lambdaphoto AfmBOOp5cAdz

ArirfhXuaM8guDIFiym82aoETLoexOvOND7ukZdjrm5lambdaphoto |||

powerful portable versatile index Special technologies: EDOF - AMR - EDR - FLC -


Polarizer 4 Un ... ARIZER METAL HOUSING ESDSAFE GENERATION ADDITIONAL

FEATURES PRICE RANGE UNIVERSAL AM4113T AM4013MT **AM4113ZT**

AM4013MZT AM4115T AM4115ZT AM4115TW AM4115ZTW AM4515T AM4515ZT

AM4815T AM4815ZT AM7013MT AM...

lang:en score:21 filesize: 31.78 M page_count: 80 document date: 2019-07-31



[pdf] User Manual Datasheet Dimension Guide

1931031 farnell datasheets

Dino-Lite WF-10 WIFI STREAMER Switzerland The WF-10 WiFi Streamer allows

Dino-Lite USB models to b ... AM4113TL R4 AM4113TL-FVW R4 AM4113TL-M40 R4

AM4113T-RFYW R4 AM4113T-VW R4 AM4113T-YFGW R4 **AM4113ZT R4**

AM4113ZT4 R4 AM4113ZTL R4 AM4115T AM4115TL AM4115TW AM4115ZT

AM4115ZTL AM4115...

lang:en score:21 filesize: 201.09 K page_count: 1 document date: 2015-05-27



[pdf]

0900766b814406f3 docs rs online be1f

DINO-LITE UNIVERSAL DINO-LITE UNIVERSAL 5 DINO-LITE UNIVERSAL More information on www.dino-lite.e ... ven more flexibility for use in all kinds of professional applications. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT AM7815...

lang:en score:21 filesize: 500.76 K page_count: 4 document date: 2015-09-08



[pdf] Datasheet

Universal Data SheetDino Lite AM4113T USB Digital Mikroskop Vergrößerung 200X 30fps Beleuchtet Weiße LED 1280 x 1024 Pixel RS0900766b814406e9docs rs online 2d13 0900766b814406e9 |||

DINO-LITE UNIVERSAL DINO-LITE UNIVERSAL 5 DINO-LITE UNIVERSAL More information on www.dino-lite.e ... ven more flexibility for use in all kinds of professional applications. UNIVERSAL AM4113T AM4013MT **AM4113ZT** AM4013MZT AM4115T AM4115ZT AM4515ZT AM4815ZT AM4115ZTW AM7013MZT AM7115MZT AM7515MZT AM7815...

lang:en score:21 filesize: 500.77 K page_count: 4 document date: 2015-09-08



[pdf] Datasheet Dimension Guide Accessories

IDCP 0900766b814406da docs rs online b0dc |||

Product data sheet Dino-Lite BL-ZW1 Backlight The BL-ZW1 backlight accessory opens up a whole new range of applications. The BL-ZW1 can be powered over USB or the DC adapter. The backlight has a built in, freely rotatable polarizer that works in combination with the **AM4113ZT** or AD4113ZT polarizer mo...

lang:it score:21 filesize: 425.57 K page_count: 1 document date: 2015-09-08



[pdf] Specifications Documentation Warranty Accessories Catalog

dinolite Accessories N3C R \$69 Ring Light for Edge Series HD M1 Metal Screw Grip Holster MSA3M \$49 Secure Fitted † Requires Wireless Ready series microscope * Additional accessories required MS53BA3 \$369 DinoLite Catalog 2022 files us catalog |||

www.dinolite.us What is Dino-Lite Dino-Lite digital microscopes are a powerful and easy to use so ... t AF3113T 299 640x480 10x-50x, 200x Modular AM4111T 329 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZT** 499 1280x1024 10x-50x, 230x USB 2.0 **AM4113ZTL** 549 1280x1024 10x-90x USB 2.0 D...

lang:en score:20 filesize: 9.32 M page_count: 8 document date: 2022-09-01