

[Manuals.plus](#) /

> [TOOLPORT](#) /

> TOOLPORT Storage Tent 5x10 m PVC 700 N Dark Green Waterproof Instruction Manual

## TOOLPORT 6172

# TOOLPORT Storage Tent 5x10 m PVC 700 N Dark Green Waterproof Instruction Manual

Model: 6172 | Brand: TOOLPORT

## INTRODUCTION

---

This instruction manual provides essential information for the safe and efficient assembly, operation, and maintenance of your TOOLPORT Storage Tent, model 6172. This tent is designed to offer a robust and waterproof solution for temporary storage needs, suitable for various applications including trade, agriculture, and events. Please read this manual thoroughly before assembly and retain it for future reference.



Image: Exterior view of the TOOLPORT 5x10m dark green storage tent.

## SAFETY INFORMATION

---

Your safety is paramount. Please observe all safety guidelines to prevent injury or damage to the product. A detailed Safety Information PDF is available for download: [Safety Information \(PDF\)](#).

- Always ensure the tent is correctly assembled according to the instructions.
- Wind and snow loads have not been specifically tested for this tent.
- In areas prone to snow, clear snow from the roof immediately to prevent structural damage.
- In windy conditions, it is highly recommended to use a storm securing kit (sold separately or included if specified). For strong winds and heavy snowfall, temporary disassembly is advised to prevent damage.
- The tarpaulin's tear strength is determined by standard DIN EN ISO 1304-1, indicating the tearing force per 5 cm of tarpaulin width in the longitudinal direction.

## PARTS LIST

---

Before beginning assembly, verify that all components listed below are present and undamaged. Refer to the detailed assembly instructions for specific part identification.

## SIDES AND GABLE WALLS

- ✓ Two different sized entrances with robust zippers
- ✓ Side parts mountable every 2m
- ✓ quick and easy installation with bungees



## ENTRANCE DIMENSIONS AT A GLANCE

TENT: W X H	ENTRANCE 1: W X H	ENTRANCE 2: W X H
3 x 2 m	2 x 2 m	1 x 2 m
4 x 2 m	3 x 2 m	1,2 x 2 m
5 x 2 m	3,8 x 2 m	1,6 x 2 m
6 x 2 m	4,5 x 2 m	1,9 x 2 m

## DELIVERY CONTENTS

- ✓ Steel poles with full bolting
- ✓ PVC tarpaulin set consists of: Roof tarpaulin, 2 gable parts with zip gate and individual 2m wide side panels
- ✓ Bungees
- ✓ Pegs
- ✓ Guy ropes
- ✓ Assembly instructions and tools

## ASSEMBLY TIMES

width 3m – approx. 1-1.5 hours with 2 helpers

width 4m – approx. 1.5-2 hours with 3-4 helpers

From a width of 5m – approx. 2-2.5 hours with 4-5 helpers

## ASSEMBLY

- ✓ Set up in no time at all without additional tools thanks to the uncomplicated construction
- ✓ Everything you need. No additional tools required for assembly
- ✓ With easy to understand assembly instructions

**TOOLPORT**

Image: Overview of delivery contents, assembly times, and entrance dimensions.

- Steel poles for the frame structure
- PVC tarpaulin set, including:
  - Roof tarpaulin (single-piece)
  - 2 gable parts with zip gates
  - Individual 2m wide side panels
- Bungees for securing tarpaulin
- Pegs for ground anchoring
- Guy ropes for additional stability
- Assembly instructions and necessary tools

## SETUP AND ASSEMBLY

Assembly of the TOOLPORT Storage Tent is designed to be straightforward. No additional tools beyond those provided are required. Follow the step-by-step instructions in the included user guide for optimal results. A detailed User Guide PDF is available for download: [User Guide \(PDF\)](#).

### Assembly Steps Overview:

1. **Prepare the Site:** Choose a level, clear area for the tent. Ensure adequate space for assembly and proper anchoring.
2. **Assemble the Frame:** Connect the galvanized steel poles using the provided bolts and wing nuts. The full bolting of elements reinforces the overall construction.



Image: Interior view showcasing the robust steel frame structure.

- 3. Attach Base Elements:** Secure the welded-on base elements to the ground using pegs. This saves time during assembly and provides initial stability.



Image: Close-up of a tent leg with a welded-on base plate for secure anchoring.

- 4. Install Tarpaulin:** Drape the single-piece roof tarpaulin over the frame. This design holds the frame firmly together and enhances stability. Attach the side panels and gable parts using bungees and zippers. Side panels can be mounted between any sections of the tent's construction, with 2m spacing between poles, allowing for multiple entrances.



Image: Detail of a hand securing a tent pole connection with a bolt and wing nut.

### Estimated Assembly Times:

- For 5m wide tents (like this model): Approximately 2-2.5 hours with 4-5 helpers.

## OPERATING INSTRUCTIONS

---

The TOOLPORT Storage Tent is designed for versatile use as a temporary storage solution. Its robust construction and waterproof PVC tarpaulin make it suitable for protecting goods, equipment, or vehicles from the elements.

- **Access:** The tent features separate gable and side parts, allowing for multiple entrance configurations as needed. The gable parts include zippered entrances for easy access.
- **Ventilation:** Ensure adequate ventilation, especially during humid conditions, to prevent condensation inside the tent.
- **Load Capacity:** The tent is not designed to withstand heavy wind or snow loads. Always monitor weather conditions and take appropriate action as described in the Safety Information.

## EXAMPLE USES



TOOLPORT

Image: Examples of the storage tent in use for storing pallets and equipment.

## MAINTENANCE

Proper maintenance will extend the lifespan of your storage tent and ensure its continued performance.

- **Cleaning the Tarpaulin:** The PVC tarpaulin is 100% waterproof, hard-wearing, and tear-resistant with welded seams. Clean the tarpaulin regularly with mild soap and water. Avoid using abrasive cleaners or harsh chemicals, as these can damage the material and its UV protection.
- **Frame Inspection:** Periodically inspect the galvanized steel frame for any signs of corrosion, damage, or loose connections. Tighten any bolts or nuts as necessary.
- **UV Protection:** The tarpaulin offers UV protection of 50+. While durable, prolonged exposure to intense sunlight can eventually degrade materials.
- **Temperature Tolerance:** The tent is designed to withstand temperatures from +50°C down to -20°C.
- **Snow Removal:** In snowy conditions, promptly remove any accumulation from the roof to prevent excessive weight and potential collapse.
- **Wind Protection:** Ensure all guy ropes and pegs are securely fastened, especially before anticipated windy weather. Consider using additional storm securing kits for enhanced stability.



Image: Detailed features of the roof (welded seams, UV protection) and frame (galvanized steel, secure connections).

## TROUBLESHOOTING

If you encounter issues with your TOOLPORT Storage Tent, consider the following common troubleshooting steps:

- **Instability:** Check all frame connections to ensure bolts and wing nuts are tightened securely. Verify that all pegs and guy ropes are properly anchored and tensioned. Ensure the tent is on level ground.
- **Water Leaks:** While the tarpaulin is waterproof, ensure all tarpaulin sections are correctly overlapped and secured. Check for any tears or punctures in the fabric.
- **Difficulty with Zippers:** Ensure zippers are clean and free of debris. Apply a silicone-based lubricant if they are stiff. Avoid forcing stuck zippers.
- **Condensation:** Condensation can occur due to temperature differences. Ensure adequate ventilation by partially opening entrances or side panels when weather permits.

For persistent issues or problems not covered here, please refer to the comprehensive User Guide PDF or contact TOOLPORT customer support.

## SPECIFICATIONS

Feature	Detail
Brand	TOOLPORT
Model Number	6172
Product Dimensions (L x W x H)	10L x 5W x 2.9H Meters
Size	5 x 10 m

Feature	Detail
Floor Area	50 Square meters
Color	Dark Green
Material (Construction)	Alloy Steel
Material (Cover)	PVC
Item Weight	140.65 Kilograms
Water Resistance Level	Waterproof
UV Protection	UV-resistant (50+)
Frame Type	Round
Closure Type	Zipper
Number of Storm Lines	4
Assembly Required	Yes
Recommended Uses	Temporary storage, extra storage space for trade, agriculture, and fairs




Image: Dimensional diagram of the storage tent (10m L x 5m W x 2.9m H).

## WARRANTY

Specific warranty details for the TOOLPORT Storage Tent are not provided in this manual. For information regarding product warranty, including terms, conditions, and duration, please refer to the official TOOLPORT website or contact their customer service directly. Keep your proof of purchase for any warranty claims.

## SUPPORT

For additional assistance, technical support, or to purchase replacement parts, please utilize the following resources:

- **Official User Guide:** [Download User Guide \(PDF\)](#)

- **Safety Information:** [Download Safety Information \(PDF\)](#)
- **TOOLPORT Store:** Visit the official TOOLPORT store on Amazon for more products and information: [TOOLPORT Store](#)
- **Customer Service:** Refer to the contact information provided with your purchase or on the TOOLPORT official website for direct customer support.