

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Eurodib](#) /

› [Eurodib USF168S Wine Cooler Refrigerator Instruction Manual](#)

## Eurodib USF168S

# Eurodib USF168S Wine Cooler Refrigerator Instruction Manual

Model: USF168S

## INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Eurodib USF168S Single Section Wine Cooler Refrigerator. Please read these instructions thoroughly before installation and use, and retain them for future reference. The Eurodib USF168S is designed to store up to 165 bottles of wine at a single, controlled temperature. It features beech wood shelves, LED interior lighting, and a full glass door with a stainless steel frame.

## SAFETY INFORMATION

To reduce the risk of fire, electric shock, or injury when using your appliance, follow these basic precautions:

- Read all instructions before using the appliance.
- Ensure the appliance is properly grounded.
- Do not operate the appliance with a damaged cord or plug.
- Keep ventilation openings clear of obstruction.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- Unplug the appliance before cleaning or performing maintenance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

## UNPACKING AND SETUP

### Unpacking

Carefully remove all packaging materials. The package includes the wine cabinet. Inspect the unit for any shipping damage. Report any damage immediately to your dealer.

It is recommended to keep the original packaging for future transport of the appliance.

### Placement

This is a freestanding wine cooler. Ensure adequate ventilation around the unit. Avoid placing the unit in direct sunlight or near heat sources (e.g., oven, radiator, or other heat-generating appliances). The appliance should be placed on a flat, stable surface. Allow at least 4 inches (10 cm) of space at the back and sides of the unit for proper air circulation.

## **Leveling**

The unit is equipped with adjustable feet. Adjust the feet to ensure the appliance is level. A level unit will operate more efficiently and prevent door alignment issues.

## **Electrical Connection**

Before plugging in the unit, allow it to stand upright for at least 2-4 hours. This allows the refrigerant to settle. Connect the appliance to a dedicated, properly grounded 110v/60Hz, 1.7 amps electrical outlet (NEMA 5-15P). Do not use extension cords or adapter plugs.



Figure 1: Eurodib USF168S wine cooler integrated into a kitchen setting, demonstrating its freestanding installation.

## OPERATING INSTRUCTIONS

---

### Temperature Control

The Eurodib USF168S features a single temperature zone with a digital control panel, typically located at the top interior of the unit. The temperature range is adjustable between 41°F and 64°F (5°C and 18°C). Use the up and down arrows on the control panel to set your desired temperature. The fan-forced evaporator cooling system will then circulate cold air to maintain this setting.

### Loading Bottles

The unit is equipped with fifteen beech wood shelves designed to hold up to 165 standard wine bottles. Ensure bottles are placed securely on the shelves to prevent rolling or damage. Avoid overloading shelves to allow for proper air circulation.

## LED Interior Lighting

The interior LED lighting illuminates the wine collection. This light can typically be turned on or off via a button on the control panel. It is recommended to keep the light off when not viewing the contents to conserve energy and minimize heat transfer.



Figure 2: Front view of the Eurodib USF168S wine cooler, showcasing the full glass door, beech wood shelves, and LED interior lighting.

## MAINTENANCE

---

### Cleaning the Interior

Before cleaning, unplug the appliance. Clean the interior with a soft cloth dampened with a solution of mild detergent and warm water. Do not use abrasive cleaners or solvents. Ensure the interior is dry before plugging the unit back in.

### Cleaning the Exterior

Wipe the exterior surfaces with a soft, damp cloth. For stainless steel parts, use a stainless steel cleaner. Avoid getting water into the control panel or electrical components.

## Defrost System

The Eurodib USF168S features an automatic defrost system. During operation, frost may accumulate on the evaporator. This frost will periodically melt and drain into an evaporation tray, where it evaporates. Ensure the drain hole (if visible) is not obstructed.

## Power Outage

In case of a power outage, the wine cooler will generally maintain its temperature for several hours if the door remains closed. Avoid opening the door unnecessarily during a power outage to preserve the internal temperature.

## TROUBLESHOOTING

---

Before contacting service, please check the following common issues:

- **Appliance does not operate:** Check if the power cord is properly plugged into the outlet. Verify the circuit breaker or fuse.
- **Temperature is not cold enough:** Ensure the door is closed properly. Check if the temperature setting is correct. Avoid placing the unit near heat sources. Ensure adequate ventilation.
- **Excessive noise:** Ensure the unit is level. Check for any objects vibrating against the unit.
- **Water on the floor:** Check if the drain hole is clear (if applicable) and the evaporation tray is correctly positioned.

If problems persist after checking these points, please contact Eurodib customer support.

## SPECIFICATIONS

---




Figure 3: Dimensional overview of the Eurodib USF168S wine cooler.

Feature	Detail
---------	--------

Feature	Detail
Model Number	USF168S
Capacity	165 Bottles
Temperature Zone	Single
Temperature Range	41-64°F (5-18°C)
Shelves	15 Beech Wood Shelves
Dimensions (H x W x D)	71.3" x 23.4" x 26.8"
Weight	223 Pounds
Voltage	110v/60/1-ph (120 Volts)
Amperage	1.7 amps
Refrigerant	R600a
Installation Type	Freestanding
Defrost System	Automatic
Color	Black with Stainless Steel Frame

## WARRANTY INFORMATION

The Eurodib USF168S wine cooler comes with the following warranty:

- **1 Year:** Parts and Labor
- **3 Years:** Compressor

Please note that the lock is not covered under this warranty. Retain your proof of purchase for warranty claims.

## CUSTOMER SUPPORT

For technical assistance, parts, or warranty inquiries, please contact Eurodib customer support. Refer to the official Eurodib website or your purchase documentation for the most current contact information.

When contacting support, please have your model number (USF168S) and serial number ready.

 <p>USER'S MANUAL</p> <p>COMMERCIAL REACH-IN REFRIGERATOR AND FREEZER</p> <p>PLEASE READ THE MANUAL THOROUGHLY PRIOR TO EQUIPMENT SET-UP, OPERATION AND MAINTENANCE</p>	<p><b>Eurodib Commercial Reach-In Refrigerator and Freezer User Manual</b></p> <p>User manual for Eurodib commercial reach-in refrigerators and freezers, covering installation, safety, maintenance, and troubleshooting procedures.</p>
 <p>OPERATION INSTRUCTIONS FOR VEGETABLE Slicer MANUEL D'UTILISATION POUR COUPE-LEGUMES</p> <p></p>	<p><b>Eurodib HLC300 Vegetable Slicer Operation Instructions</b></p> <p>Comprehensive operation and safety instructions for the Eurodib HLC300 Vegetable Slicer. Covers installation, usage, cleaning, maintenance, and warranty information.</p>
 <p>Features and Benefits</p> <p>Explore the range of Eurodib Panini Grills, featuring compact designs, heavy-duty construction, non-stick plates, and adjustable thermostats. Discover models like Elio, Cort, PD, and SFE series with detailed specifications for commercial kitchens.</p>	
 <p>USER'S MANUAL</p> <p>COMMERCIAL REACH-IN REFRIGERATOR AND FREEZER</p> <p>PLEASE READ THE MANUAL THOROUGHLY PRIOR TO EQUIPMENT SET-UP, OPERATION AND MAINTENANCE</p>	<p><b>Eurodib Commercial Reach-In Refrigerator and Freezer User Manual</b></p> <p>User manual for Eurodib commercial reach-in refrigerators and freezers, covering installation, safety, maintenance, and troubleshooting procedures.</p>
 <p>SOFTCOOKERS SR23 and SR11</p> <p>Atmovac</p> <p>Atmovac Softcookers SR23 and SR11: Professional Sous Vide Cookers</p> <p>Explore the Atmovac Softcookers SR23 and SR11, designed for professional kitchens. These sous vide water baths offer precise temperature control, flexible programming, durable stainless steel construction, and user-friendly features for consistent cooking results.</p>	
 <p>Lamber</p> <p>Lamber S480-s/dps Commercial Glasswasher Specifications and Features</p> <p>Detailed specifications, features, and dimensions for the Lamber S480-s and S480-dps commercial glasswashers. Includes technical data, certifications, and accessories.</p>	



## [pdf] Warranty

Alexa Bryant Warranty Eurodib USF168S 1 Section Single Temperature Full Glass Door Wine Refrigerator

Kitchenallusf168s warrantykitchenall cdn content eurodib usf168s warranty |||

Eurodib Warranty Policy Eurodib warrants all equipment sold directly by Eurodib and/or through its approved suppliers only. Should any item prove defective due to a manufacturer's defect, Eurodib will repair or replace the equipment. The decision to either repair or replace the item in question will...

lang:en score:29 filesize: 284.86 K page\_count: 1 document date: 2018-02-12



[pdf] Specifications Dimension Guide

usf series View Specifications Sheet Wine Cellar refrigeration free standing and under counter models  
wine cellar dvorsons Eurodib |||

Black finish, stainless steel door frame Beech wood shelves LED display Fan forced evaporator cooling Door with lock Adjustable feet 1 year parts labor 3 years compressor **USF168S** - Single Zone - Number of bottles: up to 168 - Number of shelves: 15 - Power: 110V, 140W, 1.7A, 5-15P - ...

lang:en score:19 filesize: 681.71 K page\_count: 1 document date: 2017-02-28



## [pdf] Specifications

usf series Spec SheetEurodib USF168S 1 Section Single Temperature Full Glass Door Wine Refr  
Kitchenallusf168s specsheetkitchenall cdn content eurodib usf168s specsheet !!!

... lang:en score:16 filesize: 527.5 K page\_count: 1 document date: 2015-12-08



[pdf]

four Eurodib USF168S Single Temperature Wine Cabinet TIKIKITCHENS 8883688730978923443 cdn  
shopify s files 1 0218 1566 |||

**eurodib**

Serving and Ageing Cabinets

**MH-541Z** - Dual TEMP  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • Multi-function digital temp. controls  
 • Number of bottles up to 46 (depending on bottle size)  
 • Number of shelves: 15 (depending on bottle size)  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 115 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 130 lbs

**MH-665Z** - Single TEMP  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 165 (depending on bottle size)  
 • Number of shelves: 15  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 145 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 150 lbs

**MH-168Z** - Dual TEMP  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 165 (depending on bottle size)  
 • Number of shelves: 14  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 24" W x 27" D  
 • Net weight: 220 lbs  
 • Ship dimensions: 37" W x 30" D  
 • Ship weight: 260 lbs

Please consult our web site for additional information on other product lines.  
 Tel: 1-877-240-0000 | Fax: 1-877-240-0001 | [www.eurodib.com](http://www.eurodib.com)

[\[pdf\]](#)

wine cellar MH Spec Sheet Eurodib USF168S Single Temperature Wine Cellar 71 1 2 H 411 114  
 centralrestaurant pub media |||

...

lang:en score:14 filesize: 305.18 K page\_count: 1 document date: 2015-01-07

Serving and Ageing Cabinets

**UF540S** - Single Zone  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 108 (depending on bottle size)  
 • Number of shelves: 15  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 130 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 150 lbs

**UF545S** - Dual Zone  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 198 (depending on bottle size)  
 • Number of shelves: 15  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 145 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 160 lbs

**UF546S** - Single Zone  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 247 (depending on bottle size)  
 • Number of shelves: 15  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 24" W x 27" D  
 • Net weight: 240 lbs  
 • Ship dimensions: 37" W x 30" D  
 • Ship weight: 280 lbs

Please consult our web site for additional information on other product lines.  
 Tel: 1-877-240-0000 | Fax: 1-877-240-0001 | [www.eurodib.com](http://www.eurodib.com)

[\[pdf\]](#)

usf series Spec Sheet Eurodib USF54S Undercounter Single Zone Wine Cellar

RESTAURANTSUPPLYPLACE USF168S cdn shopify s files 1 0373 1000 5307 |||

...

lang:en score:13 filesize: 527.07 K page\_count: 1 document date: 2023-08-29

**WINE CABINETS**

**URBAN STYLE**  
 Urban and elegant design. Black finish with a stainless steel frame door, beach wood shelves, and tempered glass door. Adjustable feet.  
 Refrigerator: R600A (GCB77AN)  
 Product Warranty: 1 year on parts and labor and 3 years on the compressor. Lock not covered under warranty.

**USF168D** - Dual Temperature  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 160 bottles (depending on bottle size)  
 • Number of shelves: 14  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 145 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 170 lbs

Please consult our web site for additional information on other product lines.  
 Tel: 1-877-240-0000 | Fax: 1-877-240-0001 | [www.eurodib.com](http://www.eurodib.com)

[\[pdf\]](#)

USF168 Download Spec Sheet Eurodib USF168D Dual Zone Stainless Steel Black Wine Cabinet 154

Bottles 140W McDonald Paper Restaurant Supplies mcdonaldpaper media |||

...

lang:en score:13 filesize: 366.98 K page\_count: 1 document date: 2018-11-30

**WINE CABINETS**

**URBAN STYLE**  
 Urban and elegant design. Black finish with a stainless steel frame door, beach wood shelves, and tempered glass door. Adjustable feet.  
 Refrigerator: R600A (GCB77AN)  
 Product Warranty: 1 year on parts and labor and 3 years on the compressor.

**USF168S** - Single Temperature  
 • Black finish, stainless steel door frame  
 • Beach wood shelves  
 • LED display  
 • Number of bottles up to 160 bottles (depending on bottle size)  
 • Number of shelves: 14  
 • Temp ranges:  
 • Upper zone: 5°-18°C (41°-64°F)  
 • Lower zone: 10°-18°C (50°-64°F)  
 • Power: 110V, 60W  
 • Dimensions: 23.5" W x 24" D  
 • Net weight: 145 lbs  
 • Ship dimensions: 37" W x 26" D  
 • Ship weight: 170 lbs

Please consult our web site for additional information on other product lines.  
 Tel: 1-877-240-0000 | Fax: 1-877-240-0001 | [www.eurodib.com](http://www.eurodib.com)

[\[pdf\]](#) Specifications

four Eurodib USF168S 23 4 Single Zone Temperature Wine Cabinet 165 Bottl — Nella OnlineEurodib  
 wine cabinet specscdn shopify s files 1 1204 5544 specs 6286002899636127065 |||

...

lang:en score:13 filesize: 372.21 K page\_count: 1 document date: 2017-08-18

**URBAN STYLE**

Urban and elegant design. Black finish with a stainless steel frame door, beech wood shelves, and ten divided temperature zones for ultimate flexibility.

Refrigerant: R600A (GCB/TAN)

Product Warranty: 1 year on parts and labor

[\[pdf\]](#)

Spec Sheet Eurodib USF168S 24" One Section Wine Cooler w 1 Zone 165 Bottle Capacity 110v

Restaurant And More Wholesale Supplies Foodservice Equipment 027 MH168SZ restaurantandmore

2021 04 |||

...

lang:en score:12 filesize: 310.33 K page\_count: 1 document date: 2018-08-27

 eurodib

Please consult our web site [www.eurodib.com](http://www.eurodib.com) for additional information on other product lines.

US: 530 Lawrence Pequata, Chazy, NY 12919 | CAN: 120 rue de la Biere, Boucherville, Qc J4B 2X7

Tel: 800 844 6864 | Mktbereau: [www.eurodib.com](http://www.eurodib.com)