

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TacPower](#) /

› [TacPower 2-Pin Power Cord Model 23525 Instruction Manual](#)

TacPower 23525

TacPower 2-Pin Power Cord Model 23525 Instruction Manual

INTRODUCTION

This manual provides essential instructions for the safe and effective use of your TacPower 2-Pin Power Cord, Model 23525. This replacement power cord is designed for various small electronics, including West Bend 30-cup coffee percolators, that require a 2-pin connector with 1/2-inch pin spacing.

SAFETY INFORMATION

- Always ensure the power cord is fully inserted into both the appliance and the power outlet.
- Do not use the cord if it is damaged, frayed, or has exposed wires.
- Keep the cord away from water, heat sources, and sharp objects.
- Do not overload electrical outlets.
- Unplug the cord from the outlet before cleaning the appliance or when not in use.
- This cord is intended for indoor use only.

SETUP

To set up your TacPower 2-Pin Power Cord:

1. **Inspect the Cord:** Before first use, carefully inspect the entire length of the power cord for any signs of damage.
2. **Identify Appliance Port:** Locate the 2-pin power input port on your compatible appliance. Ensure the pin spacing matches the 1/2-inch spacing of this cord.
3. **Connect to Appliance:** Firmly insert the appliance-end connector of the power cord into the appliance's power input port. Ensure a secure connection.
4. **Connect to Power Outlet:** Plug the standard Type B wall plug into a grounded electrical outlet.



Figure 1: The appliance-end connector of the TacPower 2-Pin Power Cord. This image displays the black plastic connector with two circular receptacles for appliance pins, and the cord extending from the top. Markings "TA HSING" and "E-74893" are visible on the connector surface, indicating manufacturing details.

OPERATING

Once the TacPower 2-Pin Power Cord is securely connected to both your appliance and a power outlet, the appliance is ready for operation according to its own instruction manual. This power cord acts as a conduit for electrical power and does not have operational controls itself.

- Ensure the appliance's power switch is in the "Off" position before plugging in the cord.
- After connecting the cord, turn on the appliance using its designated power switch.
- When finished, turn off the appliance and unplug the cord from the wall outlet first, then from the appliance.

MAINTENANCE

Proper maintenance ensures the longevity and safe operation of your power cord.

- **Cleaning:** Disconnect the cord from all power sources before cleaning. Wipe the cord and connectors with a dry, soft cloth. Do not use liquid cleaners or immerse the cord in water.
- **Storage:** When not in use, coil the cord loosely. Avoid tight coiling or bending, which can damage the internal wires. Store in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Periodically inspect the cord for any signs of wear, cuts, or damage. If any damage is observed, discontinue use immediately and replace the cord.

TROUBLESHOOTING

If your appliance is not receiving power after connecting the TacPower 2-Pin Power Cord, consider the following:

- **No Power:**
 - Ensure both ends of the cord are fully and securely plugged in.
 - Check if the wall outlet is functional by plugging in another device.
 - Verify that the appliance's power switch is in the "On" position.
 - Inspect the cord for visible damage. If damaged, replace it.
- **Loose Connection:** If the cord feels loose in the appliance port, ensure it is the correct type and size (1/2-inch pin spacing).

If issues persist, consult the instruction manual for your specific appliance or contact the appliance manufacturer for further assistance.

SPECIFICATIONS

Feature	Detail
Brand	TacPower
Model Number	23525
Connector Type	2-Pin (1/2" pin spacing)
Cord Length	36 Inches (3 feet)
Plug Type	Type B (North American standard)
Compatibility	West Bend 30-cup Coffee Percolator (Models 23525, 29304) and other small electronics with 1/2-inch pin spacing.
Condition	Brand new, unused replacement part

WARRANTY AND SUPPORT

For information regarding warranty coverage or technical support for your TacPower 2-Pin Power Cord, please refer to the retailer's return policy or contact TacPower directly through their official channels. Keep your purchase receipt as proof of purchase.

