

## Fluke 374 FC

# Fluke 374 FC 600A AC/DC TRMS Wireless Clamp Meter User Manual

Model: 374 FC

## 1. INTRODUCTION

---

This manual provides essential instructions for the safe and effective operation, maintenance, and troubleshooting of your Fluke 374 FC 600A AC/DC TRMS Wireless Clamp Meter. The Fluke 374 FC is designed for advanced troubleshooting performance, offering true-RMS measurements for accurate readings on non-linear signals. It features wireless connectivity via Fluke Connect, allowing for remote measurement viewing and data recording.

## 2. SAFETY INFORMATION

---

Always adhere to safety precautions when using electrical test equipment. Failure to do so may result in injury or damage to the meter or equipment under test.

- **Read all instructions:** Before operating the meter, thoroughly read and understand all safety and operating instructions.
- **Rated voltage and current:** Do not apply more than the rated voltage or current, as marked on the meter, between the terminals or between any terminal and earth ground.
- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including arc-rated clothing, eye protection, and insulated gloves, when working in hazardous electrical environments.
- **Inspect before use:** Before each use, inspect the meter, test leads, and accessories for any damage. Do not use if damaged.
- **Proposition 65 Warning:** This product may expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## 3. PRODUCT OVERVIEW

---

The Fluke 374 FC is a robust clamp meter designed for professional electrical measurements. Its key features include:

- 600 A AC and DC current measurement.

- 2500 A AC current measurement with the optional iFlex flexible current probe.
- True-RMS voltage and current for accurate measurements on non-linear signals.
- Fluke Connect Measurements for wireless connectivity to smartphones.
- Ability to record results directly to your phone and the Cloud.



Figure 1: Front view of the Fluke 374 FC Clamp Meter, showing the display, rotary dial, clamp jaws, and function buttons.





Figure 2: Angled view of the Fluke 374 FC Clamp Meter, highlighting its ergonomic design and robust construction.

## 4. SETUP

---

### 4.1 Battery Installation

The Fluke 374 FC requires two (2) AA batteries for operation.

1. Ensure the meter is turned OFF.
2. Locate the battery compartment cover on the rear of the meter.
3. Use a screwdriver to loosen the screw(s) securing the cover.
4. Remove the cover and insert two AA batteries, observing correct polarity (+/-).
5. Replace the battery compartment cover and tighten the screw(s) securely.

### 4.2 Initial Power-On

Turn the rotary dial from the OFF position to any measurement function to power on the meter. The display will illuminate.

### 4.3 Fluke Connect App Setup

To utilize the wireless capabilities, download the Fluke Connect app on your smartphone or tablet. Follow the in-app instructions to pair your Fluke 374 FC meter.



Figure 3: The Fluke 374 FC Clamp Meter wirelessly connected to a smartphone displaying measurement data via the Fluke Connect app.

## 5. OPERATING INSTRUCTIONS

---

### 5.1 AC/DC Current Measurement

1. Turn the rotary dial to the “A” (Amps) position for AC current or “” (DC Amps) for DC current.
2. Open the clamp jaws by pressing the trigger.
3. Encircle a single conductor with the clamp jaws. Ensure the jaws are fully closed.
4. Read the current measurement on the display.
5. For DC current measurements, press the “ZERO” button before clamping to eliminate any DC offset.

### 5.2 Voltage Measurement

1. Connect the test leads to the appropriate input jacks (COM and V $\Omega$ ).
2. Turn the rotary dial to the “V” (Volts) position.
3. Connect the test probes across the circuit or component to be measured.
4. Read the voltage measurement on the display.

### 5.3 Using the iFlex Flexible Current Probe (Optional)

The iFlex probe allows for current measurements in tight spaces or around large conductors, extending the AC current measurement range up to 2500 A.

1. Plug the iFlex probe into the meter’s dedicated iFlex input jack.
2. Turn the rotary dial to the iFlex position.
3. Wrap the flexible probe around the conductor(s) to be measured. Ensure the probe is securely latched.
4. Read the current measurement on the display.

### 5.4 Fluke Connect Operation

Once paired, the Fluke Connect app allows you to:

- View live measurements remotely on your smartphone, enhancing safety by allowing you to stand at a safe distance.
- Record measurements directly to your phone and upload them to the Fluke Cloud for analysis and reporting.
- Access historical data and trends.

## 6. MAINTENANCE

---

### 6.1 Cleaning

Wipe the meter case with a damp cloth and mild detergent. Do not use abrasives or solvents. Ensure the meter is dry before use.

### 6.2 Battery Replacement

Replace batteries when the low battery indicator appears on the display. Refer to Section 4.1 for battery installation instructions.

## 7. TROUBLESHOOTING

---

If the meter does not function correctly, consider the following:

- **No display:** Check battery installation and ensure batteries are not depleted.
- **Inaccurate readings:** Ensure test leads are properly connected and the correct measurement function is selected.  
For DC current, ensure the ZERO function has been used.
- **Fluke Connect issues:** Verify Bluetooth is enabled on your smartphone and the meter, and that the app is up to date.

For persistent issues, contact Fluke customer support.

## 8. SPECIFICATIONS

---

Specification	Value
Brand	Fluke
Model Number	4696001
Power Source	Alkaline (2 AA batteries required)
Item Weight	300 Grams (10.58 ounces)
Product Dimensions	10.63 x 13 x 3.74 inches
Manufacturer	Fluke Corporation
Date First Available	November 6, 2015

## 9. WHAT'S IN THE BOX

---

Upon unpacking, verify that all items are present:

- Fluke 374 FC Clamp Meter
- TL75 Test Leads
- Batteries (pre-installed or separate)
- Carrying Case











Figure 4: The Fluke 374 FC Clamp Meter, test leads, and carrying case as typically included in the product package.

## 10. WARRANTY AND SUPPORT

Fluke Corporation warrants this product to be free from defects in material and workmanship under normal use and service. The specific warranty period and terms are detailed in the warranty statement provided with your product or available on the official Fluke website.

For technical support, service, or warranty claims, please contact Fluke customer service through their official website or authorized service centers. Always provide your product model number (374 FC) and serial number when seeking support.




	<p><a href="#">Fluke 370 FC Series True-RMS Wireless AC/DC Clamp Meters User Manual &amp; Specifications</a></p> <p>Comprehensive user manual and technical specifications for the Fluke 370 FC Series True-RMS Wireless AC/DC Clamp Meters, including models 374 FC, 375 FC, and 376 FC. Features, capabilities, comparison charts, and ordering information.</p>
	<p><a href="#">Fluke 373 True-RMS AC Clamp Meter - Technical Specifications and Overview</a></p> <p>Detailed technical data, key features, product overview, specifications, and ordering information for the Fluke 373 True-RMS AC Clamp Meter, designed for AC-only current measurements up to 600 A.</p>
	<p><a href="#">Fluke 374 FC, 375 FC, 376 FC, 902 FC Clamp Meter Calibration Manual</a></p> <p>Comprehensive calibration manual for Fluke 374 FC, 375 FC, 376 FC, and 902 FC clamp meters. Includes safety information, electrical specifications, performance tests, calibration procedures, maintenance, and replacement parts.</p>
	<p><a href="#">Fluke 301A/301B/301C/301D/301E Clamp Meter Calibration Manual</a></p> <p>This manual provides detailed instructions for the calibration of Fluke 301A, 301B, 301C, 301D, and 301E Clamp Meters. It covers safety information, specifications, performance tests, and calibration procedures.</p>
	<p><a href="#">Fluke FEV100 Adapter Kit for Electric Vehicle Charging Stations: Technical Data and Specifications</a></p> <p>Explore the technical specifications, features, and testing procedures for the Fluke FEV100 Adapter Kit, designed to safely and efficiently test electric vehicle charging stations (EVSEs). Includes safety information, compatibility, and ordering details.</p>
	<p><a href="#">Fluke 323/324/325 Clamp Meter User Manual - Specifications &amp; Safety</a></p> <p>Comprehensive user manual for the Fluke 323, 324, and 325 Clamp Meters. Includes safety information, electrical and mechanical specifications, and operating instructions.</p>



[\[pdf\]](#) User Manual Instructions Specifications Warranty Catalog


elwood 374 FC 375 376 902 Calibration Manual 2 Safety Information A Warning identifies hazardous conditions and procedures that are dangerous to the user Caution can cause damage Product or equipment under test To prevent possible electrical shock fire personal injury Carefully read all instructions FLUFLUKE376FC Catalog d29c95q8mcesvj cloudfront net wysiwyg 374fc cmeng0000 assets fluke 80 manuals

**374 FC/375 FC/376 FC/ 902 FC Clamp Meter Calibration Manual February 2017**  
2017 Fluke Corporation. All rights reserved. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY Each Fluke product is warranted to be free from defects in material an...  
lang:en **score:39** filesize: 2.52 M page\_count: 20 document date: 2017-04-03



[\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc elwood Fluke 374 FC user manual Solacity Inc User Manual solacity docs |||  
**374 FC/375 FC/376 FC Clamp Meter PN 4705494 September 2015 2015 Fluke**  
Corporation. All rights reserved. Specifications are subject to change without notice.  
All product names are trademarks of their respective companies. LIMITED  
WARRANTY AND LIMITATION OF LIABILITY This Fluke product will be fre...  
lang:en **score:38** filesize: 4.5 M page\_count: 34 document date: 2017-11-01



[Fluke 374 FC, 375 FC, 376 FC, 902 FC Clamp Meter Calibration Manual](#)

Comprehensive calibration manual for Fluke 374 FC, 375 FC, 376 FC, and 902 FC clamp meters. Includes safety information, electrical specifications, performance tests, calibration procedures, maintenance, and replacement parts.  
lang:en **score:37** filesize: 717.42 K page\_count: 19 document date: 0000-00-00




[\[pdf\]](#) User Manual Instructions Specifications Warranty

elwood 374 FC 375 376 902 Calibration Manual 2 Safety Information A Warning identifies hazardous conditions and procedures that are dangerous to the user Caution can cause damage Product or equipment under test To prevent possible electrical shock fire personal injury Carefully read all instructions Fluke res cloudinary iwh image upload q auto g center assets 1 26

**374 FC/375 FC/376 FC/ 902 FC Clamp Meter Calibration Manual February 2017**  
2017 Fluke Corporation. All rights reserved. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY Each Fluke product is warranted to be free from defects in material an...

lang:en **score:35** filesize: 2.49 M page\_count: 20 document date: 2018-01-29




[\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 Extended Users Manual Fluke Help Center help fluke hc en us article attachments 6844103051796 |||

**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20**  
2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...

lang:en **score:35** filesize: 1.7 M page\_count: 34 document date: 0000-00-00




[\[pdf\]](#) Specifications SAR Rating

374 FC 375 376 Manuale d'uso Clamp Meters baron Fluke 37xfc umita0200 dev dam assets fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters Manuale d'uso September 2015 Rev. 2, 4/20**  
Italian 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. GARANZIA LIMITATA E LIMITAZIONE DI RESPONSABILITÀ...

lang:it **score:34** filesize: 3.94 M page\_count: 34 document date: 2020-04-14




### [\[pdf\]](#) User Manual Specifications

374 FC 375 376 Manual do Usuário Clamp Meters baron Fluke 37xfc umpor0200 dev dam assets fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters Manual do Usurio** September 2015 Rev. 2, 4/20 Portuguese 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Garantia limitada e limitao de respons...

lang:pt **score:34** filesize: 3.94 M page\_count: 34 document date: 2020-04-15




### [\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 Manual del usuarioPinza amperimétrica Fluke CA CC con iFlex Flukec0b03278 b15d 450b a2df b10800c1ae82 original filemedia fluke c0b03278 file |||

**374 FC/375 FC/376 FC Clamp Meters Users Manual** September 2015 Rev. 3, 4/23 2015-2023 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...

lang:en **score:34** filesize: 1.02 M page\_count: 32 document date: 2023-09-09




### [\[pdf\]](#) User Manual Specifications Datasheet Warranty

ITM Datasheet Template manual Fluke 374 FC NIST True RMS AC DC Clamp Meter 374fc nist calcert s cache |||

**374 FC/375 FC/376 FC Clamp Meters Users Manual** September 2015 Rev. 2, 4/20 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. 1.800.544.2843 15 10 20 5 25 0 30 www.calcert.co...

lang:en **score:34** filesize: 1.18 M page\_count: 32 document date: 2022-03-29



## [\[pdf\]](#) User Manual Instructions Specifications Datasheet Decleration of Conformity Warranty

Microsoft Word 0master doc elwood 374 FC 375 376 Instrumart To see print or the latest manual supplement visit us fluke usen support manuals Page 7 Clamp Meters Safety Information 3 Symbols used on Product and in this are explained Table 1 XWWarning prevent possible electrical shock fire personal injury Carefully read all instructions Read safety information before you use Use only as specified protection supplied by can be compromised C1BgqPQjYUS 2613387 Fluke FLUKE Manual instrukcja obsługi 1405219 miernik cegowy fc cat iii 1000 v iv 600 USESI 426808 installation 37xfc umeng0000 images na ssl amazon I farnell datasheets assets unilogcorp 2 ITEM DOC asset conrad media10 add 160267 c1 en 001405219ML03 usesi product media 80

**374 FC/375 FC/376 FC Clamp Meter** PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluke product will be fre...  
lang:en **score:33** filesize: 4.51 M page\_count: 34 document date: 2015-09-24



## [\[pdf\]](#) User Manual Specifications Decleration of Conformity Warranty

Microsoft Word 0master doc elwood file2 370FC serie manual Fluke 374 FC Achat Pinces multimétriques TESTOON FICHER LIE A 55273 en testoon Fichier |||

**374 FC/375 FC/376 FC Clamp Meter** Distribu par: 99, rue Branger 92320 Chatillon Tel : 01 71 16 17 00; Fax : 01 71 16 17 03 www.testoon.com PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of t...  
lang:en **score:33** filesize: 4.53 M page\_count: 34 document date: 2015-09-24



## [\[pdf\]](#) User Manual Specifications Decleration of Conformity


Microsoft Word 0master doc elwood Fluke 374 Fc Manual Pdf FC 375 376 images na ssl amazon DA tme eu Document e61fa0acd8142bdb9679757f2a8db00d |||

**374 FC/375 FC/376 FC Clamp Meters** PN 4705494 September 2015 Danish 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Garanti Fluke garanterer instrumentet mod materiale- og produktio...  
lang:da **score:33** filesize: 4.46 M page\_count: 34 document date: 2015-09-24




### [\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 Fluke Direct under test Symbols used on the Product and in this manual are explained Table 1 XWWarning To prevent possible electrical shock fire or personal injury 376fc fluke direct s cache  
**374 FC/375 FC/376 FC Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation.** All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. sales GlobalTestSupply.com Fluke-Direct.com 1.888.610.7664 LIMITED WARRANTY...  
lang:en score:32 filesize: 2.73 M page\_count: 32 document date: 0000-00-00




### [\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc rocknrol 37xfc umeng0300 0 bh68OUheKJdlva TFoLfiXVJlf2iG4ka dam assets fluke s3fs public 374 FC 375 376 Users manual True RMS Clamp Meter Fluke AC DC with iFlex |||  
**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 3, 4/23 2015-2023 Fluke Corporation.** All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...  
lang:en score:32 filesize: 1.04 M page\_count: 32 document date: 2023-09-07



### [\[pdf\]](#) User Manual Specifications Warranty

fluke 374 FC 375 376 Look for cracks or missing pieces of the clamp housing output cable insulation Symbol Description AC Alternating Current 374fc nist manual direct s cache |||  
**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20 2015-2020 Fluke Corporation.** All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. sales GlobalTestSupply.com Fluke-Direct.com 1.888.610.7...  
lang:en score:32 filesize: 1.13 M page\_count: 32 document date: 2020-06-05




[\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 902FC CM R1 ENG 374FC mdemarti 902 Manual de calibraciónPinza amperimétrica Fluke CA CC con iFlex Flukef1030ab0 7220 461a abb6 b10800c1aa00 original filemedia fluke f1030ab0 file |||

**374 FC/375 FC/376 FC/ 902 FC Clamp Meter Calibration Manual February 2017 Rev. 1, 9/19 2017-2019 Fluke Corporation. All rights reserved. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY** Each Fluke product is warranted to be free from defe...

lang:en **score:32** filesize: 2 M page\_count: 20 document date: 2023-03-10




[\[pdf\]](#) User Manual Specifications

374 FC 375 376 Manual de uso Clamp Meters baron Fluke 37xfc umspa0200 31MQzrO dZ8Ay7xGG s6bcR1PYwaJ7W dam assets fluke s3fs public del usuario Pinzas amperimétricas CC RMS Pinza amperimétrica inalámbrica CA 0 7Lcpz7kNxKJAKvtFg9V oWihB5oeQPpc ||| 374 FC/375 FC/376 FC Clamp Meters Manual de uso September 2015 Rev. 2, 4/20 Spanish 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without n

**374 FC/375 FC/376 FC Clamp Meters Manual de uso September 2015 Rev. 2, 4/20 Spanish 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. GARANTA LIMITADA Y LIMITACION DE RESPONSABILIDAD**

lang:es **score:32** filesize: 3.94 M page\_count: 34 document date: 2020-04-15




[\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc elwood 374 FC 375 376 manual show the Users Manual 2 Contact Fluke FCC ID T68 FBLE IC 6627A Wireless Radio Frequency Range 2412 MHz to 2462 User res cloudinary iwh image upload q auto g center assets 1 26

**374 FC/375 FC/376 FC Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY** This Fluke product will be fre...

lang:en **score:31** filesize: 4.49 M page\_count: 34 document date: 2018-01-29






### [\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 Users Manual Clamp Meters baron Fluke Fc 2 Contact To contact call one of the following telephone numbers Technical Support USA 1 800 44 FLUKE 443 5853 376FC User d29c95q8mcesvj cloudfront net wysiwyg |||


**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20** 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...  
lang:en **score:31** filesize: 5.71 M page\_count: 34 document date: 2020-04-14



### [\[pdf\]](#) User Manual Specifications Warranty

374 FC 375 376 Users Manual Clamp Meters baron CE Group Lebanon The detachable iFlex Flexible Current Probe that is included with the optional and expands measurement range 1  $\Omega$   $\leq$  6000 cegroup Fluke Ib 2020 08 |||


**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20** 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...  
lang:en **score:31** filesize: 1.06 M page\_count: 34 document date: 2020-08-16



### [\[pdf\]](#) User Manual Installation Guide Specifications Datasheet Warranty

374 FC 375 376 Users Manual Clamp Meters baron Fluke Installation GuideFluke FLUKE 600A AC DC TRME WIRELESS CLAMP DCNEinstallation fluke 00047 instd36aiwq7h8e0h3 cloudfront net userfiles inriver documents ts ni 7 installation inst GuideUser ManualFluke DCNEFluke 376FC True RMS Meter with iFlex Probe 2500A 34mm Jaw CAT III 1000V 500mV Current and Capacitance Minstallation instfluke 376fc true rms ac dc clamp meter iflex probe 2500a user manual 0d36aiwq7h8e0h3 instaabtools images s3 me central 1 amazonaws datasheets ||| ||| 374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies

**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20** 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk...  
lang:en **score:30** filesize: 5.71 M page\_count: 34 document date: 2020-04-14



### [\[pdf\]](#) User Manual Specifications Warranty

37xFC902FC cal book mdemarti 374 FC 375 376 902 Calibration manual All rights reserved product names are trademarks of their respective companies Clamp Meter Manual Kalibreringsmanual filename\* UTF 8 pm asset azureedge net api id 28818992


**374 FC/375 FC/376 FC/ 902 FC Clamp Meter Calibration Manual February 2017 Rev. 1, 9/19** 2017-2019 Fluke Corporation. All rights reserved. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY Each Fluke product is warranted to be free from defe...  
lang:en **score:30** filesize: 2 M page\_count: 20 document date: 2019-08-16



[\[pdf\]](#) User Manual Owner's Manual Specifications Warranty

Owners Manual FLUKE 376 FC TRUE RMS Clamp Meter with Connect HVAC More 376fc owner manual hvacnmore 2020 03 |||


**374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. info Fluke-Direct.com Fluke-Direct.com 1.888.610.7664 LIMITED WARRANTY AND L...  
lang:en score:30 filesize: 2.73 M page\_count: 32 document date: 0000-00-00



[\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc elwood Click here to the manual fluke connect Manual Libs C1rFsyMWUCS images na ssl amazon I |||

**374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluke product will be fre...  
lang:en score:30 filesize: 4.51 M page\_count: 34 document date: 2018-06-29



[\[pdf\]](#) User Manual Owner's Manual Specifications Warranty

Owners Manual FLUKE 374 True RMS AC DC Clamp Meter with Connect HVAC More 374fc owner manual hvacnmore 2020 03 |||

**374 FC/375 FC/376 FC** Clamp Meters Users Manual September 2015 Rev. 1, 9/19 2015-2019 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. info Fluke-Direct.com Fluke-Direct.com 1.888.610.7664 L...  
lang:en score:30 filesize: 842.48 K page\_count: 32 document date: 0000-00-00




### [\[pdf\]](#) User Manual Specifications Warranty

elwood 374 FC 375 376 902 Calibration manualFluke Trms Wireless HVAC Clamp item no 4695814902 manualcdn shopify s files 1 0200 7988 manual 16276 |||

**374 FC/375 FC/376 FC/ 902 FC Clamp Meter Calibration Manual February 2017**  
2017 Fluke Corporation. All rights reserved. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY Each Fluke product is warranted to be free from defects in material an...

lang:en **score:29** filesize: 2.52 M page\_count: 20 document date: 2017-04-03




### [\[pdf\]](#) Specifications Declaration of Conformity

Microsoft Word 0master doc elwood 37xfc umchi0000 assets fluke 80 manuals

**374 FC/375 FC/376 FC Clamp Meter PN 4705494 September 2015 Simplified Chinese 2015** Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Fluke Fluke Fluke Fluke FLUKE Fluke Corp...

lang:nl **score:29** filesize: 4.33 M page\_count: 34 document date: 2015-09-24



### [\[pdf\]](#) User Manual Specifications Warranty

fluke manual Fluke 375 FC True RMS AC DC Clamp Meter 600 A 1000 V 375fc direct s cache |||

**374 FC/375 FC/376 FC Clamp Meters Users Manual September 2015 Rev. 2, 4/20**  
2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. sales GlobalTestSupply.com Fluke-Direct.com 1.888.610.7...

lang:en **score:28** filesize: 1.13 M page\_count: 32 document date: 2020-06-05



### [\[pdf\]](#) User Manual Specifications Declaration of Conformity

Microsoft Word 0master doc elwood Katalogový listFluke 374 FC Revizeshop cz29448 1279 ps 12782310


fluke fc 375 376 manual czdocrevizeshop cz fotky29448 fotov 29448 czdoc listNávod v CZFluke czFluke czdocps 12792310 2revizeshop 2 CZNávod 2ps listKatalogový czdoc29448 1280 12802173 navod k obsluze cesky mainrevizeshop main |||

**374 FC/375 FC/376 FC Clamp Meters PN 4705494 September 2015 Czech 2015**  
Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. OMEZEN ZRUKA A OMEZEN ZODPOVIDNOSTI Tento vrobek Fluke bude bez zva...

lang:hr **score:28** filesize: 4.53 M page\_count: 34 document date: 2015-09-24

[\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty Accessories

Microsoft Word 0master doc elwood 374 FC 375 376 images na ssl amazon Users Manual 4 Do not exceed the Measurement Category CAT rating of lowest rated individual component a Product probe or accessory Comply with local and national safety codes Use personal protective equipment approved rubber gloves face protection flame resistant clothes to prevent The illustrations in this manual show Page 6 Clamp Meters Safety Information 3 C1MZHUAxC8S 37x fc series I testequipmentdepot fluke 80 99 Washington Street Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431 Visit us at [www.TestEquipmentDepot.com](http://www.TestEquipmentDepot.com) **374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names ar... lang:en **score:28** filesize: 4.33 M page\_count: 33 document date: 2016-06-24




[\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc elwood 374 FC 375 376 InstrumartThe illustrations in this manual show the Page 6 Users Manual 2 Contact Fluke To contact call one of following Fluke 37xFC manualinstrumart assets srsltid AfmBOoqN 1BF6 G39yIG5Tv7kOvAuflrHU43TNv3ZAnyQPATmu1G4HmC Instrumart374 following The manualFluke G39yIG5Tv7kOvAuflrHU43TNv3ZAnyQPATmu1G4HmCinstrumart AfmBOoon YHG2qEyWee57L2ZrUMdUSII3nHRFBFM3lc jmXGQHqYk0AI Owners URL FLUKE URL374 InstrumartFluke® 376FC Wireless Clamp Meter 999 9 A 60 kOhm 10 to 100 500 Hz 34 mm Jaw Steiner Electric CompanyThe manualdocs steinerelectric Manualinstrumart InstrumartUser ManualFluke® 600A with Datalogging — BHD TMFluke 375FC Clampmeter User BHDdocs jmXGQHqYk0Alcdn shopify s files 1 0376 2991 9276 v 1587469399 ManualUser TMFLUKE InstrumentationFluke BHDfluke 375fc clamp meter user 1587469399bhd ca calibration bhdassets manuals fluke measures true rms ac dc current and voltage inrush resistance capacitance also measure frequency dc Fluke jmXGQHqYk0Alinstrumart AfmBOoq6VJutfqGkadpiLgVeQcCGdloe 93Cz7 0leqTuOUn5A9laqtscdn ||| **374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluke product will be fre... lang:en **score:27** filesize: 4.51 M page\_count: 34 document date: 2015-09-24



[\[pdf\]](#) Troubleshooting Guide Specifications Warranty

fluke Fluke 374 FC Specification Sheet bostwick pim s3 amazonaws Damroot Original 10001 ||| TECHNICAL DATA Fluke 370 FC Series True-rms Wireless AC/DC Clamp Meters LOG AND TREND MEASUREMENTS ... measurements on non-linear signals WARRANTY Three-year The Fluke 370 FC Series 376 FC, 375 FC and **374 FC** offers advanced troubleshooting performance. The iFlex™ flexible current probe allows easy ... lang:en **score:27** filesize: 216.13 K page\_count: 5 document date: 2020-06-05




[\[pdf\]](#) User Manual Specifications Warranty

manual Fluke 375 FC CAL True RMS Clamp Meter with calibration certificate fc cal itm s cache |||

**374 FC/375 FC/376 FC/ 902 FC** Clamp Meter Calibration Manual February 2017 Rev. 1, 9/19 2017-2019 Fluke Corporation. All rights reserved. 1.800.561.8187 www. .com All product names are trademarks of their respective companies. information itm.com LIMITED WARRANTY AND LIMITATION OF LIABILITY Each ...

lang:en **score:27** filesize: 720.48 K page\_count: 19 document date: 0000-00-00




[\[pdf\]](#) User Manual Specifications Warranty

manual Fluke 375 FC CAL True RMS Clamp Meter with calibration certificate fc cal globaltestsupply s cache |||

**374 FC/375 FC/376 FC/ 902 FC** Clamp Meter Calibration Manual February 2017 Rev. 1, 9/19 2017-2019 Fluke Corporation. All rights reserved. GlobalTestSupply Find QualityAPIlrporodduuct ntsamOesnalirne etraadetm: arks of wthewir wres.pective companies. .com sales GlobalTestSupply.com LIMITED WAR...

lang:en **score:27** filesize: 705.12 K page\_count: 19 document date: 0000-00-00



[\[pdf\]](#) User Manual Specifications Warranty

manual Fluke 376FC IFLEX36 True RMS AC DC Clamp Meter with iFlex 376fc iflex36 globaltestsupply s cache |||

**374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies.

1Fi.n8d0Qu0a.li5ty6Pr1od.8uc1ts8On7line at:

www.Gwl.obalTe.csotmSupply.coimn...

lang:en **score:27** filesize: 2.75 M page\_count: 32 document date: 0000-00-00



[\[pdf\]](#) User Manual Specifications Warranty

manual Fluke 376FC IFLEX36 True RMS AC DC Clamp Meter with iFlex 376fc iflex36 itm s cache |||


**374 FC/375 FC/376 FC** Clamp Meter PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. 1.800.561.8187 www. .com information itm.com LIMITED WARRANTY AND LIMITA...

lang:en **score:27** filesize: 2.77 M page\_count: 32 document date: 0000-00-00




### [\[pdf\]](#) User Manual Specifications Warranty

manual Rental Fluke 376 FC True RMS AC DC Clamp Meter with iFlex 376fc rental itm s cache ||| **374 FC/375 FC/376 FC Clamp Meter** PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. 1.800.561.8187 www. .com information itm.com LIMITED WARRANTY AND LIMITA... lang:en **score:27** filesize: 2.73 M page\_count: 32 document date: 0000-00-00



### [\[pdf\]](#) User Manual Instructions Specifications Decleration of Conformity Warranty

Microsoft Word 0master doc rocknrol SKU 3290869 ATT InstallationInstructionsURL 1 border states assets azureedge net bh68OUheKJdlva TFoLfXVJlf2iG4ka Tải vềAmpe kim AC DC Fluke 376 FC True RMSHuong dan su dung fluke fctktech vn 2019 04 huong fcborder ||| ||| **374 FC/375 FC/376 FC Clamp Meters Users Manual** September 2015 Rev. 3, 4/23 2015-2023 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies **374 FC/375 FC/376 FC Clamp Meters Users Manual** September 2015 Rev. 3, 4/23 2015-2023 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. LIMITED WARRANTY AND LIMITATION OF LIABILITY This Fluk... lang:en **score:27** filesize: 1.04 M page\_count: 32 document date: 2023-09-07



### [Fluke 374 FC/375 FC/376 FC/902 FC Clamp Meter Calibration Manual](#)


This calibration manual provides detailed procedures, specifications, and safety information for the Fluke 374 FC, 375 FC, 376 FC, and 902 FC clamp meters, covering performance tests, calibration adjustments, and maintenance. lang:en **score:26** filesize: 972.56 K page\_count: 19 document date: 2022-03-29



### [\[pdf\]](#) User Manual Specifications Declaration of Conformity Warranty

Microsoft Word 0master doc elwood Manual Fluke® 375 FC True RMS AC DC Clamp Meter w Fluke Connect® USABlueBook 58708 587083 usabluebook product attachment |||

**374 FC/375 FC/376 FC Clamp Meter** PN 4705494 September 2015 2015 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. **LIMITED WARRANTY AND LIMITATION OF LIABILITY** This Fluke product will be fre...  
lang:en **score:26** filesize: 1.19 M page\_count: 34 document date: 2019-11-01



### [\[pdf\]](#) Specifications

374 FC 375 376 Руководство пользователя Clamp Meters baron Fluke 37xfc umrus0200 dev dam assets fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters** September 2015 Rev. 2, 4/20 Russian 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Fluke 3 . , , , , , ...  
lang:nl **score:26** filesize: 5.62 M page\_count: 34 document date: 2020-04-15




### [\[pdf\]](#) Specifications

374 FC 375 376 Clamp Meters baron Fluke 37xfc umkor0200 dev dam assets fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters** September 2015 Rev. 2, 4/20 Korean 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Fluke 3 . , , , . Fluke ...  
lang:nl **score:26** filesize: 4.72 M page\_count: 34 document date: 2020-04-15






[\[pdf\]](#) Specifications

374 FC 375 376 Clamp Meters baron Fluke 37xfc umjpn0200 dev dam assets fluke s3  
amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters** September 2015 Rev. 2, 4/20 Japanese 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Fluke 3 Fluke Fluke FLUKE Fluke Cor...

lang:i-klngon **score:26** filesize: 9.28 M page\_count: 34 document date: 2020-04-15




[\[pdf\]](#) Specifications

374 FC 375 376 Brugervejledning Clamp Meters baron Fluke 37xfc umdan0200 dev dam assets fluke s3  
amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters Brugervejledning** September 2015 Rev.2, 4/20 Danish 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. Garanti Fluke garanterer instrumentet mod ...

lang:da **score:26** filesize: 3.93 M page\_count: 34 document date: 2020-04-15



[\[pdf\]](#) Specifications

374 FC 375 376 Käyttöohje Clamp Meters baron Fluke 37xfc umfin0200 dev dam assets fluke s3  
amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters Kyttöohje** September 2015 Rev. 2, 4/20 Finnish 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. RAJOITETTU TAKUU JA VASTUUN RAJOITUS Valmistaja ...

lang:fi **score:26** filesize: 3.94 M page\_count: 34 document date: 2020-04-15



[pdf]


Клещи токоизмерительные ручные Fluke 374 FC 375 376 и 902 370 opis kipia ru upload Industrial |||

63421 1 6 Fluke **374 FC**, Fluke 375 FC, Fluke 376 FC Fluke 902 FC Fluke **374 FC**,

Fluke 375 FC, Fluke 376 FC Fluke 902 FC , , , , , 1 2, , , , , , 1 - Fluke 375 FC, Fluke

376 FC Fluke 902 FC...

lang:it **score:26** filesize: 364.02 K page\_count: 6 document date: 2016-10-10



[pdf] Specifications

374 FC 375 376 Instrukcja użytkownika Clamp Meters baron Fluke 37xfc umpol0200 dev dam assets

fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC** Clamp Meters Instrukcja uytkownika September 2015 Rev. 2,

4/20 Polish 2015-2020 Fluke Corporation. All rights reserved. Specifications are

subject to change without notice. All product names are trademarks of their respective

companies. OGRANICZONA GWARANCJA I OGRANICZENIE ...

lang:pl **score:26** filesize: 4.05 M page\_count: 34 document date: 2020-04-15



[pdf] Specifications

374 FC 375 376 Clamp Meters baron Fluke 37xfc umchi0200 dev dam assets fluke s3 amazonaws

s3fs public |||


**374 FC/375 FC/376 FC** Clamp Meters September 2015, Rev. 2, 4/20 Simplified

Chinese 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject

to change without notice. All product names are trademarks of their respective

companies. Fluke Fluke Fluke Fluke FLUKE ...


lang:no **score:26** filesize: 14.46 M page\_count: 34 document date: 2020-04-15



[\[pdf\]](#) Specifications

374 FC 375 376 Návod k obsluze Clamp Meters baron Fluke 37xfc umcze0200 dev dam assets fluke s3 amazonaws s3fs public |||

**374 FC/375 FC/376 FC Clamp Meters** Nvod k obsluze September 2015 Rev. 2, 4/20 Czech 2015-2020 Fluke Corporation. All rights reserved. Specifications are subject to change without notice. All product names are trademarks of their respective companies. OMEZEN ZRUKA A OMEZEN ZODPOVIDNOSTI Tento vr... lang:en **score:26** filesize: 4.05 M page\_count: 34 document date: 2020-04-15



[\[pdf\]](#) Datasheet

Data Sheet Fluke 374 FC sand RMS AC DC tangmeter m fluke da dk product thermal imaging ir windows cv401 ds |||

Tekniske data Fluke **374 FC** sand RMS AC/DC tangmeter Nglefunktioner Installeres og fr jordforbindelse p mindre end 5 minutter Spar tid med hurtig og let installation med CV-serien 5 minutter eller mindre. Et tekniker Et hul med standard Greenlee udstansning Panelgren behver ikke at blive fjernet Fr ...

lang:da **score:26** filesize: 596.37 K page\_count: 5 document date: 2023-12-25