



[Manuals.plus](#) /

› [Hyper Tough](#) /

› Hyper Tough 4-Volt Lithium-ion Cordless Screwdriver User Manual

Hyper Tough 989510

Instruction Manual

HYPER TOUGH 4-VOLT LITHIUM-ION CORDLESS SCREWDRIVER

Introduction

Thank you for choosing the Hyper Tough 4-Volt Lithium-ion Cordless Screwdriver. This compact and lightweight tool is designed to provide an efficient solution for various drilling and fastening tasks around your home. Its convenient features, such as a pivoting handle, adjustable torque control, and an integrated LED work light, make it versatile and easy to use. Please read this manual thoroughly before operating the screwdriver to ensure safe and effective use.



An image showing the Hyper Tough 4-Volt Lithium-ion Cordless Screwdriver, packaged in clear plastic with a red and white cardboard backing. The screwdriver itself is red and black with a silver head. To the right, various screwdriver bits and a charger are visible in separate clear plastic compartments. The packaging highlights features like '4-Volt Lithium-ion Cordless Screwdriver', '1-Magnetic Bit Holder', 'LED Work Light and Battery Indicator', and '2-Position Pivoting Handle'.

Safety Information

Always follow basic safety precautions when using electrical tools to reduce the risk of fire, electric shock, and personal injury.

- Keep work area clean and well lit. Cluttered or dark areas invite accidents.
- Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases, or dust. Power tools create sparks which may ignite the dust or fumes.
- Keep children and bystanders away while operating a power tool. Distractions can cause you to lose control.
- Avoid accidental starting. Ensure the switch is in the off-position before connecting to battery pack, picking up or carrying the tool.
- Do not overreach. Keep proper footing and balance at all times. This enables better control of the power tool in unexpected situations.

- Dress properly. Do not wear loose clothing or jewelry. Keep your hair and clothing away from moving parts.
- Use safety equipment. Always wear eye protection. Dust mask, non-skid safety shoes, hard hat, or hearing protection must be used for appropriate conditions.
- Store idle tools out of reach of children and other untrained persons.

Package Contents

Verify that all items are present upon unpacking:

- Hyper Tough 4-Volt Lithium-ion Cordless Screwdriver
- Charging Adapter
- Assorted Screwdriver Bits
- Instruction Manual

Product Features

- **4-Volt Lithium-ion Battery:** Provides reliable and long-lasting power.
- **Compact and Lightweight Design:** Ensures ease of use and portability.
- **2-Position Pivoting Handle:** Allows access to hard-to-reach areas by adjusting the handle position.
- **Adjustable Torque Control:** Prevents stripping or overdriving screws by allowing precise power adjustment.
- **Built-in LED Work Light:** Illuminates the work area for improved visibility in dark spaces.
- **Battery Indicators:** Displays the current battery charge level, indicating when recharging is needed.
- **No-Load Speed:** 200 RPM for efficient fastening.
- **Magnetic Bit Holder:** Securely holds screwdriver bits during operation.

Setup

1. Initial Charging:

- Before first use, fully charge the screwdriver's battery.
- Connect the charging adapter to the charging port on the screwdriver.
- Plug the adapter into a standard electrical outlet.
- The battery indicators will show charging progress. Charge until the indicators show a full charge.

2. Inserting Screwdriver Bits:

- Ensure the screwdriver is turned off.
- Select the appropriate bit for your task.
- Insert the bit firmly into the magnetic bit holder at the front of the screwdriver until it clicks into place.
- To remove, simply pull the bit straight out.

Operating Instructions

1. Powering On/Off:

- To activate the screwdriver, press the trigger switch. The motor will start, and the LED work light will illuminate.
- Release the trigger switch to turn off the screwdriver.

2. Using the Pivoting Handle:

- To adjust the handle position, locate the pivot release button or mechanism on the tool.
- Press the release and pivot the handle to the desired position (straight or pistol grip).
- Ensure the handle locks securely into place before operation.

3. Adjusting Torque Control:

- The screwdriver features adjustable torque settings to prevent over-tightening or stripping screws.
- Rotate the torque adjustment collar, typically located near the chuck, to select the desired torque setting. Lower numbers are for lighter tasks, higher numbers for heavier tasks.
- Test on a scrap piece of material if unsure of the correct setting.

4. Using the LED Work Light:

- The integrated LED work light automatically activates when the trigger is pressed, illuminating your work surface.
- This feature is particularly useful in dimly lit areas.

Maintenance

- **Cleaning:** Keep the tool's air vents clear and free of debris. Use a clean, dry cloth to wipe down the exterior. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** Store the screwdriver in a cool, dry place, away from direct sunlight and moisture. Ensure the battery is partially charged before long-term storage.
- **Battery Care:** Do not store the battery in a discharged state. Recharge it periodically if not used for extended periods to maintain battery health.

Troubleshooting

Problem	Possible Cause	Solution
Screwdriver does not turn on.	Battery is discharged.	Charge the battery fully.
Screwdriver lacks power or stalls.	Low battery charge. / Torque setting too low.	Recharge the battery. / Increase the torque setting.
Screws are being stripped.	Torque setting too high. / Incorrect bit size.	Decrease the torque setting. / Use the correct bit size for the screw head.
Bit wobbles or falls out.	Bit not fully inserted. / Damaged bit holder.	Ensure bit is fully seated in the magnetic holder. / Contact customer support if holder is damaged.

Specifications

Attribute	Detail
Model Number	989510
Voltage	4 Volts
Battery Type	Lithium-ion

Attribute	Detail
No-Load Speed	200 RPM
Power Source	Battery Powered
Item Weight	1.33 Pounds
Product Dimensions	27 x 13 x 2 inches
Material	Aluminum, Plastic
Color	Red
UPC	889526011611

Warranty and Support

For warranty information or technical support, please refer to the contact details provided on the product packaging or visit the official Hyper Tough website. Keep your purchase receipt as proof of purchase for any warranty claims.