

[Manuals.plus](#) /

› [Moen](#) /

› Moen Banbury WS84913SRN Bathroom Faucet Instruction Manual

Moen WS84913SRN

Moen Banbury WS84913SRN Bathroom Faucet Instruction Manual

Model: WS84913SRN

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Banbury WS84913SRN two-handle centerset bathroom faucet. Please read all instructions carefully before beginning installation to ensure proper function and to prevent damage.



Image 1: Moen Banbury WS84913SRN Two-Handle Centerset Bathroom Faucet. This image displays the complete faucet assembly in its Spot Resist Brushed Nickel finish, featuring the high-arc spout and two lever handles.

2. SAFETY INFORMATION

- Always turn off the main water supply before beginning any plumbing work.
- Wear safety glasses to protect your eyes during installation.
- Ensure all connections are secure to prevent leaks. Do not overtighten.
- If you are unsure about any step, consult a qualified plumber.
- Keep small parts away from children.

3. PACKAGE CONTENTS

Verify that all components are present before starting installation:

- Moen Banbury WS84913SRN Faucet Assembly
- Mounting Hardware
- Hot and Cold Water Supply Lines (integrated or separate, check packaging)
- Drain Assembly with Lift Rod
- Installation Instructions (this manual)

4. TOOLS REQUIRED

The following tools are typically required for installation:

- Adjustable Wrench
- Phillips Head Screwdriver
- Plumber's Putty or Silicone Sealant
- Flashlight
- Safety Glasses
- Rag or Towel

5. SETUP AND INSTALLATION

Follow these steps for proper installation of your new faucet:

1. Prepare the Installation Area:

- Turn off the hot and cold water supply valves under the sink.
- Remove the old faucet and clean the sink surface thoroughly.

2. Install the Faucet Body:

- Apply a thin bead of plumber's putty or silicone sealant around the base of the faucet.
- Insert the faucet body through the holes in the sink deck. The faucet is designed for 4-inch centerset installations.
- From underneath the sink, secure the faucet with the provided mounting nuts and washers. Hand-tighten first, then use an adjustable wrench to snug them, ensuring the faucet is straight. Do not overtighten.

3. Connect Water Supply Lines:

- Connect the hot and cold water supply lines from the faucet to the corresponding shut-off valves. Use an adjustable wrench to tighten connections, but do not overtighten.
- Ensure the hot water line connects to the hot water valve and the cold water line to the cold water valve.

4. Install the Drain Assembly:

- Follow the specific instructions provided with your drain assembly. Typically, this involves applying plumber's putty to the flange, inserting it into the sink drain hole, and securing it from underneath with a washer and nut.
- Connect the lift rod to the drain stopper mechanism according to the drain assembly instructions.

5. Test for Leaks:

- Slowly turn on the hot and cold water supply valves.
- Check all connections for leaks. Tighten any leaking connections slightly until the leak stops.
- Operate the faucet handles to ensure proper water flow and temperature control.

6. OPERATING INSTRUCTIONS

The Moen Banbury WS84913SRN faucet features two lever handles for precise control of water flow and temperature.

- **Water Flow:** Turn the handles counter-clockwise to increase water flow and clockwise to decrease or shut off.
- **Temperature Control:** The left handle controls hot water, and the right handle controls cold water. Adjust both handles to achieve the desired water temperature.
- **Drain Stopper:** Use the lift rod located behind the faucet spout to open and close the drain stopper.

7. MAINTENANCE AND CLEANING

To maintain the appearance and performance of your Moen Banbury faucet, follow these cleaning guidelines:

- **Spot Resist Finish:** The Spot Resist Brushed Nickel finish is designed to resist fingerprints and water spots. Clean regularly with a soft, damp cloth.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, or polishes containing alcohol, ammonia, or bleach, as these can damage the finish.
- **Gentle Cleaning:** For stubborn spots, use a mild soap and water solution, then rinse thoroughly and dry with a soft cloth.
- **Aerator Cleaning:** Periodically unscrew the aerator from the spout and rinse out any debris to maintain optimal water flow.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed supply valves.	Clean or replace aerator; ensure supply valves are fully open.
Leaks at Connections	Loose connections; damaged O-rings or washers.	Tighten connections (do not overtighten); inspect and replace O-rings/washers if damaged.
Dripping Faucet	Worn cartridge.	Contact Moen customer support for a replacement cartridge.
Difficulty Adjusting Temperature	Improperly installed or faulty cartridge.	Verify cartridge installation; contact Moen customer support if issue persists.

9. SPECIFICATIONS

- **Model Number:** WS84913SRN
- **Brand:** Moen
- **Finish Type:** Spot Resist Brushed Nickel
- **Material:** Plastic
- **Number of Handles:** 2 (Lever type)
- **Mounting Type:** Deck Mount, Centerset (4-inch)
- **Spout Reach:** 4.24 inches
- **Item Weight:** 3.1 pounds
- **Item Dimensions (D x W x H):** 5.59" x 10.28" x 8.66"

- **Special Feature:** Tarnish Resistant
- **ADA Compliant:** Yes

10. WARRANTY AND SUPPORT

Your Moen Banbury WS84913SRN faucet is backed by Moen's Limited Lifetime Warranty. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser.

For warranty claims, replacement parts, or technical assistance, please contact Moen customer support directly. Refer to the official Moen website or your product packaging for the most current contact information.

Moen Official Website: www.moen.com

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question