

ZEALOT S1

ZEALOT S1 Handbar Bluetooth Speaker User Manual

Model: S1

INTRODUCTION

The ZEALOT S1 is a versatile portable Bluetooth speaker designed for outdoor activities. It integrates a Bluetooth speaker, LED flashlight, and power bank functionality into a compact, durable unit. This manual provides detailed instructions for the proper setup, operation, and maintenance of your S1 speaker.

PACKAGE CONTENTS

Please check the package for the following items:

- ZEALOT S1 Speaker (1 unit)
- Handlebar Mounting Bracket (1 unit)
- Carabiner Clip (1 unit)
- 3.5mm Audio Cable (1 unit)
- USB Charging Cable (1 unit)
- User Guide (1 unit)

4000mAh Battery

Most cost-effective at some price

Mirco SD Card Support 32G MAX



Bracket/Carabiner
are gift with S1

Image: ZEALOT S1 speaker shown with its 4000mAh battery capacity, alongside the included handlebar mounting bracket and carabiner clip.

PRODUCT OVERVIEW

The ZEALOT S1 features a cylindrical design with controls located on the top surface and ports on the side, protected by a silicone cover. The front houses the LED flashlight, and the side features a speaker grille.



Image: The ZEALOT S1 speaker in green, securely mounted on a bicycle handlebar, highlighting its integrated flashlight and accessible controls.

SETUP

1. Charging the Speaker

1. Connect the provided USB charging cable to the micro USB port on the S1 speaker.
2. Connect the other end of the USB cable to a USB power adapter (not included) or a computer's USB port.
3. The charging indicator light will illuminate. A full charge takes approximately 5 hours.

2. Mounting on a Handlebar

1. Attach the handlebar mounting bracket to your bicycle handlebar. Ensure it is securely fastened.
2. Screw the ZEALOT S1 speaker onto the bracket. Do not overtighten to prevent damage to the hinge pin.
3. Adjust the speaker's position for optimal sound direction and flashlight visibility.

Outdoor Activity



Splash proof



Dust proof



Anti-dropping



Image: The ZEALOT S1 speaker securely mounted on a bicycle handlebar, illustrating its suitability for outdoor activities with splash-proof, dust-proof, and anti-dropping features.

OPERATING INSTRUCTIONS

1. Power On/Off

- Press and hold the Power button (U) for 3 seconds to turn the speaker on or off.

2. Bluetooth Pairing

1. Turn on the S1 speaker. It will automatically enter Bluetooth pairing mode, indicated by a flashing LED.
2. On your mobile device, enable Bluetooth and search for available devices.
3. Select "ZEALOT S1" from the list. Once paired, the LED indicator will stop flashing.

3. Music Playback

- **Bluetooth Mode:** After successful pairing, play music from your connected device.
- **TF Card Mode:** Insert a Micro SD (TF) card (up to 32GB) with MP3 files into the TF card slot. The speaker will automatically switch to TF card mode and begin playback.
- **AUX-in Mode:** Connect an external audio device using the provided 3.5mm audio cable to the AUX port. The speaker will switch to line-in mode.

- **FM Radio Mode:** Press the 'M' button to cycle through modes until you reach FM Radio. Connect the USB charging cable as an antenna for better reception.

4. Controls

- **Volume Up/Next Track:** Short press '+' for volume up; long press '+' for next track.
- **Volume Down/Previous Track:** Short press '-' for volume down; long press '-' for previous track.
- **Play/Pause/Answer Call:** Short press the Play/Pause button.
- **Mode Switch:** Press the 'M' button to switch between Bluetooth, TF Card, AUX-in, and FM Radio modes.

5. LED Flashlight Operation

- Press the flashlight button to cycle through light modes: High, Low, SOS (flashing).
- Press and hold the flashlight button to turn off the light.



Image: The ZEALOT S1 speaker's LED torch light in action, providing illumination on a path at night, with indicators for High, Low, and SOS light modes.

6. Hands-Free Calling

- When a call comes in, press the Play/Pause button to answer.

- Press the Play/Pause button again to end the call.

7. Power Bank Function

- The S1 speaker can be used as an emergency power bank. Open the silicone cover on the side.
- Connect your mobile device to the USB-A output port using your device's charging cable.
- The S1's 4000mAh battery can provide a charge to your devices.

Plus Function-External Battery

Being used as a power bank,S1 can charge twice for iPhone!



Image: A blue ZEALOT S1 speaker acting as a power bank, charging a smartphone via a USB cable, illustrating its external battery function.

MAINTENANCE

- The S1 speaker is IPX5 waterproof (splash-proof), dust-proof, and shockproof. Avoid submerging it in water.
- Clean the speaker with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.
- Store the speaker in a cool, dry place when not in use.
- Charge the battery at least once every three months to maintain battery health if not used regularly.

TROUBLESHOOTING

Problem	Solution
Speaker does not turn on.	Ensure the battery is charged. Connect to a power source using the USB cable.
Cannot pair via Bluetooth.	Ensure the speaker is in pairing mode. Turn off and on your device's Bluetooth. Move closer to the speaker.
No sound.	Check volume levels on both the speaker and your connected device. Ensure the correct mode (Bluetooth, TF card, AUX) is selected.
FM radio reception is poor.	Connect the USB charging cable to the micro USB port; it acts as an antenna. Adjust the speaker's position.
Power bank not charging device.	Ensure the S1 speaker has sufficient charge. Check the connection cable.


SPECIFICATIONS

- **Model Name:** S1
- **Brand:** ZEALOT
- **Connectivity:** Bluetooth 5.0, USB, 3.5mm AUX
- **Speaker Type:** Outdoor, Portable
- **Special Features:** Built-in Microphone, LED Light, Power Bank
- **Battery Capacity:** 4000mAh (2 Lithium Ion batteries)
- **Playtime:** Up to 24 hours (TF card playback)
- **Charging Time:** Approximately 5 hours
- **Waterproof Rating:** IPX5 (Splash-proof)
- **Wireless Range:** Up to 10 meters (33 feet)
- **Speaker Output Power:** 5 Watts
- **Frequency Response:** 20 KHz
- **Dimensions:** 2.01"D x 2.01"W x 6.14"H
- **Weight:** 260 Grams (9.2 ounces)
- **Compatible Devices:** iPhone, Android phones, etc.

WARRANTY AND SUPPORT

The ZEALOT S1 comes with a limited warranty. For detailed warranty information or technical support, please refer to the official ZEALOT website or contact customer service through your purchase platform. Please retain your proof of purchase for warranty claims.

For further assistance, you may visit the [ZEALOT Store on Amazon](#).



[ZEALOT M2 Portable Bluetooth Speaker User Manual](#)

Detailed user manual for the ZEALOT M2 portable Bluetooth speaker, featuring IPX5 waterproofing, 360° sound, TWS stereo pairing, and 10 hours of playtime, ideal for camping and outdoor use. This manual is available in multiple languages.



[ZEALOT ZA-MP2M Portable Bluetooth Speaker User Manual & Technical Specifications](#)

Comprehensive user manual and technical specifications for the ZEALOT ZA-MP2M portable Bluetooth speaker, including safety warnings in multiple languages, FCC compliance, and hazardous substances information.

TECH SPEC	
EN: Model: 1000 Dimensions: 100x100x100 Transmittance range: 0.001-100 Wavelength range: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	CN: 型号: 1000 尺寸: 100x100x100 透射率范围: 0.001-100 波长范围: 190-2500 nm 分辨率: 0.1 nm 精度: ±0.001 AU 重量: 1000g 功率: 100W
IT: Modello: 1000 Dimensioni: 100x100x100 Trasparenza: 0.001-100 Lunghezza d'onda: 190-2500 nm Risoluzione: 0.1 nm Precisione: ±0.001 AU Peso: 1000g Potenza: 100W	DE: Modell: 1000 Abmessungen: 100x100x100 Durchlässigkeit: 0.001-100 Wellenlänge: 190-2500 nm Auflösung: 0.1 nm Genauigkeit: ±0.001 AU Gewicht: 1000g Leistung: 100W
FR: Modèle: 1000 Dimensions: 100x100x100 Transparence: 0.001-100 Longueur d'onde: 190-2500 nm Résolution: 0.1 nm Précision: ±0.001 AU Poids: 1000g Puissance: 100W	ES: Modelo: 1000 Dimensiones: 100x100x100 Transparencia: 0.001-100 Longitud de onda: 190-2500 nm Resolución: 0.1 nm Precisión: ±0.001 AU Peso: 1000g Potencia: 100W
RU: Модель: 1000 Размеры: 100x100x100 Прозрачность: 0.001-100 Длина волны: 190-2500 нм Разрешение: 0.1 нм Точность: ±0.001 AU Вес: 1000г Мощность: 100Вт	PL: Model: 1000 Wymiary: 100x100x100 Przepuszczalność: 0.001-100 Długość fali: 190-2500 nm Rozdzielczość: 0.1 nm Dokładność: ±0.001 AU Waga: 1000g Moc: 100W
PT: Modelo: 1000 Dimensões: 100x100x100 Transparência: 0.001-100 Comprimento de onda: 190-2500 nm Resolução: 0.1 nm Precisão: ±0.001 AU Peso: 1000g Potência: 100W	TR: Model: 1000 Boyutler: 100x100x100 Geçirgenlik: 0.001-100 Dalga boyu: 190-2500 nm Çözünürlük: 0.1 nm Doğruluk: ±0.001 AU Ağırlık: 1000g Güç: 100W
UK: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	GR: Μοντέλο: 1000 Διαστάσεις: 100x100x100 Διαφάνεια: 0.001-100 Μήκος κύματος: 190-2500 nm Ανάλυση: 0.1 nm Ακρίβεια: ±0.001 AU Βάρος: 1000g Ισχύς: 100W
IN: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	JP: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
TH: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	VI: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
PH: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	MY: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
SG: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	AE: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
SA: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	OM: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
YE: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	IQ: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
IR: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	AF: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
PK: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	BD: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
NP: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	BH: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W
BT: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-2500 nm Resolution: 0.1 nm Accuracy: ±0.001 AU Weight: 1000g Power: 100W	TL: Model: 1000 Dimensions: 100x100x100 Transmittance: 0.001-100 Wavelength: 190-25

[ZEALOT S55 Portable Bluetooth Speaker: Features, Specs, and Pairing Guide](#)

Discover the ZEALOT S55 portable Bluetooth speaker. Learn about its features, IPX5 waterproof rating, wireless stereo pairing, technical specifications, and usage guidelines.



Comprehensive guide for the Zealot S53 Bluetooth speaker, covering setup, features like Bluetooth pairing, wireless stereo pairing, IPX6 waterproofing, and detailed technical specifications. Includes safety precautions and multilingual instructions.

모델: ZEALOT S79
출력: 100W (120dB) - 블루투스



[ZEALOT S79 Portable Bluetooth Speaker User Manual and Specifications](#)

Detailed user manual and technical specifications for the ZEALOT S79 100W portable Bluetooth speaker, covering setup, features, safety warnings, and regulatory information.

모델: ZEALOT-S32 Pro
출력: 100W (120dB) - 블루투스



[ZEALOT-S32 Pro Wireless Speaker: Quick Start Guide and Specifications](#)

Get started with your ZEALOT-S32 Pro wireless speaker. This guide covers packing contents, basic operations like power, Bluetooth pairing, light modes, and technical specifications. Learn how to use your portable HIFI stereo speaker safely and effectively.