

GROHE 3287500A

GROHE Grohk 3287500A Lavatory Centerset Instruction Manual

Model: 3287500A | Brand: GROHE

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your GROHE Grohk 3287500A Lavatory Centerset. Please read these instructions carefully before beginning installation or use to ensure proper function and longevity of the product.

PRODUCT OVERVIEW



Figure 1: GROHE Grohk 3287500A Lavatory Centerset. This image displays the faucet's sleek design and chrome finish.

The GROHE Grohk 3287500A is a single-hole lavatory faucet designed for modern bathrooms. It features a durable brass construction and a StarLight chrome finish, engineered for lasting brilliance. The faucet incorporates GROHE EcoJoy technology for reduced water consumption without compromising performance.

INSTALLATION INSTRUCTIONS

Installation of the GROHE Grohk 3287500A Lavatory Centerset is designed to be straightforward, utilizing the GROHE QuickFix system to reduce installation time. This faucet is suitable for single-hole installations.

Required Tools (Not Included):

- Adjustable wrench

- Screwdriver
- Plumber's putty or silicone sealant
- Safety glasses

Step-by-Step Installation:

1. **Prepare the Sink:** Ensure the sink hole is clean and free of debris. If replacing an old faucet, remove it and clean the area thoroughly.
2. **Insert Faucet:** Place the faucet body into the single mounting hole on the lavatory. Ensure the hot and cold supply lines and the mounting rod pass through the hole.
3. **Secure Faucet from Below:** From underneath the sink, slide the rubber washer, then the metal washer, and finally the mounting nut onto the mounting rod.
4. **Tighten Mounting Nut:** Hand-tighten the mounting nut, then use an adjustable wrench to firmly secure the faucet to the sink. Do not overtighten.
5. **Connect Water Supply:** Connect the hot and cold water supply lines from the faucet to your angle stops. Use appropriate thread sealant if necessary.
6. **Test for Leaks:** Turn on the water supply and check for any leaks at all connections.

Your browser does not support the video tag.

Video 1: GROHE QuickFix Installation Guide. This video demonstrates the simplified installation process for a GROHE single-hole lavatory faucet, highlighting the QuickFix system for secure mounting.



Figure 2: The GROHE Grohk 3287500A faucet installed on a bathroom sink, showing water flow and the surrounding area.

OPERATING INSTRUCTIONS

The GROHE Grohk 3287500A Lavatory Centerset features a single lever handle for controlling both water temperature and flow.

- **Turning On/Off:** Lift the lever handle to turn on the water. Push the lever down to turn off the water.
- **Adjusting Flow:** The height to which you lift the lever controls the water flow rate. A higher lift provides more flow.
- **Adjusting Temperature:** Move the lever to the left for hot water and to the right for cold water. The central position provides mixed water.
- **Drain Operation:** The faucet includes a drain. Use the pull-rod located at the back of the faucet to open and close the drain stopper.

MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and appearance of your GROHE faucet.

- **Cleaning the Finish:** The GROHE StarLight chrome finish is highly durable. Clean regularly with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome finishes. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- **Aerator Cleaning:** If water flow decreases or becomes irregular, the aerator may be clogged. Unscrew the aerator from the

spout, clean any debris or mineral deposits, and rinse thoroughly before reattaching.

- **General Inspection:** Periodically check all connections for any signs of leaks or corrosion. Tighten connections if necessary.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valves; low water pressure.	Clean or replace aerator; ensure shut-off valves are fully open; check household water pressure.
Leaking from Spout	Worn cartridge.	Contact GROHE customer support for a replacement cartridge.
Leaking at Base of Faucet	Loose mounting nut; improper seal.	Tighten mounting nut; ensure proper installation of washers and sealant.
Water Temperature Issues	Improper hot/cold supply connections; issue with water heater.	Verify hot and cold supply lines are correctly connected; consult a plumber for water heater issues.

SPECIFICATIONS

Brand	GROHE
Model Name	3287500A
Recommended Uses	Bathroom
Mounting Type	Single Hole
Finish Type	Chrome (GROHE StarLight)
Material	Brass
Number of Handles	1
Included Components	Drain
Maximum Flow Rate	4.5 Liters Per Minute (1.2 GPM)
Product Dimensions	6.3"D x 2.87"W x 15.08"H
Item Weight	1 pounds (454 Grams)
Special Features	Durable, GROHE EcoJoy






WARRANTY AND SUPPORT

This GROHE product comes with a **LIMITED** warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the warranty card included with your product or visit the official GROHE website.

For technical assistance, replacement parts, or any other inquiries, please contact GROHE customer support. Contact information can typically be found on the GROHE website or in the packaging materials.

You can visit the official GROHE store for more information: [GROHE Store](#)

Related Documents - 3287500A

	<p>GROHE Start Single-Lever Basin Mixer 1/2" S-Size (32 559 002) - Technical Overview and Spare Parts</p> <p>Comprehensive details and spare parts list for the GROHE Start Single-Lever Basin Mixer, 1/2" S-Size, model 32 559 002. Features include GROHE SilkMove, Long-Life finish, and GROHE Water Saving technology for efficient water use.</p>
	<p>GROHE START/WAVE COSMOPOLITAN Faucet Installation Guide and Specifications</p> <p>Comprehensive installation guide and technical specifications for GROHE START/WAVE COSMOPOLITAN faucets, including models 30 262, 32 441, and 32 449. Features dimensions, parts list, and installation steps.</p>
	<p>GROHE Faucet Installation Guide and Parts - Model 99.1061.331/ÄM 249548/05.21</p> <p>Comprehensive installation guide for GROHE faucets, detailing step-by-step assembly, parts identification, technical specifications, and contact information. Features model number 99.1061.331/ÄM 249548/05.21 and part number *19 332.</p>
	<p>GROHE Essence Basin Mixer 1/2" S-Size - Brushed Nickel</p> <p>Detailed product information for the GROHE Essence Basin Mixer 1/2" S-Size in brushed nickel, including features, specifications, and spare parts.</p>
	<p>GROHE Zedra Pull-Down Kitchen Faucet Installation and Care Guide</p> <p>Detailed installation, specifications, and care instructions for the GROHE Zedra Pull-Down Kitchen Faucet in SuperSteel Infinity (Model 32283DC3).</p>



[GROHE 48 166 Cleaning and Maintenance Guide](#)

This guide provides essential cleaning and maintenance instructions for the GROHE 48 166 product. Learn how to properly care for your GROHE fixture, including recommended cleaning methods and a list of agents to avoid, to ensure its longevity and optimal performance. Contact information for various regions is also provided.