Gobrico 12061SN

Gobrico Satin Nickel Privacy Door Lever Handle User Manual

Model: 12061SN

Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Gobrico Satin Nickel Privacy Door Lever Handle. Designed for privacy, this keyless interior handle is ideal for bedrooms, bathrooms, and other private spaces. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

Safety Information

- Always wear appropriate personal protective equipment, such as gloves and eye protection, during installation.
- Keep small parts and packaging materials away from children to prevent choking hazards.
- Ensure the door is stable and properly aligned before installing the handle.
- Do not use excessive force during installation, as this may damage the product or the door.
- For emergency access, the privacy lock can be opened from the outside using a flat object like a coin.

Parts List

Before beginning installation, verify that all components are present:

Component	Quantity
Exterior Door Lever	1
Interior Door Lever	1
Latch Mechanism	1
Short Screws	4

Long Screws	3
Striking Plate	1
Striking Plate Box	1
Hook Spanner (Allen Wrench)	1

Refer to the diagram below for a visual representation of all included parts.




Figure 1: Included Components Diagram

Setup and Installation

Installation of the Gobrico Privacy Door Lever Handle is designed to be straightforward and can be completed with a screwdriver. Follow these steps for a successful installation:

1. **Prepare the Door:** Ensure your door has standard bore holes. The adjustable latch fits backsets of 2-3/8" (60mm)

or 2-3/4" (70mm) and is suitable for door thicknesses from 1-3/8" to 1-3/4" (35mm-45mm). If replacing an old handle, remove it completely.



Figure 2: Door Preparation and Dimensions

2. **Install the Latch Mechanism:** Insert the latch mechanism into the edge of the door. Ensure the bevel of the latch bolt faces the direction the door closes. Secure it with the short screws.



Figure 3: Latch Mechanism Installation

3. **Adjust Latch (if necessary):** The latch is adjustable between 60mm and 70mm backsets. To adjust, pull the latch faceplate and rotate the housing to the desired length.




Figure 4: Latch Adjustment

4. **Install Exterior and Interior Levers:** Insert the exterior door lever through the door hole, ensuring the spindle aligns with the latch mechanism. Place the interior door lever onto the spindle, aligning the screw holes. Secure both levers together using the long screws.
5. **Install Strike Plate:** On the door frame, align the strike plate with the latch bolt. Mark and chisel out the area if necessary, then secure the strike plate with the remaining short screws. Install the strike plate box behind the strike plate for a cleaner finish.
6. **Test Operation:** Close the door and test the handle's operation from both sides. Ensure the latch retracts smoothly and the privacy lock engages and disengages correctly.

Operating Instructions

Privacy Function

The Gobrico Privacy Door Lever Handle features a keyless privacy function, ideal for bedrooms and bathrooms.

- **To Lock:** From the interior side of the door, press the thumb-turn button located on the handle's rosette. This will engage the privacy lock.
- **To Unlock:** From the interior, simply turn the lever handle to disengage the lock. From the exterior, in case of emergency or accidental lockout, insert a small flat object (like a coin or a flat-head screwdriver) into the slot on the exterior rosette and turn to unlock.




Figure 5: Privacy Function Overview

Reversible Handing

This door lever is designed to be reversible, adapting to both left-handed and right-handed doors. If the lever is not oriented correctly after installation, you can easily reverse its handing:

1. Locate the small set screw on the underside of the lever handle.
2. Use the provided hook spanner (Allen wrench) to loosen this set screw.

3. Carefully pull the lever handle off the spindle.
4. Rotate the lever handle 180 degrees to change its orientation (e.g., from left-open to right-open).
5. Slide the lever handle back onto the spindle, ensuring it is fully seated.
6. Tighten the set screw firmly to secure the lever in its new position.



Figure 6: Reversible Design for Left and Right Doors

Maintenance

To ensure the long-lasting appearance and functionality of your Gobrico door lever, follow these maintenance guidelines:

- **Cleaning:** Clean the handle regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or polishes, as these can damage the satin nickel finish.
- **Lubrication:** If the latch mechanism becomes stiff over time, apply a small amount of silicone-based lubricant to the moving parts of the latch bolt. Do not use oil-based lubricants, as they can attract dust and debris.
- **Tightening Screws:** Periodically check all mounting screws and tighten them if they have become loose. Loose screws can affect the handle's stability and operation.
- **Avoid Impact:** While durable, avoid striking the handle with hard objects, which could cause dents or damage to the finish.

Troubleshooting

Problem	Possible Cause	Solution
Handle is loose or wobbly.	Mounting screws are loose.	Tighten the long screws connecting the interior and exterior levers.
Latch does not retract smoothly.	Debris in latch mechanism or lack of lubrication.	Clean the latch mechanism and apply silicone-based lubricant.
Privacy lock does not engage/disengage.	Internal mechanism misalignment or obstruction.	Ensure the levers are fully seated and screws are tightened. If issue persists, re-install the handle carefully following all steps.
Lever handle is oriented incorrectly (e.g., points up instead of down).	Incorrect initial orientation or accidental rotation.	Refer to the "Reversible Handing" section in Operating Instructions to adjust the lever orientation using the hook spanner.

Specifications

- **Model:** 12061SN
- **Material:** Zinc Alloy
- **Finish:** Satin Nickel (Brushed)
- **Lock Type:** Privacy (Thumb-Turn Lockable, Keyless)
- **Door Thickness Compatibility:** 1-3/8" to 1-3/4" (35mm-45mm)
- **Adjustable Latch Backset:** 2-3/8" (60mm) or 2-3/4" (70mm)
- **Hand Orientation:** Ambidextrous (Reversible)
- **Durability:** Tested for over 250,000 cycles, meeting ANSI Grade 3 security standards.
- **Product Dimensions:** Approximately 1"L x 1"W (handle dimensions)
- **Item Weight:** 1 Pound

Warranty and Support

Gobrico provides lifetime customer support for this product from the date of purchase. If you encounter any issues or have questions regarding your door lever handle, please contact Gobrico customer service for assistance. Refer to your

purchase documentation for specific contact details or visit the official Gobrico website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question