

## Puig 7692C

# Puig 7692C Carbon Look Windshield Instruction Manual

For Kawasaki Z1000 (Models 2014-2017)

## 1. INTRODUCTION

This manual provides essential information for the proper installation, maintenance, and care of your Puig 7692C Carbon Look Windshield. Designed specifically for Kawasaki Z1000 motorcycles from 2014 to 2017, this product enhances the aesthetic and aerodynamic profile of your vehicle. Please read these instructions thoroughly before proceeding with installation or use.

## 2. PRODUCT OVERVIEW

The Puig 7692C Carbon Look Windshield is crafted from high-impact acrylic, offering both strength and flexibility. Its 3mm thickness is engineered to absorb vibrations at high speeds and provide resistance against cracking or scratching. The design is developed through wind tunnel testing to optimize aerodynamic performance and rider comfort.



*Image 2.1: Individual components of the Puig 7692C Carbon Look Windshield.*

## Key Features:

- **Material:** High-impact acrylic for durability and flexibility.
- **Thickness:** 3mm, designed to reduce vibration and resist damage.
- **Design:** Aerodynamically optimized through wind tunnel testing.
- **Finish:** Carbon Look for enhanced aesthetic appeal.

## 3. SAFETY INFORMATION

---

Always prioritize safety during installation and operation. Failure to follow these guidelines may result in injury or damage to the product or motorcycle.

- Ensure the motorcycle is stable and securely supported before beginning installation.
- Wear appropriate personal protective equipment, such as gloves and eye protection.
- Do not overtighten fasteners, as this can damage the windshield or mounting points.
- Verify all components are correctly installed and secure before operating the motorcycle.
- If you are unsure about any step of the installation process, consult a qualified motorcycle mechanic.

## 4. PACKAGE CONTENTS

---

Please verify that all components are present and undamaged before proceeding with installation.

- Puig 7692C Carbon Look Windshield (Main Body)
- Mounting Hardware Kit (screws, washers, spacers, brackets as applicable)
- Installation Instructions (this document)

## 5. SETUP AND INSTALLATION

---

The following steps outline the general procedure for installing the Puig 7692C Windshield. Specific details may vary slightly depending on your motorcycle's exact configuration. Refer to your motorcycle's service manual for specific torque specifications if available.

1. **Prepare the Motorcycle:** Park the motorcycle on a level surface and ensure it is stable. Turn off the engine and remove the ignition key.
2. **Identify Mounting Points:** Locate the designated mounting points on your Kawasaki Z1000 (2014-2017) for the windshield. These are typically around the headlight or instrument cluster area.
3. **Attach Brackets (if applicable):** If separate mounting brackets are provided, attach them to the motorcycle using the specified hardware. Do not fully tighten at this stage.
4. **Position the Windshield:** Carefully align the Puig windshield with the mounting brackets or direct mounting points.
5. **Secure the Windshield:** Insert the provided screws and fasteners through the windshield and into the mounting points or brackets. Hand-tighten all fasteners initially.
6. **Adjust Alignment:** Once all fasteners are in place, adjust the windshield for optimal alignment and fitment.
7. **Final Tightening:** Systematically tighten all fasteners to the manufacturer's recommended torque specifications. Avoid overtightening.

8. **Final Inspection:** Double-check all connections to ensure they are secure and that the windshield is firmly attached without any play.



*Image 5.1: Puig 7692C Windshield installed on a Kawasaki Z1000.*



*Image 5.2: Detailed view of the Puig 7692C Windshield mounting area on a Kawasaki Z1000.*

## 6. MAINTENANCE

Proper care will extend the life and maintain the appearance of your Puig windshield.

- **Cleaning:** Use a soft cloth and mild soap with water to clean the windshield. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the acrylic surface.
- **Drying:** Dry with a clean, soft microfiber cloth to prevent water spots and scratches.
- **Inspection:** Periodically check all mounting hardware for tightness. Vibrations during riding can cause fasteners to loosen over time.
- **Damage:** If the windshield sustains significant damage (cracks, deep scratches), consider replacement to maintain structural integrity and clear visibility.

## 7. TROUBLESHOOTING

This section addresses common issues you might encounter.

Problem	Possible Cause	Solution
Excessive Vibration	Loose mounting hardware. Incorrect installation.	Check and tighten all mounting screws. Ensure all components are correctly seated.
Poor Fitment	Incorrect model application. Misaligned components.	Verify the windshield is the correct model (7692C) for your Kawasaki Z1000 (2014-2017). Re-align and re-install components carefully.
Scratches/Hazing	Improper cleaning methods. Abrasive materials used.	Use only soft cloths and mild soap for cleaning. Avoid dry wiping or harsh chemicals. Minor scratches may be polished with specialized acrylic polish.

## 8. SPECIFICATIONS

Attribute	Detail
Model Number	7692C
Brand	Puig
Material	High-impact Acrylic
Color	Carbon Look
Thickness	3mm
Compatible Vehicle	Kawasaki Z1000 (2014-2017)
Item Weight	2.43 pounds
Product Dimensions	22 x 18 x 10 inches

## 9. WARRANTY AND SUPPORT








For information regarding product warranty, please refer to the official Puig website or contact your authorized Puig dealer. Warranty terms and conditions may vary by region and retailer.

For technical support or further inquiries, please visit the official Puig website or contact their customer service department. You may also refer to the seller from whom you purchased this product.

**Puig Official Website:** [www.puig.tv](http://www.puig.tv)

## Related Documents - 7692C

	<p><a href="#">Puig Windshield Mounting Instructions: Touring Traveller II &amp; Kawasaki Kits</a></p> <p>Official Puig mounting instructions for the Touring Traveller II windshield (Ref: 5267W) and kits for Kawasaki ER-6N, Z650, Z900, Z1000 (Ref: 10566). Includes detailed parts lists and assembly guidance.</p>
	<p><a href="#">Puig Motorcycle Windshield Mounting Instructions - Universal &amp; Kawasaki Z900RS</a></p> <p>Detailed mounting instructions and parts lists for Puig Universal Windshield Plus (REF 4620) and Puig Kit for Kawasaki Z900RS '18- (REF 10931). Includes step-by-step guides and component information for safe installation.</p>
	<p><a href="#">Puig GTS Touring Windshield Mounting Instructions for Piaggio Vespa GTS 125/300 '07-</a></p> <p>Comprehensive mounting instructions and parts list for the Puig GTS Touring Windshield, specifically designed for Piaggio Vespa GTS 125 and GTS 300 models from 2007 onwards. This guide details the disassembly, bracket assembly, windshield attachment, and final tightening steps, including required hardware and torque specifications.</p>
	<p><a href="#">Puig Wave Windshield Mounting Instructions - Universal &amp; Kawasaki Z900RS</a></p> <p>Comprehensive mounting instructions for Puig Wave Windshields. This guide covers universal fitment (REF 2208) with detailed parts lists and assembly steps, as well as specific installation for the Kawasaki Z900RS '18- kit (REF 10931). Includes important warnings regarding thread-lock glue and maintenance tips.</p>
	<p><a href="#">Puig Touring Screen Mounting Instructions for Kawasaki Versys 1000/650 (2015+)</a></p> <p>Detailed mounting instructions and parts list for the Puig Touring Screen (REF 9421) designed for Kawasaki Versys 1000 and Versys 650 motorcycles (2015 onwards). Includes step-by-step guidance and compatibility notes.</p>



[Puig Crash Pads Installation Guide for Kawasaki Z400 '23](#)

Detailed installation instructions and parts list for Puig crash pads (REF 21399N) on the Kawasaki Z400 motorcycle (2023 model). Includes step-by-step guidance and component references for safe and effective mounting.