

[Manuals.plus](#) /

› [Metra](#) /

› Metra 95-3017B Double-DIN Radio Dash Kit User Manual

Metra 95-3017B

Metra 95-3017B Double-DIN Radio Dash Kit User Manual

For 2015-Up Chevrolet Trax Vehicles

PRODUCT OVERVIEW

The Metra 95-3017B Double-DIN Radio Dash Kit is specifically designed for 2015-Up Chevrolet Trax vehicles. This kit facilitates the installation of an aftermarket double-DIN head unit, ensuring a seamless and integrated appearance within your vehicle's dashboard. It is constructed from high-grade ABS plastic, manufactured with precision tolerances to provide a gapless fit between the dash and the new radio. The kit's texture and color are factory-matched to blend with the original interior.

- Accommodates ISO Double DIN mount.
- Ensures a gapless fit between the dash and the kit.
- Made from high-grade ABS plastic.
- Factory matched texture style.
- Proudly made in the USA.

PACKAGE CONTENTS

Upon opening the package, verify that all components are present and undamaged. The Metra 95-3017B kit typically includes the following:

- Main Double-DIN Dash Bezel
- Mounting Brackets (Left and Right)
- Instruction Manual (this document)



Image: The Metra 95-3017B Double-DIN Radio Dash Kit. This image displays the primary dash bezel, which is matte black and designed to accommodate a double-DIN radio. To the left and right of the main bezel are two smaller, black mounting brackets, essential for securing the new head unit within the vehicle's dashboard. The overall appearance is designed to seamlessly integrate with the Chevrolet Trax interior.

INSTALLATION GUIDE

This section provides general guidelines for installing the Metra 95-3017B dash kit. Professional installation is recommended. Always disconnect the vehicle's battery before beginning any electrical work.

Tools and Materials Required:

- Panel removal tools
- Screwdrivers (Phillips and flathead)
- Socket wrench set
- Wire cutters/strippers
- Electrical tape or heat shrink tubing
- Aftermarket Double-DIN head unit
- Wiring harness adapter (vehicle specific, sold separately)
- Antenna adapter (vehicle specific, sold separately)

Step-by-Step Installation:

1. **Preparation:** Ensure the vehicle is off and the negative terminal of the battery is disconnected.
2. **Remove Factory Radio and Dash Bezel:** Carefully use panel removal tools to pry off the factory dash bezel surrounding the radio. Locate and remove all screws securing the factory radio. Disconnect all wiring harnesses and the antenna cable from the factory radio.
3. **Transfer Components:** It is crucial to transfer any necessary metal clips or mounting hardware from the original factory dash bezel to the new Metra 95-3017B dash kit. Failure to do so may result in improper fitment or rattling. Refer to online resources or professional guides if unsure about this step, as specific instructions for clip transfer may not be detailed in all manuals.
4. **Assemble New Head Unit with Dash Kit:** Attach the provided mounting brackets to your new aftermarket double-DIN head unit using the screws supplied with the head unit. Then, secure the assembled head unit and brackets into the Metra 95-3017B dash bezel. Ensure the head unit is flush and securely mounted within the kit.
5. **Wiring:** Connect the aftermarket head unit's wiring harness to the vehicle's wiring harness using the appropriate vehicle-specific adapter. Connect the antenna adapter if required. Ensure all connections are secure and properly insulated.
6. **Test Fit and Functionality:** Before fully reassembling, temporarily connect the battery and test the new head unit's functionality (power, audio, radio, etc.). Address any issues before proceeding.
7. **Reassembly:** Carefully guide the new head unit and dash kit assembly into the dashboard opening. Ensure all clips align and snap into place. Reinstall any screws removed during disassembly. Reconnect the vehicle's battery.

Note: Some users have reported that transferring the metal clips from the old unit can be challenging. Take your time and refer to online video tutorials if needed to ensure proper transfer and a secure fit.

OPERATION

The Metra 95-3017B dash kit itself does not have operational functions. Its purpose is to provide a secure and aesthetically pleasing housing for your aftermarket double-DIN radio. Once installed, the kit ensures that your new radio integrates seamlessly into the vehicle's dashboard, maintaining the factory appearance while allowing full access to the radio's controls and display.

MAINTENANCE

Maintaining your Metra dash kit is straightforward and requires minimal effort to keep it looking new:

- **Cleaning:** Use a soft, damp cloth to wipe down the surface of the dash kit. For stubborn marks, a mild automotive interior cleaner can be used. Avoid abrasive cleaners or solvents, as these can damage the matte black finish.
- **Protection:** Avoid exposing the dash kit to extreme temperatures or direct sunlight for prolonged periods, as this can cause material degradation over time.
- **Inspection:** Periodically check the fitment of the dash kit to ensure it remains securely in place and there are no loose connections or rattling.

TROUBLESHOOTING

If you encounter issues after installing your Metra 95-3017B dash kit, consider the following common problems and solutions:

- **Issue:** The dash kit does not fit flush or appears loose after installation.
Solution: This is often due to improperly transferred or damaged metal clips from the original factory bezel. Carefully remove the dash kit and ensure all clips are securely attached to the new Metra kit and are not bent. Re-align and firmly press the kit into place, ensuring all clips engage properly.

- **Issue:** Rattling noises coming from the dash area.
Solution: This can also be caused by loose clips or components not fully secured. Re-check all mounting points for the dash kit and the head unit. Ensure all screws are tightened and no wires are pinched or vibrating against the dash.
- **Issue:** Aftermarket radio is not powering on or functioning correctly.
Solution: This is typically a wiring issue, not related to the dash kit itself. Double-check all wiring harness connections, ensuring they are secure and correctly matched. Verify the vehicle's fuse for the radio is intact. Consult the aftermarket radio's manual for specific troubleshooting steps.

If problems persist, it is recommended to consult with a professional car audio installer.

SPECIFICATIONS

Feature	Detail
Model Number	95-3017B
Compatibility	2015-Up Chevrolet Trax
Radio Type Supported	Double-DIN (ISO Double DIN mount)
Material	High-grade ABS plastic
Color/Finish	Matte Black, Factory Matched Texture Style
Item Weight	10.5 ounces (approx. 297 grams)
Product Dimensions	24 x 16 x 4 inches (approx. 61 x 41 x 10 cm)
Country of Origin	USA
Manufacturer	Metra Electronics Corp

WARRANTY INFORMATION

The Metra 95-3017B Double-DIN Radio Dash Kit comes with a **1 Year Limited Warranty**. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, accident, abuse, misuse, natural disaster, or unauthorized modification. For specific warranty claims or details, please contact Metra Electronics Corp directly or refer to their official website.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding the Metra 95-3017B Double-DIN Radio Dash Kit, please contact Metra Electronics Corp customer service. You may also find additional resources, installation videos, and FAQs on the official Metra website.

Metra Electronics Corp

www.metraonline.com

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0194MS45W>

More documents and user manuals: <https://manuals.plus/>