MAHLE TM 42 103

MAHLE TM 42 103 Map-Controlled Thermostat Instruction Manual

Model: TM 42 103

1. Product Overview

The MAHLE TM 42 103 is a map-controlled thermostat designed to regulate engine temperature efficiently. This advanced thermostat integrates a heating element within its wax element, allowing the engine management system to precisely control the cooling system. This design optimizes engine performance, reduces fuel consumption, and lowers emissions.

Key features include:

- Designed to meet original equipment (OE) specifications for direct fit and performance.
- Controls engine temperature based on vehicle driving conditions and load.
- The model number's last digits (103) indicate the thermostat's opening temperature in degrees Celsius.

2. Installation

Installation of the MAHLE TM 42 103 Map-Controlled Thermostat requires specific automotive knowledge and tools. It is highly recommended that installation be performed by a qualified automotive technician to ensure proper function and prevent damage to the vehicle's cooling system or engine.

General Installation Guidelines (for professional reference):

1. Ensure the engine is cool before beginning any work on the cooling system.
2. Drain the engine coolant according to vehicle manufacturer specifications.
3. Locate and carefully remove the old thermostat housing and thermostat. Note the orientation of the old thermostat.
4. Clean the thermostat housing and mating surfaces thoroughly to ensure a proper seal.
5. Install the new MAHLE TM 42 103 thermostat in the correct orientation, ensuring the gasket or O-ring is properly seated.
6. Reinstall the thermostat housing and tighten fasteners to the vehicle manufacturer's specified torque.
7. Refill the cooling system with the appropriate coolant type and bleed any air from the system as per vehicle manufacturer instructions.

8. Start the engine, check for leaks, and monitor engine temperature to confirm proper operation.

Disclaimer: *These are general guidelines. Always refer to the specific service manual for your vehicle for detailed installation procedures.*

3. Operating Principle

The MAHLE TM 42 103 is a map-controlled thermostat, meaning its operation is actively managed by the vehicle's engine control unit (ECU). Unlike traditional thermostats that rely solely on a wax pellet's thermal expansion, this thermostat incorporates an electrical heating element.

The ECU uses various sensor inputs (engine load, speed, ambient temperature, etc.) to determine the optimal engine operating temperature. When a lower temperature is desired (e.g., under high load for increased power or to prevent knocking), the ECU can activate the heating element. This causes the wax element to expand more rapidly, opening the thermostat sooner than it would passively, thus allowing coolant to circulate and cool the engine more effectively.

Conversely, when a higher engine temperature is beneficial (e.g., for improved fuel efficiency or reduced emissions during light load), the ECU can delay the thermostat's opening or maintain a higher temperature by not activating the heating element. This precise control contributes to enhanced engine performance and efficiency.

4. Maintenance

The MAHLE TM 42 103 thermostat itself is a sealed unit and does not require specific maintenance. However, proper maintenance of the overall cooling system is crucial for its longevity and effective operation.

- **Coolant Checks:** Regularly check the coolant level and condition. Ensure the coolant is at the appropriate level and free from contaminants.
- **Coolant Flush:** Adhere to your vehicle manufacturer's recommended coolant flush intervals. Old or contaminated coolant can lead to corrosion and reduced cooling efficiency, potentially affecting thermostat function.
- **Hose Inspection:** Periodically inspect all cooling system hoses for cracks, leaks, or signs of deterioration.
- **System Leaks:** Promptly address any coolant leaks to prevent overheating and maintain system pressure.

5. Troubleshooting

If you suspect an issue with your map-controlled thermostat or cooling system, consider the following common symptoms and potential causes. Professional diagnosis is recommended.

- **Engine Overheating:**
    - *Possible Cause:* Thermostat stuck closed, low coolant level, faulty water pump, clogged radiator, or other cooling system issues.
- **Engine Running Cold (Slow to Warm Up):**
    - *Possible Cause:* Thermostat stuck open, leading to continuous coolant circulation. This can reduce fuel efficiency and increase emissions.
- **Check Engine Light (CEL) / Malfunction Indicator Lamp (MIL):**
    - *Possible Cause:* A fault in the map-controlled thermostat's electrical heating element or its control circuit can trigger a diagnostic trouble code (DTC). A professional scan tool is required for diagnosis.
- **Erratic Temperature Gauge Readings:**


- *Possible Cause:* Faulty temperature sensor, air in the cooling system, or an intermittent thermostat issue.

For accurate diagnosis and repair, consult a certified automotive technician.

6. Product Specifications

Specification	Detail
Brand	MAHLE
Model Number	TM 42 103
Item Weight	12.8 ounces
Product Dimensions	16.76 x 8.32 x 4.6 inches
Manufacturer Part Number	TM 42 103
OEM Part Number	11537605431
Opening Temperature	103°C (as indicated by model number)
Control Type	Map-Controlled (Electronic)
Exterior Finish	Machined

7. Product Images



Front view of the MAHLE TM 42 103 Map-Controlled Thermostat, showing its main body and connection points.



Angled view of the thermostat, highlighting the various hose connections and the integrated electronic component.



Side view of the thermostat, showing MAHLE branding and model number details printed on the housing.



Another side view of the thermostat, providing a different perspective on its complex shape and connections.



Top-down angled view of the thermostat, showing the main inlet/outlet and smaller auxiliary connections.

8. Warranty Information

Specific warranty details for the MAHLE TM 42 103 Map-Controlled Thermostat are typically provided by the manufacturer or the point of purchase. Please retain your proof of purchase. For comprehensive warranty terms and conditions, it is recommended to visit the official MAHLE website or contact their customer support directly.

9. Support and Contact

For technical assistance, product inquiries, or support regarding the MAHLE TM 42 103 Map-Controlled Thermostat, please refer to the following:

- **Official MAHLE Website:** Visit the official MAHLE website for product information, technical documents, and contact details.
- **Authorized Dealers:** Contact the authorized MAHLE dealer or distributor from whom the product was purchased.
- **Professional Automotive Technicians:** For installation or diagnostic assistance, consult a certified automotive technician.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question