Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Temple Audio DUO-24

Temple Audio DUO 24 Templeboard Instruction Manual

Model: DUO-24 | Brand: Temple Audio

1. Introduction

The Temple Audio DUO 24 Templeboard is a dual-row 24-inch modular pedalboard system designed for guitar and bass effects. It offers a customizable layout for stompboxes, power supplies, and I/O connections. Constructed with a lightweight aluminum frame and rugged side rails, the Templeboard provides secure pedal staging without excessive weight. This manual provides essential information for setting up, operating, and maintaining your Templeboard.

Please note: Temple Audio pedalboards require proprietary Quick Release Pedal Plates, which are sold separately.

2. Product Overview

The DUO 24 Templeboard features a unique modular design that allows for flexible arrangement of your effects pedals. Its aluminum construction ensures durability while keeping the overall weight manageable for transport. The board's surface is designed to integrate with Temple Audio's Quick Release Pedal Plates, providing a secure and clean setup without the need for traditional hook-and-loop fasteners.




Image: The Temple Audio DUO 24 Templeboard, showcasing its perforated surface and gunmetal finish. The board features handles on either side for easy transport.

The modular ecosystem extends to various optional modules for power connectors, instrument and speaker connections, allowing for a highly customized and organized pedal setup.

3. Setup

3.1 Attaching Pedals

1. Ensure your effects pedals are equipped with Temple Audio Quick Release Pedal Plates (sold separately).
2. Align the pedal plate with the corresponding holes on the Templeboard's surface.
3. Press down firmly until the pedal clicks securely into place. The locking screw-in design ensures stability.
4. To remove a pedal, simply disengage the locking mechanism and lift the pedal from the board.

3.2 Power Supply and Cable Management

The open-frame design of the Templeboard allows for easy mounting of power supplies underneath the board. Utilize cable ties or clips (not included) to neatly route power and patch cables, maintaining a clean and organized setup.



Image: An angled perspective of the Temple Audio DUO 24 Templeboard, showing the grid of holes for attaching pedals and the open underside for power supply mounting.

3.3 Installing I/O Modules (Optional)

If using Temple Audio I/O modules (sold separately), refer to the specific instructions provided with each module for proper installation into the designated side ports of the Templeboard.

4. Operating Instructions

Once your pedals are securely attached and powered, connect your instrument to the input of your first pedal and the output of your last pedal to your amplifier or audio interface. Ensure all patch cables are correctly connected between pedals according to your desired signal chain.

The secure attachment of pedals minimizes movement during performance, providing a stable platform for your effects.

5. Maintenance

To ensure the longevity of your Temple Audio DUO 24 Templeboard, follow these simple maintenance guidelines:

- Regularly wipe down the board with a soft, dry cloth to remove dust and debris.
- Inspect pedal plates and locking mechanisms periodically for any signs of wear or damage.
- Avoid using harsh chemicals or abrasive cleaners, as these may damage the finish.
- Store the pedalboard in a dry environment, ideally in a protective case, to prevent moisture damage.

6. Troubleshooting

6.1 Pedals Not Securing Properly

- Ensure that genuine Temple Audio Quick Release Pedal Plates are being used.
- Check that the pedal plate is correctly aligned with the board's holes before pressing down.
- Inspect the locking mechanism for any obstructions or damage.

6.2 Power Issues

- Verify that your power supply is correctly installed and functioning.
- Check all power cables connecting the supply to your pedals for secure connections.
- Ensure that your power supply provides adequate current and voltage for all connected pedals.

7. Specifications

Brand	Temple Audio
Model Number	DUO-24
Color	Gunmetal
Material Type	Aluminum
Item Weight	4.36 pounds
Product Dimensions	26.18 x 12.99 x 3.74 inches
Size	12.5" x 24.5" (318mm x 622mm)
Connector Type	2.1mm barrel jack, 1/4" jack

8. Warranty and Support

Specific warranty information for the Temple Audio DUO 24 Templeboard is not provided within this manual. For detailed warranty terms, technical support, or service inquiries, please refer to the official Temple Audio website or contact their customer service directly.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B019O47MB2

More documents and user manuals: **https://manuals.plus/**