



[Manuals.plus](#) /

› [Foppapedretti](#) /

› Foppapedretti Tenerorso Baby Crib with Adjustable Sides Instruction Manual

**Foppapedretti 9900178310**

# Foppapedretti Tenerorso Baby Crib Instruction Manual

Model: 9900178310

## 1. INTRODUCTION

---

The Foppapedretti Tenerorso baby crib is designed to provide a safe and comfortable sleeping environment for your infant. This wooden crib features adjustable side panels, a two-height slatted base, a convenient storage drawer, and lockable wheels for easy mobility. Constructed from solid beech wood and finished with non-toxic paints, this product adheres to European safety standards. Please read this manual thoroughly before assembly and use to ensure proper installation and safe operation.



Image 1.1: The Foppapedretti Tenerorso baby crib, showcasing its design and features.

## 2. SAFETY INFORMATION

---

Your child's safety is paramount. Adhere to the following guidelines:

- Always ensure all assembly hardware is securely tightened before placing an infant in the crib.
- Do not use the crib if any parts are missing, damaged, or broken. Contact customer support for replacement parts.
- Regularly inspect all screws, bolts, and fasteners to ensure they remain tight.
- Use only a mattress that fits snugly within the crib, leaving no gaps larger than 3 cm (1.18 inches) between the mattress and the crib sides.
- Keep small objects, cords, and window blind strings away from the crib to prevent choking or strangulation hazards.
- Do not place the crib near windows where cords or blinds could pose a danger.
- The crib is painted with non-toxic paints, ensuring a safe environment for your child.

## 3. COMPONENTS LIST

---

Before beginning assembly, unpack all components and verify that all parts are present and undamaged. If any parts are missing or damaged, do not proceed with assembly and contact Foppapedretti customer service.

- Crib End Panels (2) - One with decorative panel
- Side Panels (2) - One adjustable
- Slatted Base (1)
- Storage Drawer (1) - Divided into two compartments
- Swivel Rubber Wheels (4) - Two with brakes
- Assembly Hardware (screws, bolts, hex keys)

## 4. SETUP AND ASSEMBLY

---

Assembly typically requires a Phillips head screwdriver (not included) in addition to the hex keys provided with the hardware. It is recommended to have two people for assembly.

1. **Attach Wheels:** Secure the four swivel rubber wheels to the bottom of the crib end panels. Ensure the two wheels with brakes are positioned on the same end panel for easier access.
2. **Assemble End Panels:** Connect the two end panels using the appropriate crossbars and hardware. Do not fully tighten screws until the entire frame is assembled.
3. **Install Slatted Base:** Insert the slatted base into the designated slots on the end panels. The base can be positioned at two different heights. For newborns, the higher position is recommended for easier access. For older infants who can sit up or pull themselves to a standing position, the lower position is essential to prevent climbing out. Secure the base with the provided hardware.
4. **Attach Side Panels:** Connect the fixed side panel and the adjustable side panel to the assembled end panels. Ensure the adjustable side mechanism is facing outwards and functions correctly.
5. **Assemble and Install Drawer:** Assemble the storage drawer according to the separate instructions for the drawer components. Once assembled, slide the drawer into the designated space beneath the crib base.
6. **Final Tightening:** Once all components are in place, systematically tighten all screws and bolts. Do not overtighten.

## 5. OPERATING INSTRUCTIONS

---

### 5.1. Adjusting Side Panel

The crib features one side panel that can be adjusted to two different heights. To adjust, simultaneously press the release mechanisms on both sides of the adjustable panel and gently raise or lower it to the desired position. Ensure the panel locks securely into place at the chosen height before leaving your child unattended.

### 5.2. Adjusting Slatted Base Height

The slatted base can be set at two different heights. This adjustment is typically performed during assembly. For newborns, the higher position reduces strain on parents when lifting the baby. As your child grows and becomes more mobile, the base must be lowered to the bottom position to prevent them from climbing out of the crib. Refer to Section 4, Step 3 for re-adjusting the base height.

### 5.3. Using Wheels and Brakes

The crib is equipped with four swivel rubber wheels for easy movement. Two of these wheels include braking mechanisms. To secure the crib in a stationary position, push down the brake levers on the two braked wheels until they click into place. To move the crib, release the brakes by lifting the levers.

## 6. MAINTENANCE AND CARE

---

- **Cleaning:** Wipe the crib surfaces with a soft, damp cloth. Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish and potentially be harmful to your child.
- **Inspection:** Periodically check all components for signs of wear, damage, or loose hardware. Tighten any loose screws or bolts immediately.
- **Storage:** If storing the crib, ensure it is clean and dry. Store in a cool, dry place away from direct sunlight or extreme temperatures. The crib is foldable for easier storage.
- **Material:** The crib is made from solid beech wood and painted with non-toxic, child-safe paints.

## 7. TROUBLESHOOTING

---

- **Difficulty during assembly:** If you encounter difficulties, carefully review the assembly steps and diagrams. Ensure all parts are correctly oriented before tightening. Sometimes, a slight adjustment of components is needed before screws align perfectly.
- **Crib feels unstable:** Check all screws and bolts to ensure they are fully tightened. An unstable crib can be a safety hazard.
- **Adjustable side panel is stuck:** Ensure both release mechanisms are fully engaged simultaneously. Check for any obstructions or debris in the sliding mechanism.
- **Wheels not locking:** Verify that the brake levers are fully pressed down. Check for any debris preventing the brake from engaging properly.

## 8. SPECIFICATIONS

---

- **Model Number:** 9900178310
- **Dimensions (L x W x H):** 131 cm x 73 cm x 103 cm (51.6 in x 28.7 in x 40.6 in)
- **Weight:** 27 kg (59.5 lbs)
- **Material:** Solid Beech Wood
- **Color:** White
- **Origin:** Italy
- **Features:** Adjustable side panel, two-height slatted base, storage drawer, lockable swivel wheels, foldable design.



Image 8.1: Dimensions of the Foppapedretti Tenerorso baby crib.

## 9. WARRANTY AND SUPPORT

For specific warranty details, please refer to the documentation included with your product packaging or visit the official Foppapedretti website. For technical assistance, replacement parts, or any other inquiries, please contact Foppapedretti customer service through their official channels.