

Scanstrut RLS-401

Scanstrut RIS-401 Rokk Mini Surface Mount User Manual

MODEL: RLS-401

1. Introduction

Thank you for choosing the Scanstrut RIS-401 Rokk Mini Surface Mount. This versatile screw-down base is designed for secure installation on any flat surface, providing a robust mounting solution for your ROKK Mini top plates and the RLS-AM ROKK Mini Body. Engineered with tough, marine-grade, UV-stable materials, it ensures reliable performance in various environments, from marine to land-based applications.

2. What's in the Box

- Scanstrut RIS-401 Rokk Mini Surface Mount Screw Down Base
- Mounting Screws (quantity: 4)
- D-ring accessory



This image displays the Scanstrut RIS-401 Rokk Mini Surface Mount base, along with four mounting screws and a metal D-ring accessory.

3. Features

- Fits any flat surface
- Tough, marine-grade, UV-stable materials
- Easy install
- Compatible with all ROKK Mini top plates and the RLS-AM ROKK Mini Body

4. Specifications

Brand	Scanstrut
Model	RLS-401
Item Weight	1.6 ounces
Product Dimensions	3.31 x 3.31 x 1.18 inches
Materials	Marine-grade, UV-stable

5. Setup

The RIS-401 Rokk Mini Surface Mount is designed for quick and easy installation on any flat surface. Follow these general steps for mounting:

1. **Choose a Location:** Select a flat, stable surface where you intend to mount your device. Ensure there is sufficient space for the mount and the attached device.
2. **Position the Base:** Place the Rokk Mini Surface Mount base in the desired position.
3. **Mark Drill Holes:** Use a pencil or marker to mark the locations for the four mounting screws through the pre-drilled holes on the base.
4. **Drill Pilot Holes:** Carefully drill pilot holes at the marked locations. Ensure the drill bit size is appropriate for the provided screws and the mounting surface material.
5. **Secure the Base:** Align the base with the pilot holes and secure it firmly using the provided mounting screws. Ensure all screws are tightened to prevent movement.
6. **Attach ROKK Mini Components:** Once the base is securely mounted, you can attach your ROKK Mini top plate or RLS-AM ROKK Mini Body to the base.



The image shows the Rokk Mini Surface Mount securely installed on the side of a boat, supporting a tablet device. This demonstrates a typical marine installation.

6. Operating

The Rokk Mini Surface Mount serves as a stable foundation for your ROKK Mini system. Once the base is installed, operating your device involves interacting with the ROKK Mini top plate or RLS-AM ROKK Mini Body that is attached to it.

- **Attaching Devices:** Align your ROKK Mini top plate (e.g., phone holder, tablet holder) or RLS-AM ROKK Mini Body with the mounting interface on the surface mount base and secure it according to the instructions provided with your specific ROKK Mini accessory.
- **Adjusting Position:** If your ROKK Mini accessory includes articulation, adjust its position as needed for optimal viewing or access.

- **Detaching Devices:** To remove your device, follow the detachment procedure for your specific ROKK Mini accessory.




A person is shown using a tablet that is mounted on a Scanstrut Rokk Mini Surface Mount, positioned on a desk inside a boat. This illustrates the product's use in an indoor marine setting.

7. Maintenance

The Scanstrut RIS-401 Rokk Mini Surface Mount is constructed from durable, marine-grade, UV-stable materials designed to withstand harsh environments. Regular maintenance will ensure its longevity and continued performance.

- **Cleaning:** Periodically clean the mount with fresh water and a mild soap solution. Rinse thoroughly to remove any salt residue or dirt. Avoid using harsh chemicals or abrasive cleaners, which can damage the material.
- **Inspection:** Regularly inspect the mount for any signs of wear, damage, or loose screws. Ensure all mounting screws remain tight and secure.
- **UV Protection:** While the materials are UV-stable, prolonged exposure to extreme sunlight can still cause minor fading over many years. No special UV protection treatment is typically required.



This close-up image shows the Scanstrut Rokk Mini Surface Mount base covered in water droplets, highlighting its robust, marine-grade, and water-resistant construction suitable for harsh environments.

8. Troubleshooting

Most issues with the Rokk Mini Surface Mount relate to installation. If you encounter problems, consider the following:







- **Mount Feels Loose:** Ensure all four mounting screws are fully tightened. If the surface material is soft, consider using larger washers (not included) to distribute the load.
- **Difficulty Attaching ROKK Mini Accessory:** Verify that you are using a compatible ROKK Mini top plate or RLS-AM ROKK Mini Body. Ensure the accessory is correctly aligned with the base before attempting to secure it.
- **Mounting Surface Damage:** If the mounting surface shows signs of cracking or weakening, the mount may need to be relocated or the surface reinforced.


9. Warranty and Support

For information regarding warranty coverage, product returns, or technical support, please refer to the official Scanstrut website or contact Scanstrut customer service directly. Keep your proof of purchase for any warranty claims.

Scanstrut Official Website: www.scanstrut.com

Related Documents - RLS-401

	Scanstrut RLS-401 ROKK Body Mount Installation Guide Scanstrut RLS-401 ROKK Body Mount Installation Guide: Learn how to securely install your Scanstrut ROKK Body mount with this comprehensive guide. Includes parts list, tools required, step-by-step instructions, and contact information.
	Scanstrut RL-508 & RLS-405 Installation Instructions Official installation guide for Scanstrut RL-508 Tablet Clamp and RLS-405 ROKK Mini Suction Cup. Includes parts lists, tools required, and step-by-step assembly instructions for secure device mounting.
	Scanstrut ROKK Wireless Edge 10W (SC-CW-05F) Installation Guide Comprehensive installation guide for the Scanstrut ROKK Wireless Edge 10W Qi wireless charger mount (SC-CW-05F), including technical specifications, part list, tools required, step-by-step instructions, LED status guide, safety warnings, and warranty information.
	Scanstrut ROKK Wireless Nano 10W Installation Guide and Technical Specifications Comprehensive guide for installing the Scanstrut ROKK Wireless Nano 10W wireless charger and phone mount, including technical specifications, safety warnings, and compliance information.
	Scanstrut ROKK Charge+ SC-USB-02 Installation Instructions Comprehensive installation guide for the Scanstrut ROKK Charge+ SC-USB-02, a waterproof dual USB-A socket charger designed for 12/24V systems. This document provides a detailed parts list, required tools, step-by-step installation procedures, technical specifications, important safety warnings, environmental considerations, and warranty information.
	Scanstrut ROKK Wireless Charge Hidden 10W Installation Guide Step-by-step installation instructions for the Scanstrut ROKK Wireless Charge Hidden 10W (SC-CW-01F), including parts list, technical specifications, and mounting guidance.




[\[pdf\]](#) Instructions Parts List Warranty

RL 509 Instructions ai Philip Snook RLS 401 Installations scanstrut file inline upload Personal Electronic Mounts

RL-509 Parts List Phone Clamp x1 1 11-08-2020 Issue 1 2 Installation Instructions Tools Required ... warranty information please visit: www.scanstrut.com USA 1 860 308 1416 usasales scanstrut.com **RLS-401** Parts List 07-08-2020 Issue 1 Tools Required Installation Instructions No. 4 X 20 Base ...

lang:en score:44 filesize: 2.84 M page_count: 2 document date: 2020-11-04




[\[pdf\]](#) Instructions Parts List Warranty

RL 508 Instructions ai Philip Snook RLS 401 Installation scanstrut file inline upload Personal Electronic Mounts

RL-508 Parts List 07-08-2020 Issue 1 Tablet Clamp x1 M6 Penny Washer x1 1 2 Installation Inst ... warranty information please visit: www.scanstrut.com USA 1 860 308 1416 usasales scanstrut.com **RLS-401** Parts List 07-08-2020 Issue 1 Tools Required Installation Instructions No. 4 X 20 Base ...

lang:en score:44 filesize: 2.21 M page_count: 2 document date: 2020-11-04



[\[pdf\]](#) Instructions Parts List Warranty Catalog

RLS 401 ai George Bowles rls installation instructions Scanstrut Rokk Mini Adjustable Deck Mount Only LKQ Aquafax d1xmkx19apgl7d cloudfront net files catalogue products |||

RLS-401 Parts List 07-08-2020 Issue 1 Tools Required Installation Instructions No. 4 X 20 Base x1 Self tapping screw x4 2.5mm 3/32 Drill Bit Pozi Screwdriver Silicone 1 2 Check base is located away from objects that will obstruct the movement or removal of the ROKK Body and mark fixing...

lang:fr score:40 filesize: 148.38 K page_count: 1 document date: 2021-04-26




[\[pdf\]](#) Installation Guide Guide Borchure

PRODUCT GUIDE Scanstrut 2018 RV Mini Brochure Nov elwellcorp 2019 06

outdoor . technologies . PRODUCT GUIDE mount. charge. mount . charge . The IPX6 waterproof 1 ... 1/4 Camera Thread RL-511 For devices up to 1.2 KG Screen Track Plate RL-514 NEW Surface Mount **RLS-401** Rail Mount RLS-402 Cable-Tie RLS-403 Self-Adhesive RLS-404 Suction Cup RLS-405 AMPS bas...


lang:en score:37 filesize: 4.43 M page_count: 14 document date: 2018-10-26



[\[pdf\]](#) User Manual Instructions Parts List Warranty


RL 509 Instructions ai Philip Snook ROKK Mini Universal Phone Holder Screw Down User Manual
CamperKing Shop shop camperking co uk |||

RL-509 Parts List Phone Clamp x1 1 11-08-2020 Issue 1 2 Installation Instructions
Tools Required ... warranty information please visit: www.scanstrut.com USA 1 860
308 1416 usasales scanstrut.com **RLS-401** Parts List 07-08-2020 Issue 1 Tools
Required Installation Instructions No. 4 X 20 Base ...
lang:en **score:37** filesize: 2.71 M page_count: 2 document date: 2023-03-30



[Scanstrut RLS-401 ROKK Body Mount Installation Guide](#)

Scanstrut RLS-401 ROKK Body Mount Installation Guide: Learn how to securely
install your Scanstrut ROKK Body mount with this comprehensive guide. Includes
parts list, tools required, step-by-step instructions, and contact information.
lang:fr **score:30** filesize: 176.16 K page_count: 1 document date: 2020-10-20




[\[pdf\]](#) User Manual Owner's Manual Instructions Parts List Warranty

356R509401 Scanstrut RLS 509 401 ROKK Mini Phone Kit w Screw Down Base CRUTCHFIELD COM
HNEWBERRY owner s manual down base Keep your phone secure in boats cars powersports vehicles
golf carts and more at Crutchfield crutchfieldonline ImageBank v20201216111900 Manuals 356 |||
RL-509 Parts List Phone Clamp x1 1 11-08-2020 Issue 1 2 Installation Instructions
Tools Required ... warranty information please visit: www.scanstrut.com USA 1 860
308 1416 usasales scanstrut.com **RLS-401** Parts List 07-08-2020 Issue 1 Tools
Required Installation Instructions No. 4 X 20 Base ...
lang:en **score:30** filesize: 2.84 M page_count: 2 document date: 2020-12-16

[\[pdf\]](#) Guide Borchure

scanstrut product brochure 2018 19 yachtech ch resources outdoor technologies Yachtech PRODUCT
GUIDE Katalog 2020 12 24V wireless waterproof charger Marine grade materials IPX6 Qi certified SC
CW 01E 02E 03E New additions to the range 04E Slide Ihr Partner für Nautik |||
outdoor . technologies . PRODUCT GUIDE New additions to the range. SC-CW-04E
ROKK Wireless - Act ... lease Adapter RL-521 For devices up to 1.2 KG Bases
Screen Track Plate RL-514 NEW Surface Mount **RLS-401** Rail Mount RLS-402
Cable-Tie RLS-403 Self-Adhesive RLS-404 Suction Cup RLS-405 AMPS bas...
lang:en **score:29** filesize: 5.44 M page_count: 24 document date: 2018-11-30





[\[pdf\]](#) User Manual Instructions

Rokk Bundle Box Instructions V5 rokk bundle box instructions v5 11NQHKøb Scanstrut Tabletholder

ROKK Mini Watski dkrokk 11NQHcdn watski files 11NQH |||

Screw Down **RLS-401** 1 2 Rail Mount RLS-402 1 3 2x 2 3 Zip tie RLS-403 1 4 x M4x16MM Posi Self Tap Self-Adhesive RLS-404 Screw down base Pencil 1 Power Drill 1/16 2.0 mm drill bit Posi Screw driver Tape measure Suction Cup RLS-405 6 x rubber patches 1 Rail mount base 4mm allen key 2 2 ...

lang:tl **score:28** filesize: 6.51 M page_count: 2 document date: 2018-09-21



[\[pdf\]](#) User Manual Owner's Manual

356R508401 Scanstrut RLS 508 401 ROKK Mini Tablet Kit w Screw Down Base CRUTCHFIELD COM

HNEWBERRY Mounting owner s manual Cable tie base Keep your tablet secure in boats cars

powersports vehicles golf carts and more at Crutchfield crutchfieldonline ImageBank v20210104124700

Manuals 356 |||


SCANSTRUT. outdoor tech iOlogi8S™ M IN I I RL 508/509 INSTALLATION

MANUAL www. scanstrut.com Tab ... ----- Tablet Clamp RL-508 Phone Clamp RL-

509 1 2 360 Body 360 RLS-AM 140 0 Screw Down **RLS-401** 0 0 ii 0 : iiiii I I : 4 x

M4x16MM ;--P-o-s-i -S-e-lf-T-a-p--- 61P I I I I S-c-r-e-w...

lang:en **score:28** filesize: 826.29 K page_count: 12 document date: 2021-01-04



[\[pdf\]](#) User Manual Instructions

Rokk Bundle Box Instructions V5 117547 rokk bundle box instructions v5 11NQH Scanstrut Tablethållare

ROKK Mini Kit Rör Rail 117547 rls 508 402 installation static watski files |||


Screw Down **RLS-401** 1 2 Rail Mount RLS-402 1 3 2x 2 3 Zip tie RLS-403 1 4 x

M4x16MM Posi Self Tap Self-Adhesive RLS-404 Screw down base Pencil 1 Power

Drill 1/16 2.0 mm drill bit Posi Screw driver Tape measure Suction Cup RLS-405 6 x

rubber patches 1 Rail mount base 4mm allen key 2 2 ...

lang:tl **score:27** filesize: 6.51 M page_count: 2 document date: 2018-09-21



[\[pdf\]](#) Installation Guide Instructions Parts List Warranty

RL 508 Instructions ai Philip Snook Click Here to Download Installation GuideScanstrut Tablet Mounting

Kit Screw Down Base Curious CampervansRLS 401 Instructionscdn shopify s files 1 0510 2800 0922

RLS v 1749536342 |||

RL-508 Parts List 07-08-2020 Issue 1 Tablet Clamp x1 M6 Penny Washer x1 1 2

Installation Inst ... warranty information please visit: www.scanstrut.com USA 1 860

308 1416 usasales scanstrut.com **RLS-401** Parts List 07-08-2020 Issue 1 Tools

Required Installation Instructions No. 4 X 20 Base ...

lang:en score:26 filesize: 2.21 M page_count: 2 document date: 2020-11-04

[\[pdf\]](#) Guide Catalog

PRODUCT GUIDE BinnacleFeaturing an ultra low profile that s perfect for any outdoor application

Universal fit USB Type A connector Click Lock LidScanStrut Rokk Catalogus binnacle ScanStrut Catalog

srsltid AfmBOoqyy7DcSTDPImbliXhhoMGU2q1pIEVuw4iESbaVYpZso6yPyAY CatalogScanStrut

AfmBOoqyy7DcSTDPImbliXhhoMGU2q1pIEVuw4iESbaVYpZso6yPyAYus

AfmBOOpSFhFa0XjeAHO6ujSt4DvRqBr5a09j4CT0Uu7n6FuKhShjbP L AfmBOOqJhJNLGy

zRWEbu0ntWdMJM5B2UEH4LnUuGiZrdVSfqHUacW9us Lus AfmBOOpdPI2Si5hKF4I

HuM19BW7ldwaVW4VpJHeZehBRuXoyu0ys7yh Catalogv1us

HuM19BW7ldwaVW4VpJHeZehBRuXoyu0ys7yhca

AfmBOOq274O3nCi6uBQOPjfoHEURmR5PkkWyk2MPcB0J4oupLIRs3XUv Catalogv1 ScanStrut

AfmBOOq274O3nCi6uBQOPjfoHEURmR5PkkWyk2MPcB0J4oupLIRs3XUvus

AfmBOoraMOPLzMes5fSwo9Dhqj2KVX19SHltnZIRVOI3TljKUGNxonN9 AfmBOoph zM3wJ tzq7TAf4b

Eq sfWifLMoVkwE 6hLePPWsdTUVvRQus

AfmBOoraMOPLzMes5fSwo9Dhqj2KVX19SHltnZIRVOI3TljKUGNxonN9us

AfmBOorzPi2tQTfONkMpDk7pMsj USivc Bhnzr2T jxvkbPCIFtC0q jxvkbPCIFtC0qus

AfmBOooAHn9hiSabYuL0lCIKcilSGtnQTdZ2Xp8osVhmXjf A5e50O8x A5e50O8xus AfmBOOq

pVu3lklHkHhAd9FzYAaI7jfNkrzdbOfllIRYVXviXyHjDQseR

AfmBOorRY31lXW1AjcqeWXxUfjK9ufUc3fJirrWE811OdSEjLJgn1Zgus

pVu3lklHkHhAd9FzYAaI7jfNkrzdbOfllIRYVXviXyHjDQseRus AfmBOoqgS9A

3MCuuxxZF3RxRgW4zbZqlyJrmw6oyVo86kUwIVr1 hiE

AfmBOooypwlu1ZbsdIG1BFhnlhZENT4XHdi22ysumli1XfmBRW2NnvdVSus

AfmBOoo6tQ72xocYdvEZE02L6xEnP2D4BrSxY4D6g9p6xXrQGYhBD0x6us |||

outdoor . technologies . PRODUCT GUIDE New additions to the range. SC-CW-04E


ROKK Wireless - Act ... lease Adapter RL-521 For devices up to 1.2 KG Bases

Screen Track Plate RL-514 NEW Surface Mount **RLS-401** Rail Mount RLS-402

Cable-Tie RLS-403 Self-Adhesive RLS-404 Suction Cup RLS-405 AMPS bas...

lang:en score:25 filesize: 5.44 M page_count: 24 document date: 2018-11-30





[\[pdf\]](#) Guide

COMMERCIAL C O M scanstrut For sales enquires contact Scanstrut HQ sales@scanstrut 44 0 1392 5311280 USA usasales@scanstrut 1 860 308 1416 To view full range visit 9 Scout Campers Commercial ProductGuide Digital file inline upload Sales Portal |||

COMMERCIAL THE COMMERCIAL COLLECTION outdoor technologies Design Innovation Partner Quality Susta ... elf-Adhesive Base RLS-508-405 ROKK Mini Tablet Mount kit with Suction Cup Base RL-508 Tablet Clamp **RLS-401** Screw Down Base RLS-AM Adjustable Body Accessories RL-509 Phone Clamp RLS-404 Adhesive Base...


lang:en score:23 filesize: 8.21 M page_count: 13 document date: 2025-02-28

[\[pdf\]](#) User Manual

Rokk Mini Technical drawings ai George Bowles For help information ROKK Surface Mount RLS 401 email tel technical@scanstrut 44 0 1803 863800 MAX LOAD 1 2Kg* 2 65 Lbs m 36 60 *assuming product is installed in a dynamic environment where accelerations of up to 6g will be experienced Screw Down User Manual shop camperking co uk |||

ROKK Mini Surface Mount **RLS-401** 4.2 mm 0.17 53 mm 2.08 34 mm 1.33 MAX LOAD 1.2Kg* 2.65 Lbs For help information email: technical scanstrut.com tel: 44 0 1803 863800 Product shown with RLS-AM Adjustable Body RL - 502 Top Plate. 34 mm 1.33 53 mm 2.08 107 mm 4.21 60 mm ...

lang:en score:21 filesize: 81.27 K page_count: 1 document date: 2023-03-30



[\[pdf\]](#) Guide Accessories Borchure

brochure scanstrut images

Experts in Installation Solutions for Marine Electronics 30 Years: 1986 - 2016 Product Guide 2016 1 ... an option for you ROKK Mini Surface Mount Screw Down Base Mount. Fits any flat surface. Part no. **RLS-401** ROKK Mini Rail Mount Rail Mount Base. Fits wide range of rails from 19mm 34mm 3/4 1

lang:en score:21 filesize: 3.66 M page_count: 24 document date: 2016-01-05




[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RLS 401 Drawing scanstrut file inline upload Personal Electronic Mounts |||

ROKK Mini Surface Mount **RLS-401** 4.2 mm 0.17 53 mm 2.08 34 mm 1.33 MAX LOAD 1.2Kg* 2.65 Lbs For help information email: technical scanstrut.com tel: 44 0 1803 863800 Product shown with RLS-AM Adjustable Body RL - 502 Top Plate. 34 mm 1.33 53 mm 2.08 107 mm 4.21 60 mm ...

lang:en score:20 filesize: 85.67 K page_count: 1 document date: 2015-12-09






[\[pdf\]](#) Borchure Catalog

Scanstrut Product Brochure 2016 A4 French indd scanstrut images

Conu pour la vie en mer Expert en solutions d installation pour l lectronique marine 30 ans : 1986 ... ur tube Socle adaptateur montage collier Socle visser. Adapt toute surface plane. Rf. produit : **RLS-401** Conu pour tubes de diamtre 19 - 34 mm. Fourni avec 3 pads souples antidrapants pour une Co...

lang:fr **score:20** filesize: 21.48 M page_count: 24 document date: 2016-03-10



[\[pdf\]](#) Confidentiality Request Letter

2024 Product presentation Edited EL product scanstrut 1 nautiradar pt media catalogs 236 |||

CONFIDENTIAL DOCUMENT 05/16/2023 PRODUCTThanRkAyoNu.GE 2024 About us. CONFIDENTIAL DOCUMENT 05/16 ... KG. RL-512 Lowrance HOOK2 Quick Release Adapter Screen Track Plate RL-514 Bases: Surface Mount **RLS-401** Rail Mount RLS-402 Cable-Tie RLS-403 Self-Adhesive RLS-404 Suction Cup RLS-405 AMPS bas...

lang:en **score:20** filesize: 6.48 M page_count: 31 document date: 2024-02-08



[\[pdf\]](#) Guide Accessories Catalog

Product Guidegproxycia binnacle Scanstrut Catalogue srsItid

AfmBOopsK1SwZaWCaqUMPhODM3TeLQ2vfU6MI0K0vQqytxbv166DCzN6 |||

Experts in Installation Solutions for Marine Electronics 30 Years: 1986 - 2016 Product Guide 2016 1 ... an option for you ROKK Mini Surface Mount Screw Down Base Mount. Fits any flat surface. Part no. **RLS-401** ROKK Mini Rail Mount Rail Mount Base. Fits wide range of rails from 19mm 34mm 3/4 1

lang:en **score:20** filesize: 3.68 M page_count: 24 document date: 2016-01-05


[\[pdf\]](#) Installation Guide Guide Accessories Catalog

Product Guide BinnacleDeck Seals The only guaranteed and proven watertight installation for your antenna navlight cables Intuitive Designv1ca binnacle Scanstrut Catalogue srsItId
AfmBOOpocyhlyj6MxiQ0He9cElpYhtJN45tZRY7 D8JoNLpQYEq8 PR BinnacleProduct DesignSingle combination mount multiple marine electronics Each item is positioned maximum performance Multiple Install up to 4 GPS VHF antennasv1v1ca PRca AfmBOOppfhFrdNgiUgTcCv0b
VbEcm8yrm2Hi4M5QLqNZqw8ZtjpTu6 antennasHS 01 TIP Mounting on a curved arch Adjustable Base Wedge will Headphone Connector 100% waterproof Use with Lifedge iPhone or iPad casev1v1v1ca
VbEcm8yrm2Hi4M5QLqNZqw8ZtjpTu6ca AfmBOOpkmsWXI6KR6BBzl7m0xBzMfu
Av20ugD1TXGjKbnmuuqIHGE casev1v1v1v1ca Av20ugD1TXGjKbnmuuqIHGEca
AfmBOOr4aL6GPYHOLGCjli9CHY8gLbTcGyfeJjSjtJEO z4IRoY wnhV casev1v1v1v1v1ca
AfmBOOpRJtkRX5EKFHdrVBTcNxdjRGct I91I2Wgg2zmAh6mmUwYjddca casev1v1v1v1v1v1ca
AfmBOOo3rillcRFp6X72EYt2M5s60ekQxNBAhRTqF NfWCI3j5MRkPTkca casev1v1v1v1v1v1v1ca
wnhVca AfmBOOpLGK01vbOHNTkzQ3VJ1mchduzjeZD fbK3jrr5qlv0oHjzN W casev1v1v1v1v1v1v1v1ca
Wca AfmBOOrnv0WoshRNbbz7 zO85uBvWlr4IZFFCanRa LrbZ SBKJmWNNXQ
casev1v1v1v1v1v1v1v1v1ca SBKJmWNNXQca



AfmBOOpLKnAXDdG9deXMBj5poEoFt2IKP9ws7GvUqJhYeFo0TwrU4qB
casev1v1v1v1v1v1v1v1v1ca AfmBOOrvbwrskelNEadyk4GZzPkF1J1KFyoeYOKfo3Hzdvl9PE8pOqdhca
casev1v1v1v1v1v1v1v1v1v1ca
AfmBOOpLKnAXDdG9deXMBj5poEoFt2IKP9ws7GvUqJhYeFo0TwrU4qBca
AfmBOOrp95HZfDdB2SyU5MCBzcDsV5Jp51OYPJjpsABJlcMzBwb5ddDe
casev1v1v1v1v1v1v1v1v1v1ca
AfmBOOrp95HZfDdB2SyU5MCBzcDsV5Jp51OYPJjpsABJlcMzBwb5ddDeca
AfmBOOq5bBCXWUB5CmnBtcu5IKNr9pJiZKDjcr0WSmwFjtPDcap36jhN
casev1v1v1v1v1v1v1v1v1v1v1ca
AfmBOOpgbzq6eaZLwiq5OTRCmczSzSp3Yi0M0RrYWmBRoAL8PfHrWH9Dca Binnacle Deck Design
Single antennas HS case v1 ca I91I2Wgg2zmAh6mmUwYjdd NfWCI3j5MRkPTk
AfmBOOrvbwrskelNEadyk4GZzPkF1J1KFyoeYOKfo3Hzdvl9PE8pOqdh
AfmBOOpgbzq6eaZLwiq5OTRCmczSzSp3Yi0M0RrYWmBRoAL8PfHrWH9D
AfmBOOpuiOZNM3g4Qzi6lhHQL 4TxYcm0m2xE7lu5puNuBGx0zilXDduQ caseca
AfmBOOq5bBCXWUB5CmnBtcu5IKNr9pJiZKDjcr0WSmwFjtPDcap36jhNca
4TxYcm0m2xE7lu5puNuBGx0zilXDduQca AfmBOOrmvifcnfklehbXL0lpRfLoCeLBAK zxkmPLIV55suLy
qb8sVk qb8sVka AfmBOOq3H46GcojY Kd5JBXLVURilIG YqCRH3kh2rDrv5Jd4LpSS9h |||
Experts in Installation Solutions for Marine Electronics 30 Years: 1986 - 2016 Product
Guide 2016 1 ... an option for you ROKK Mini Surface Mount Screw Down Base
Mount. Fits any flat surface. Part no. **RLS-401** ROKK Mini Rail Mount Rail Mount
Base. Fits wide range of rails from 19mm 34mm 3/4 1
lang:en score:20 filesize: 3.66 M page_count: 24 document date: 2016-01-05

[\[pdf\]](#) Specifications Dimension Guide Guide



RL 521 v2 Quick Guide Scanstrut ROKK Release Adapter f Lowrance Hook2 self adhesive rail zip tie and kayak track is the pro s choice No 1 mounting Specifications Mounting Style UniversalBox Dimensions 3 H x W 6 L WT 0 15 lbsUPC 5060114797215 74931QG productimageserver literature quickGuide |||
Lowrance Hook 2 mount RL-521 For help information email: sales scanstrut.com tel: 44 0 1392 531280 197.5mm 7.78 66.7mm 2.62 86.6mm 3.41 46mm 1.81 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount RLS-521 is compatible with the Lowrance HOOK2-4X/4XGPS/5X/5 ...
lang:en score:20 filesize: 204.89 K page_count: 1 document date: 2018-08-31

SCANSTRUT®

Euro
2022 retail price list
(Effective 8th June 2022)

Cable Seals1
Mast Mounts (Fixed)2
Self Levelling Radar Mounts3
Pole Mounts4
Power Towers5
Tapered Masts5
Modular Dual Power Towers6
Scanpod7
Satcom Mounts8
Camera Mounts8
ROKK Mounts9
Wireless Phone Charging11
USB Charging11

Scanstrut Ltd
5 Delta Business Park
Claydon St George
Exeter, EX2 1QJH
U.K.


sales@scanstrut.com
+44 (0)1392 621380
www.scanstrut.com

[pdf] Declaration of Conformity Price List

Euro 2022 retail price list Painestore APT LB GPS2 01 Central Bar Wing Plate for 2 x Antenna 1 Navlight
For ROKK Adapter Midi Garmin GPS MAP 700 Series Echo Map 70 listino scanstrut painestore it dl doc
id 8 t m |||

Euro 2022 retail price list Effective 8th June 2022 Cable Seals
... nder 1.2KG. Now select mini base 3 . RLS-AM ROKK Mini Adjustable Body 43.75 3
ROKK Mini Base **RLS-401** ROKK Mini Screw Down Base RLS-402 ROKK Mini Rail
Base RLS-403 ROKK Mini Cable Tie Base ...

lang:it **score:20** filesize: 237.4 K page_count: 13 document date: 2022-06-09




[pdf] Catalog

Rokk Mini Technical drawings ai George Bowles rls 401 technical drawing Scanstrut Adjustable Deck
Mount Only LKQ Aquafax d1xmKx19apgl7d cloudfront net files catalogue products |||

ROKK Mini Surface Mount **RLS-401** 4.2 mm 0.17 53 mm 2.08 34 mm 1.33 MAX
LOAD 1.2Kg* 2.65 Lbs For help information email: technical@scanstrut.com tel: 44 0
1803 863800 Product shown with RLS-AM Adjustable Body RL - 502 Top Plate. 34
mm 1.33 53 mm 2.08 107 mm 4.21 60 mm ...

lang:it **score:19** filesize: 77.53 K page_count: 1 document date: 2021-04-26



[pdf] Borchure

MARINE 2 days ago — Simply slide your phone into the pocket and instantly start wirelessly charging 3
Coil Store Charge IPX5 IPX6 waterproof Wireless charge 15W output Scanstrut Marine Brochure 2025
yachtech ch resources |||

MARINE THE MARINE COLLECTION outdoor technologies Design Innovation
Partner Quality Sustainabilit ... Tablet Mount kit with Suction Cup Base MOUNT RL-
508 Tablet Clamp Accessories RL-509 Phone Clamp **RLS-401** Screw Down Base
RLS-404 Adhesive Base RL-511 1/4 Camera / Projector Plate RLS-405 Suction...

lang:en **score:18** filesize: 21.12 M page_count: 45 document date: 2025-02-17

SCANSTRUT
designed for life at sea

Preliston gltig ab 10.07.2018

General Importeur
Yachtech AG/SA
Obere Schwandenstr. 10
88333 Samst
T: 0049 0747 47 47

Code	Description	Preis
001	General Importeur	1.000,00
002	General Importeur	1.000,00
003	General Importeur	1.000,00
004	General Importeur	1.000,00
005	General Importeur	1.000,00
006	General Importeur	1.000,00
007	General Importeur	1.000,00
008	General Importeur	1.000,00
009	General Importeur	1.000,00
010	General Importeur	1.000,00
011	General Importeur	1.000,00
012	General Importeur	1.000,00
013	General Importeur	1.000,00
014	General Importeur	1.000,00
015	General Importeur	1.000,00
016	General Importeur	1.000,00
017	General Importeur	1.000,00
018	General Importeur	1.000,00
019	General Importeur	1.000,00
020	General Importeur	1.000,00
021	General Importeur	1.000,00
022	General Importeur	1.000,00
023	General Importeur	1.000,00
024	General Importeur	1.000,00
025	General Importeur	1.000,00
026	General Importeur	1.000,00
027	General Importeur	1.000,00
028	General Importeur	1.000,00
029	General Importeur	1.000,00
030	General Importeur	1.000,00
031	General Importeur	1.000,00
032	General Importeur	1.000,00
033	General Importeur	1.000,00
034	General Importeur	1.000,00
035	General Importeur	1.000,00
036	General Importeur	1.000,00
037	General Importeur	1.000,00
038	General Importeur	1.000,00
039	General Importeur	1.000,00
040	General Importeur	1.000,00
041	General Importeur	1.000,00
042	General Importeur	1.000,00
043	General Importeur	1.000,00
044	General Importeur	1.000,00
045	General Importeur	1.000,00
046	General Importeur	1.000,00
047	General Importeur	1.000,00
048	General Importeur	1.000,00
049	General Importeur	1.000,00
050	General Importeur	1.000,00
051	General Importeur	1.000,00
052	General Importeur	1.000,00
053	General Importeur	1.000,00
054	General Importeur	1.000,00
055	General Importeur	1.000,00
056	General Importeur	1.000,00
057	General Importeur	1.000,00
058	General Importeur	1.000,00
059	General Importeur	1.000,00
060	General Importeur	1.000,00
061	General Importeur	1.000,00
062	General Importeur	1.000,00
063	General Importeur	1.000,00
064	General Importeur	1.000,00
065	General Importeur	1.000,00
066	General Importeur	1.000,00
067	General Importeur	1.000,00
068	General Importeur	1.000,00
069	General Importeur	1.000,00
070	General Importeur	1.000,00
071	General Importeur	1.000,00
072	General Importeur	1.000,00
073	General Importeur	1.000,00
074	General Importeur	1.000,00
075	General Importeur	1.000,00
076	General Importeur	1.000,00
077	General Importeur	1.000,00
078	General Importeur	1.000,00
079	General Importeur	1.000,00
080	General Importeur	1.000,00
081	General Importeur	1.000,00
082	General Importeur	1.000,00
083	General Importeur	1.000,00
084	General Importeur	1.000,00
085	General Importeur	1.000,00
086	General Importeur	1.000,00
087	General Importeur	1.000,00
088	General Importeur	1.000,00
089	General Importeur	1.000,00
090	General Importeur	1.000,00
091	General Importeur	1.000,00
092	General Importeur	1.000,00
093	General Importeur	1.000,00
094	General Importeur	1.000,00
095	General Importeur	1.000,00
096	General Importeur	1.000,00
097	General Importeur	1.000,00
098	General Importeur	1.000,00
099	General Importeur	1.000,00
100	General Importeur	1.000,00

[pdf] Accessories

Scanstrut Preisliste CHF 18 07 10 Yachtech POWERTOWER® Accessories Dual Pole Mounted
Complete kit including base pole top plate levelling cradle 2 x 1800mm deck strut DLMP1 30 on 5m
SC100 Mount for 2kW 4kW Raymarine Garmin and Navico BR24 3G 4G radomes yachtech ch resources
|||

Preisliste gltig ab 10.07.2018 General Importeur Yachtech AG/SA Obere
Schwandenstr 10 a 88333 Samsta ... y Fr. RL-RM Fixed rail mount - rail clamp order
top plate separately Fr. 3 ROKK Mini Base **RLS-401** ROKK Mini Surface Mount Fr.
RLS-402 ROKK Mini Rail Mount Fr. RLS-403 ROKK Mini Cable ...

lang:en **score:17** filesize: 116.96 K page_count: 6 document date: 2018-07-18

[illegible]

SCANSTRUT	
Euro	
2022 retail price list	
(Effective 8th June 2022)	
Cable Seals	1
Mast Mounts (Fixed)	2
Self-Leveling Radar Mounts	3
Pole Mounts	4
Power Towers	5
Tapered Masts	5
Modular Dual Power Towers	6
Scanpod	7
Satcom Mounts	8
Camera Mounts	8
ROKK Mounts	9
Wireless Phone Charging	11
USB Charging	11

Scanstrut Ltd
5 Delta Business Park
Clwyd St George
Exeter, EX2 1QJH
U.K.

sales@scanstrut.com
+44 (0)1392 631380
www.scanstrut.com

[\[pdf\]](#) Declaration of Conformity Price List

Euro 2022 retail price list PainestorePTM R1 S40 Tapered radar and satcom mast with lights cameras
GPS VHF ROKK Adapter Plate Midi for Garmin MAP 400 600 Echo 100 550listino scanstrutpainestore it
dl doc id 8 t m srsltid AfmBOooPf EoEgTPEJj3QPLm F9jdh3SoHQsVP5wU78X284KXbqQ8Sw |||

Euro 2022 retail price list Effective 8th June 2022 Cable Seals
... nder 1.2KG. Now select mini base 3 . RLS-AM ROKK Mini Adjustable Body 43.75 3
ROKK Mini Base **RLS-401** ROKK Mini Screw Down Base RLS-402 ROKK Mini Rail
Base RLS-403 ROKK Mini Cable Tie Base ...



lang:it **score:15** filesize: 237.4 K page_count: 13 document date: 2022-06-09

[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RL 511 Drawing Scanstrut For help information email
technical@scanstrut tel 44 0 1803 863800 ® Product shown with RLS AM Adjustable Body 401 Surface
Mount scanstrut file inline upload Personal Electronic Mounts

1/4" Thread Camera Plate RL-511 32 mm 1.26 For help information email: technical
scanstrut.com tel: 44 0 1803 863800 MAX LOAD 1.2Kg* 2.65 Lbs 1/4 - 20 UNC
thread 3 mm 0.12 60 mm 2.36 Product shown with RLS-AM Adjustable Body **RLS-401**
Surface Mount *assuming product is installed ...

lang:it **score:13** filesize: 150.77 K page_count: 1 document date: 2015-12-10




[\[pdf\]](#)

19060383 Scanstrut Tech Drawing George Bowles newcontent westmarine documents s OwnersManuals
ELECTRONICS

ROKK Mini Surface Mount**RLS-401** 4.2 mm 0.17 53 mm 2.08 34 mm 1.33 MAX
LOAD 1.2Kg* 2.65 Lbs For help information email: technical scanstrut.com tel: 44 0
1803 863800 Product shown with RLS-AM Adjustable Body RL - 502 Top Plate. 34
mm 1.33 53 mm 2.08 107 mm 4.21 60 mm ...

lang:it **score:13** filesize: 1.45 M page_count: 1 document date: 2018-04-12




[\[pdf\]](#)

ROKK Mounts Technical drawings ai George Bowles RL 521 Drawing scanstrut file inline upload Personal Electronic

Lowrance Quick Release Adapter RL-521 Email: sales scanstrut.com Email: usasales scanstrut.com 197.5mm 7.78 66.7mm 2.62 86.6mm 3.40 46mm 1.81 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount RL-521 is compatible with the Simrad Cruise 5, Lowrance HOOK 2/HOOK 2 Reveal...

lang:it **score:12** filesize: 146.59 K page_count: 1 document date: 2020-02-07




[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RLS AM scanstrut file inline upload Personal Electronic Mounts

Rokk Mini Adjustable Body RLS-AM MAX LOAD 1.2Kg* 2.65 Lbs Product shown with RL - 502 top plate **RLS-401** base. For help information email: technical scanstrut.com tel: 44 0 1803 863800 107 mm 4.21 60 mm 2.36 *assuming product is installed in a dynamic environment where acceleratio...

lang:it **score:12** filesize: 137.93 K page_count: 1 document date: 2015-12-09




[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RL 510 Drawing scanstrut file inline upload Personal Electronic Mounts

GoPro Plate RL-510 For help information email: technical scanstrut.com tel: 44 0 1803 863800 27 mm 1.06 36 mm 1.42 180 mm 7.09 112 mm 4.41 32 mm 1.26 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount ...

lang:it **score:12** filesize: 219.5 K page_count: 1 document date: 2015-12-10




[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RL 512 Drawing scanstrut file inline upload Personal Electronic Mounts

Raymarine Dragonfly 4 5 Mount RL-512 For help information email: technical scanstrut.com tel: 44 0 1803 863800 42 mm 1.65 220 mm 8.66 16 mm 0.63 27 mm 1.06 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount ...

lang:it **score:12** filesize: 355.53 K page_count: 1 document date: 2015-12-10




[\[pdf\]](#)

Rokk Mini Technical drawings ai George Bowles RL 514 Drawing scanstrut file inline upload Personal Electronic Mounts

Track Adapter for Screens RL-514 For help information email: technical scanstrut.com tel: 44 0 1392 531280 42 mm 1.65 10.5 mm 0.41 6.2 mm 0.24 122 mm 4.80 16 mm 0.63 27 mm 1.06 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount ...

lang:it **score:12** filesize: 93.77 K page_count: 1 document date: 2017-05-08




[pdf]

19060375 Scanstrut Tech Drawing George Bowles West Marine For help information email technical@scanstrut tel 44 0 1803 863800 MAX LOAD 1.2Kg* 2.65 Lbs 107 mm 4.21 6.3 m 60 *assuming product is installed in a dynamic environment where accelerations of up to 6g will be experienced newcontent westmarine documents s OwnersManuals ELECTRONICS |||

Rokk Mini Adjustable Body RLS-AM MAX LOAD 1.2Kg* 2.65 Lbs Product shown with RL - 502 top plate **RLS-401** base. For help information email: technical scanstrut.com tel: 44 0 1803 863800 107 mm 4.21 60 mm 2.36 *assuming product is installed in a dynamic environment where acceleratio...

lang:it score:12 filesize: 1.5 M page_count: 1 document date: 2018-04-12




[pdf] Catalog

Rokk Mini Technical drawings ai George Bowles 6 80559 technical drawing Scanstrut Track Adapter for ROKK Midi and Screens d1xm kx19apgl7d cloudfront net files catalogue products |||

Track Adapter for Screens RL-514 For help information email: technical scanstrut.com tel: 44 0 1392 531280 42 mm 1.65 10.5 mm 0.41 6.2 mm 0.24 122 mm 4.80 16 mm 0.63 27 mm 1.06 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount ...

lang:it score:12 filesize: 87.28 K page_count: 1 document date: 2022-01-26




[pdf] Catalog

Rokk Mini Technical drawings ai George Bowles rls am technical drawing Scanstrut Adjustable Body Only LKQ Aquafax d1xm kx19apgl7d cloudfront net files catalogue products |||

Rokk Mini Adjustable Body RLS-AM MAX LOAD 1.2Kg* 2.65 Lbs Product shown with RL - 502 top plate **RLS-401** base. For help information email: technical scanstrut.com tel: 44 0 1803 863800 107 mm 4.21 60 mm 2.36 *assuming product is installed in a dynamic environment where acceleratio...

lang:it score:12 filesize: 122.25 K page_count: 1 document date: 2021-04-26




[pdf] Catalog

Rokk Mini Technical drawings ai George Bowles rl 511 technical drawing Scanstrut Midi 1 4 Camera Plate LKQ Aquafax d1xm kx19apgl7d cloudfront net files catalogue products |||

1/4 Thread Camera Plate RL-511 32 mm 1.26 For help information email: technical scanstrut.com tel: 44 0 1803 863800 MAX LOAD 1.2Kg* 2.65 Lbs 1/4 - 20 UNC thread 3 mm 0.12 60 mm 2.36 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount *assuming product is installed ...

lang:it score:11 filesize: 143.04 K page_count: 1 document date: 2021-04-26



[pdf] Catalog

Rokk Mini Technical drawings ai George Bowles rl 512 technical drawing Scanstrut Midi Top Plate Raymarine Dragonfly 4 5 7 LKQ Aquafax d1xm kx19apgl7d cloudfront net files catalogue products |||

Raymarine Dragonfly 4 5 Mount RL-512 For help information email: technical scanstrut.com tel: 44 0 1803 863800 42 mm 1.65 220 mm 8.66 16 mm 0.63 27 mm 1.06 Product shown with RLS-AM Adjustable Body **RLS-401** Surface Mount ...

lang:it score:11 filesize: 342.33 K page_count: 1 document date: 2021-04-26

