Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Brightech /
- > Brightech Litespan Slim LED Floor Lamp User Manual

Brightech LTSPAN-CLRS-NW

Brightech Litespan Slim LED Floor Lamp User Manual

Model: LTSPAN-CLRS-NW

1. Introduction

Thank you for choosing the Brightech Litespan Slim LED Floor Lamp. This manual provides essential information for the safe and efficient use of your new lamp. Please read these instructions carefully before assembly and operation, and retain them for future reference.



Figure 1: Brightech Litespan Slim LED Floor Lamp

2. PACKAGE CONTENTS

Before beginning assembly, ensure all parts are present and undamaged. If any parts are missing or damaged, please contact Brightech customer support.

- Lamp head with integrated LED fixture
- Pole sections (typically 2-3 sections)
- Weighted base
- Power adapter



Figure 2: Lamp Components

3. SETUP INSTRUCTIONS

Follow these steps to assemble your Brightech Litespan Slim LED Floor Lamp:

- 1. **Attach Pole Sections:** Carefully screw the pole sections together clockwise. Ensure threads are aligned to prevent cross-threading. Tighten securely but do not overtighten.
- 2. Connect to Base: Screw the assembled pole into the weighted base. Ensure it is stable and upright.
- 3. Attach Lamp Head: Connect the flexible gooseneck of the lamp head to the top pole section.
- 4. Plug In: Insert the power adapter into a standard 110V AC wall outlet.



Figure 3: Sturdy Weighted Base for Stability

4. OPERATING INSTRUCTIONS

Your Litespan Slim LED Floor Lamp features intuitive controls for personalized lighting.

4.1 Power On/Off and Color Temperature Adjustment

The lamp is controlled by a touch switch located on the lamp head:

- Short Press: A short press of the touch switch will cycle through three color temperature settings: 3000K (warm white), 4500K (mix of warm and cool white), and 6000K (cool white/natural daylight).
- Power Off: Continue short pressing until the lamp turns off, or long press to dim to off.

4.2 Brightness Dimming

To adjust the brightness:

• Long Press: While the lamp is on, press and hold the touch switch for a smooth gradient dimming effect. Release the button when the desired brightness is reached.

4.3 Memory Function

The lamp is equipped with a memory function that remembers your last selected color temperature and brightness setting, so there is no need to readjust every time you turn it on.

4.4 Gooseneck Adjustment

The flexible gooseneck allows you to direct the light precisely where needed. Gently bend the gooseneck to position the lamp head for optimal illumination for reading, crafting, or other tasks.



Figure 4: Adjustable Lighting Controls



Figure 5: Flexible Gooseneck Design

5. MAINTENANCE

The Brightech Litespan Slim LED Floor Lamp requires minimal maintenance.

- Cleaning: To clean the lamp, ensure it is unplugged. Use a soft, dry cloth to wipe down surfaces. Avoid using abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or electrical components.
- **LEDs:** The lamp features integrated LED lighting, which is designed for long-lasting performance. The LED bulbs are not replaceable.

6. TROUBLESHOOTING

If you encounter issues with your lamp, please refer to the following common solutions:

• Lamp Not Turning On:

- Ensure the power adapter is securely plugged into both the lamp and a functional wall outlet.
- Verify that the wall outlet is receiving power by testing it with another device.

• Light Flickering:

- Check all connections to ensure they are tight and secure.
- Ensure the lamp is connected to a stable power source.

• Difficulty Assembling Pole Sections:

• Ensure pole sections are aligned straight before twisting to avoid cross-threading. Do not force connections.

• Inconsistent Brightness/Color:

 Confirm you are using the original power adapter provided with your lamp. Using an incorrect power supply (e.g., different voltage) can affect performance.

If these steps do not resolve the issue, please contact Brightech customer support.

7. SPECIFICATIONS

Feature	Specification
Model Name	LTSPNCLRNW
Product Dimensions	9.5"D x 10.5"W x 61"H
Lamp Type	Floor Lamp
Light Source Type	LED
Wattage	12.00 Watts
Brightness	900 Lumens
Voltage	110 Volts
Color	Natural Wood
Finish Type	Matte
Base Material	Wood
Special Feature	Dimmable, Full Spectrum
Switch Type	Touch
Item Weight	9.75 pounds
UPC	853799005912


8. WARRANTY AND SUPPORT

Brightech stands behind the quality of its products. Your Brightech Litespan Slim LED Floor Lamp is covered by a **3-Year Product Warranty**. This warranty covers any defects in materials or workmanship that may arise within three years of purchase.

If your lamp stops working or if you encounter any defects within the warranty period, please contact Brightech customer support for assistance. Our goal is to ensure your satisfaction with our products.

For further support or warranty claims, please visit the official Brightech website or contact our customer service team directly.

Related Documents - LTSPAN-CLRS-NW





WilTec Reverse Osmosis (RO) System Operation Manual

This operation manual from WilTec provides detailed instructions for setting up, using, and maintaining their Reverse Osmosis (RO) water purification systems. It covers system components, operational principles, installation steps, troubleshooting common issues, and important safety precautions for models like the NW-RO50 series and NW-RO400.