

## Fantini Cosmi CH121

# Fantini Cosmi CH121 Backlit Built-in Programmable Thermostat User Manual

Model: CH121 | Brand: Fantini Cosmi

## 1. INTRODUCTION

The Fantini Cosmi CH121 is an electronic microprocessor programmable thermostat designed for precise control of heating and air conditioning systems. This device features weekly programming capabilities and operates efficiently using two AAA 1.5V alkaline batteries, eliminating the need for direct electrical line connections. This manual provides essential information for the proper installation, operation, and maintenance of your CH121 thermostat.



Image 1.1: Fantini Cosmi CH121 thermostat in its retail packaging. The packaging displays the model numbers CH121 and CH123, along with images of the thermostat in different finishes.

## 2. PRODUCT FEATURES

- **Microprocessor Control:** Electronic microprocessor for accurate temperature management in heating and air conditioning systems.
- **Battery Powered:** Operates on 2 AAA 1.5V alkaline batteries, ensuring independence from the main electrical line.
- **Backlit LCD Display:** Features a graphic LCD screen with mixed blue LED backlight, offering adjustable backlight duration for clear visibility.
- **User Interface:** Equipped with 4 function keys: On/Off, Comfort (for temperature adjustment), and Economy.
- **Temperature Display Options:** Allows selection of temperature display in Celsius (°C) or Fahrenheit (°F).
- **Adjustable Differential:** Provides an adjustable temperature differential for customized comfort.
- **Contact Rating:** 5 (3) A 250 VCA, with a voltage-free switching contact.
- **Protection Index:** IP20.
- **Compliance:** Conforms to EN 60730 – 2-9 standards.
- **Compatibility:** Designed to be compatible with most common civil series plates, including Bticino, Vimar, Gewiss, and Legrand.



Image 2.1: Front view of the Fantini Cosmi CH121 thermostat, showcasing its backlit LCD display and four control buttons. The display shows a temperature reading of 21.0 degrees.

### 3. PACKAGE CONTENTS

---

The Fantini Cosmi CH121 package includes the following components:

- 1x CH121 Thermostat Unit
- 3x Colored Covers (White, Silver, Anthracite)
- 3x Special Cases for Bticino Axolute and Ave System 44 (White, Silver, Anthracite)
- 3x Pairs of Colored Adapters (White, Silver, Anthracite)
- 1x Pair of Adapters for Bticino Matix (White)
- 2x Frames for compatibility with various common plates



Image 3.1: A collection of interchangeable frames and covers included with the Fantini Cosmi CH121 thermostat, available in black, silver, and white to match different interior designs.



Image 3.2: Various mounting frames provided with the Fantini Cosmi CH121 thermostat, designed to ensure compatibility with a wide range of electrical plate systems.

## 4. SETUP AND INSTALLATION

---

The CH121 thermostat is designed for built-in installation. Follow these general guidelines for proper setup:

1. **Power Off:** Before beginning any installation, ensure that the main power supply to the heating/cooling system is turned off at the circuit breaker to prevent electrical shock.
2. **Mounting Location:** Select an appropriate location on a wall, away from direct sunlight, drafts, or heat sources that could affect temperature readings.



3. **Wiring:** Connect the thermostat to your heating/cooling system according to the wiring diagram provided in the full product manual. The CH121 uses voltage-free switching contacts. Refer to the terminals labeled 1, 2, and 4 on the back of the unit.
4. **Battery Installation:** Insert 2 AAA 1.5V alkaline batteries into the designated battery compartment. Ensure correct polarity.
5. **Plate Compatibility:** Utilize the provided frames and adapters to ensure seamless integration with your existing electrical plates. The CH121 is compatible with popular plate series such as Bticino Living Code, Light, Axolute, Matix; Vimar IDEA, Rondò, Plana, Eikon; Gewiss Chorus One, Lux, Art; Ave System 45, Banquise, Black, White, Yes, System 44 Zama, Personal; and Legrand Cross, Voile, Quadra, Vela Tonda.
6. **Secure Mounting:** Once wired and batteries are installed, securely mount the thermostat into the wall box using the appropriate frame and cover.
7. **Power On:** Restore power to the system at the circuit breaker.



Image 4.1: Rear view of the Fantini Cosmi CH121 thermostat, showing the wiring terminals (labeled 1, 2, 4) and specifications such as 5(3)A 250V~ T45, indicating its electrical rating and temperature class.

## 5. OPERATING INSTRUCTIONS

The CH121 thermostat features a user-friendly interface with four main function keys:

- **On/Off Button:** Toggles the thermostat power on or off.
- **Comfort Button:** Used to adjust the desired temperature up or down. Pressing this button typically activates the backlight first, then subsequent presses adjust the setting.
- **Economy Buttons:** These buttons are used to set or activate economy modes, which typically maintain

a lower temperature to save energy.

#### General Operation:

1. **Activating the Display:** When the display is off (but the thermostat is active), the first press of any button will typically only activate the backlight. Subsequent presses will then perform the button's function.
2. **Setting Temperature:** Use the Comfort buttons to increase or decrease the target temperature. The display will show the set temperature temporarily.
3. **Weekly Programming:** Refer to the detailed programming section in the complete manual for instructions on setting weekly schedules for heating and cooling. This allows for automated temperature adjustments throughout the week.
4. **Temperature Unit Selection:** The thermostat allows you to switch between Celsius (°C) and Fahrenheit (°F) display modes. Consult the full manual for the specific key combination or menu option to change this setting.
5. **Backlight Duration:** The duration for which the backlight remains active can be adjusted. Refer to the full manual for instructions on customizing this setting.

## 6. MAINTENANCE

---

To ensure optimal performance and longevity of your Fantini Cosmi CH121 thermostat, follow these maintenance guidelines:

- **Battery Replacement:** The thermostat is powered by 2 AAA 1.5V alkaline batteries. Replace them when the low battery indicator appears on the display. Always use new, high-quality alkaline batteries.
- **Cleaning:** Clean the thermostat's exterior with a soft, dry cloth. Do not use abrasive cleaners, solvents, or chemical sprays, as these can damage the display or casing.
- **Avoid Obstructions:** Ensure that the thermostat is not obstructed by furniture, curtains, or other objects that could interfere with accurate temperature sensing.
- **Environmental Conditions:** The maximum ambient temperature for operation is 45 °C. Avoid exposing the thermostat to extreme temperatures or humidity.

## 7. TROUBLESHOOTING

---

If you encounter issues with your CH121 thermostat, consider the following common solutions:

- **No Display/Thermostat Not Responding:** Check if the batteries are correctly installed and have sufficient charge. Replace batteries if necessary.
- **Inaccurate Temperature Reading:** Ensure the thermostat is not exposed to direct sunlight, drafts, or heat sources. Verify that the air vents on the unit are not blocked.
- **Heating/Cooling System Not Activating:** Check the thermostat's mode (heating/cooling) and set temperature. Ensure the system's circuit breaker is on. Verify wiring connections.
- **Display Illegibility:** While the display is backlit, some users have reported challenges with readability under certain conditions. Ensure adequate ambient lighting.
- **Battery Indicator Always On (with rechargeable batteries):** Rechargeable batteries often have a slightly lower voltage (e.g., 1.2V) compared to alkaline batteries (1.5V). This lower voltage may cause the low battery indicator to remain active even when the batteries are fully charged. This is a characteristic behavior and does not necessarily indicate a fault.

For more detailed troubleshooting or complex issues, please refer to the comprehensive manual available on the manufacturer's website or contact Fantini Cosmi customer support.

## 8. SPECIFICATIONS

| Specification                  | Detail                                   |
|--------------------------------|------------------------------------------|
| Brand                          | Fantini Cosmi                            |
| Model Number                   | CH121                                    |
| Power Supply                   | 2 x AAA 1.5V Alkaline Batteries          |
| Contact Rating                 | 5 (3) A 250 VCA                          |
| Voltage                        | 15 Volts (internal circuit)              |
| Protection Index               | IP20                                     |
| Max Ambient Temperature        | 45 °C                                    |
| Product Dimensions (L x W x H) | 5.2 x 5.8 x 6.8 cm                       |
| Item Weight                    | 180 grams                                |
| Color                          | Multicolor (with interchangeable covers) |
| Compliance                     | EN 60730 – 2-9                           |




Image 8.1: The Fantini Cosmi CH121 thermostat held in a hand, illustrating its compact size with approximate dimensions of 2.7 inches (6 cm) in height.

## 9. WARRANTY AND SUPPORT

For information regarding warranty coverage, technical support, or to download the complete product manual, please visit the official Fantini Cosmi website. The manufacturer's website often provides comprehensive documentation and contact details for customer assistance.


You can find more information on the official product page:[Fantini Cosmi IntelliComfort Thermostat](#)

## Related Documents - CH121

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>C800WIFI</b><br/>LED PROGRAMMABLE THERMOSTAT WITH SMART FUNCTIONS</p> <ul style="list-style-type: none"><li>• Wireless design with only 1 LED</li><li>• 100% wireless</li><li>• Features the heating and cooling systems</li><li>• Remote control through WiFi for temperature and time</li><li>• Smart functions for an alternative control to the traditional one</li></ul> <p><b>FEATURES</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>INSTALLATION AND STANDARDS</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>ENGINEERING DATA</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> | <p><a href="#">Fantini Cosmi C800WIFI Smart Programmable Thermostat - Features, Specs. and Operation</a></p> <p>Detailed information on the Fantini Cosmi C800WIFI LED programmable thermostat with smart functions. Covers installation, electrical features, general specifications, advanced functions like AGC and geolocation, operational modes, and remote control via the Intelliclima+ app.</p>                                                                                                                          |
|  <p><b>INTELLICOMFORT CH180</b><br/>TOUCHSCREEN PROGRAMMABLE THERMOSTAT WITH BATTERIES</p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>FEATURES</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>INSTALLATION AND STANDARDS</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>ENGINEERING DATA</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul>                                                                                                                                                   | <p><a href="#">Fantini Cosmi Intellicomfort CH180 Programmable Thermostat - Features &amp; Installation</a></p> <p>Comprehensive guide to the Fantini Cosmi Intellicomfort CH180 touchscreen programmable thermostat. Details include technical specifications, installation instructions, electrical features, general operating modes (Manual, Auto, Holiday, Jolly, Off), and homologation standards.</p>                                                                                                                      |
|  <p><b>Fantini Cosmi</b></p> <p><b>CH180-230V</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <p><a href="#">Fantini Cosmi CH180-230V Programmable Thermostat - Quick Guide</a></p> <p>This document provides a quick guide for the Fantini Cosmi CH180-230V programmable thermostat, covering installation, electrical connection, display features, settings, technical specifications, and disposal information.</p>                                                                                                                                                                                                         |
|  <p><b>CH180T3K5</b><br/>WIRELESS 4-ZONE THERMOREGULATION KIT WITH WIFI CONNECTION</p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>FEATURES</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>INSTALLATION AND STANDARDS</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>ENGINEERING DATA</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul>                                                                                                                                                     | <p><a href="#">Fantini Cosmi CH180T3K5 Wireless 4-Zone Thermoregulation Kit with WiFi</a></p> <p>This document provides comprehensive details on the Fantini Cosmi CH180T3K5 Wireless 4-Zone Thermoregulation Kit. It covers kit overview, installation, technical specifications for the CH180RFWIFI thermostat, CH120RF room thermostat, and O60RF radiator actuator, operational modes, remote control via the Intelliclima+ app, system examples, and available accessories. Designed for efficient home climate control.</p> |
|  <p><b>Intellicomfort CH141E-CH143E</b><br/>Flush mounting weekly programmable thermostat, battery operated and 230V</p> <p><b>FEATURES</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>INSTALLATION AND STANDARDS</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul> <p><b>ENGINEERING DATA</b></p> <ul style="list-style-type: none"><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li><li>• 100% wireless</li></ul>                                                                                                                                                                                                                                                           | <p><a href="#">Intellicomfort CH141E-CH143E Programmable Thermostat - Fantini Cosmi</a></p> <p>Detailed technical specifications, features, and installation guide for the Fantini Cosmi Intellicomfort CH141E and CH143E flush-mounting weekly programmable thermostats. Learn about their operation, settable temperatures, and compatibility.</p>                                                                                                                                                                              |







### [\[pdf\]](#) User Manual

FLUSH MOUNTING ROOM THERMOSTAT CH121 Gewiss Chorus One Lux Art B 2 NO YES position A  
1 user manual 3 PERFORM THE FOLLOWING OPERATIONS act on the master switch electric panel to  
cut power electrical system The thermostat is equipped with 4 keys function of which varies depending  
situation It described by symbol istruzioni EN79721C fantinicosmi it 2018 04 |||


FLUSH MOUNTING ROOM THERMOSTAT cover plate not included **CH121**  
CONTENTS OF PACKAGE 1 thermostat 3 frames 3 coloured covers, type A 3  
coloured covers, type B 3 pairs of adapters 1 pair of special adapters for Bticino Matix  
2 screws 1 user manual 1 INSTALLATION The **CH121** chronothermostat m...  
lang:en **score:35** filesize: 447.65 K page\_count: 12 document date: 2020-03-16



### [\[pdf\]](#)

CH121 istruzioni FantiniCosmi 5679721E fantinicosmi it 2020 12 |||

TERMOSTATO AMBIENTE DA INCASSO placca non compresa **CH121**  
CONTENUTO DELLA CONFEZIONE 1 termostato 4 telai 3 cover colorate tipo A 3  
cover colorate tipo B 3 coppie adattatori 1 coppia adattatori speciale per Bticino Matix  
2 viti 1 manuale utente 1 INSTALLAZIONE Il cronotermistato **CH121** va ...  
lang:it **score:33** filesize: 1.29 M page\_count: 12 document date: 2020-12-02



### [\[pdf\]](#) Datasheet Dimension Guide

Fantini Cosmi CH121 CH123 EN technical data sheet 1 fantinicosmi it 2018 04 |||

**CH121-CH123** Flush mounting thermostat, with batteries or power supply at 230V-50Hz Thermostat with microprocessor to control heating and air-conditioning installations. Dimensions mm **CH121** CH123 Temperature Prescribed regulation range differential\* 2 40 C 2 40 C 0,25 K 0,25 K Temperature...

lang:en **score:32** filesize: 403.27 K page\_count: 3 document date: 2019-11-20



CH121

[pdf]

TERMOSTATO AMBIENTE DA INCASSO CH121 istruzioni 5679721Dfantinicosmi it 2018 04 CH121 5679721D |||

TERMOSTATO AMBIENTE DA INCASSO placca non compresa **CH121**


CONTENUTO DELLA CONFEZIONE 1 termostato 4 telai 3 cover colorate tipo A 3 cover colorate tipo B 3 coppie adattatori 1 coppia adattatori speciale per Bticino Matix 2 viti 1 manuale utente 1 INSTALLAZI...

lang:it score:32 filesize: 1.28 M page\_count: 12 document date: 2020-03-18

## CH121-CH123

Termostati da incasso, a batterie e a 230V-50Hz

Termostati elettronici a microprocessore, per il comando di impianti di riscaldamento e di condizionamento.



|       | Scala di regolazione temperatura | Differenziale preimpostato* | Scala visualizzata temperatura | Scala temperatura antigelo regolabile | Alimentazione       | Portata (contatti) |
|-------|----------------------------------|-----------------------------|--------------------------------|---------------------------------------|---------------------|--------------------|
| CH121 | 2 x 40°C                         | 0,25 K                      | -40/+50°C                      | 0/+7°C                                | 2 batterie AAA 1,5V | 0,156 (230V)       |
| CH123 | 2 x 40°C                         | 0,25 K                      | -40/+50°C                      | 0/+7°C                                | 230V 50Hz           | 0,156 (230V)       |



KIT "MULTIPLACCA"  
Adattarsi a tutte le placche in commercio grazie al KIT multiplacca composto da: termostato, cover colorata (bianco, grigio, nero, rosso, verde, blu).

### CARATTERISTICHE ELETTRICHE

Portata nominale: 0,156 (230V)  
Alimentazione: rete 230V-50Hz o a pila (batterie AAA 1,5V per CH121)  
Dimensioni: 48x48x25 mm (CH121)  
Riscaldamento: 230V  
Cassa: in ABS (polietilene) con finitura di vernice.

### NORMATIVE E OMOLOGAZIONI

Conforme norma CE EN 60730-1 e CE EN 60730-2  
Classificazione CE: LFP Class II 24VReg. (EU) 2011/650 41329002



[pdf]


Termostati ambiente 04 2019 indd mpattarini SCHEDA PRODOTTO Fantini Cosmi CH123 CH121 scheda tecnica fantinicosmi it 2018 |||

**CH121-CH123** Termostati da incasso, a batterie e a 230V-50Hz Termostati elettronici a microprocessore, per il comando di impianti di riscaldamento e di condizionamento.

Dimensioni mm **CH121** CH123 Scala di regolazione temperatura 2 40 C 2 40 C

Differenziale preimpostato\* 0,25 K 0,25 K Scala di...

lang:it score:31 filesize: 413.74 K page\_count: 3 document date: 2019-04-05



[pdf] Catalog

SHORT FORM CATALOGUE Messe Frankfurt Fantini Cosmi S p A is one of the leading Italian manufacturers electrical and electronic equipments regulation control systems 1673533517750

4277752970 exhibitorsearch messefrankfurt images original document 10000006202501 0011020583 |||

SHORT FORM CATALOGUE OUR HISTORY page 4 OUR BRANDS page 6

QUALITY AND CERTIFICATIONS page 8 2 IN ... 115RF 75 CH115TS 75 CH116 75

CH117 75 CH119NFC 83 CH120 76 CH120-230V 76 CH120RF 85 **CH121** 77

**CH121TS** 77 CH123 77 CH123MB 98 CH123TS 77 CH130ARFR 74 CH130ARR 74

CH130ARR2 ...


lang:en score:30 filesize: 4.57 M page\_count: 132 document date: 2022-12-21



[\[pdf\]](#)

CH121 istruzioni 5679721C Fantini Cosmimontare la placca 9 ridare tensione all impianto elettrico  
PLACCHE \* N B durata della batterie è fortemente influenzata dal tipo di utilizzo e dallefantinicosmi it  
2018 04 |||

TERMOSTATO AMBIENTE DA INCASSO placca non compresa **CH121**  
CONTENUTO DELLA CONFEZIONE 1 termostato 4 telai 3 cover colorate tipo A 3  
cover colorate tipo B 3 coppie adattatori 1 coppia adattatori speciale per Bticino Matix  
2 viti 1 manuale utente 1 INSTALLAZIONE Il cronotermostato **CH121** va ...  
lang:it score:30 filesize: 1.22 M page\_count: 12 document date: 2019-06-07



[\[pdf\]](#)

146136 synergy21 de media 71 d1 50 |||

NM39 ELEKTRONIK EM MONTAGETRGER MIT SCHRAUBEN FR THERMOSTATE  
FANTINI COSMI 3M - Montagetrger mit Schrauben fr Thermostate Fantini Cosmi 3M  
- bestimmt fr die Verwendung mit Tages-Thermostaten Fantini Cosmi Modell **CH121**  
und CH123 - bestimmt fr die Verwendung mit Wochen-Thermostaten Fantini Cosmi  
Mode...

lang:en score:29 filesize: 706.82 K page\_count: 1 document date: 2018-05-08



[\[pdf\]](#)

LA TUA CASA CAMBIA VITA BR GATTI doppia pag 2019 09 fantinicosmi it |||

LA TUA CASA CAMBIA VITA Fantini Cosmi un azienda italiana che da oltre 80 anni  
pensa al comfort, ... mento e di raffrescamento Compatibili con tutte le serie civili 25  
KIT KIT THERMOSTATI DA INCASSO **CH121TS** A BATTERIE CH123TS 230V-50HZ  
Display LCD con retroilluminazione azzurra Per il comando di i...

lang:it score:22 filesize: 4.75 M page\_count: 37 document date: 2019-09-23



[\[pdf\]](#)

riscaldamento domestico Gestire al meglio il seconde case FantiniCosmi BR GATTI 2019 11 doppia pag  
fantinicosmi it 10 |||

LA TUA CASA CAMBIA VITA Fantini Cosmi un azienda italiana che da oltre 80 anni pensa al comfort, ... riscaldamento e di raffrescamento Compatibili con tutte le serie civili 25 TERMOSTATI DA INCASSO **CH121**TS A BATTERIE CH123TS 230V-50HZ Display LCD con retroilluminazione azzurra Per il comando di i...

lang:it **score:22** filesize: 4.98 M page\_count: 72 document date: 2019-10-25




[\[pdf\]](#)

guida completa Primi freddi Tutte le soluzioni per il riscaldamento domestico FantiniCosmi Prodotti residenziali 2019 11 v2 fantinicosmi it |||

LA TUA CASA CAMBIA VITA Fantini Cosmi un azienda italiana che da oltre 80 anni pensa al comfort, ... mento e di raffrescamento Compatibili con tutte le serie civili 25 KIT KIT TERMOSTATI DA INCASSO **CH121**TS A BATTERIE CH123TS 230V-50HZ Display LCD con retroilluminazione azzurra Per il comando di i...

lang:it **score:22** filesize: 4.69 M page\_count: 37 document date: 2019-11-14



[Fantini Cosmi Short Form Catalogue: Thermoregulation, Ventilation, and Heat Metering Solutions](#)

Explore the comprehensive Fantini Cosmi Short Form Catalogue, featuring a wide range of thermoregulation, ventilation, and heat metering products. Discover solutions for industrial, commercial, and domestic applications, backed by quality certifications and a rich company history.

lang:en **score:20** filesize: 4.67 M page\_count: 132 document date: 2022-02-23





[\[pdf\]](#)

CH123 istruzioni FantiniCosmi 5679722E fantinicosmi it 2020 12 |||

TERMOSTATO AMBIENTE DA INCASSO placca non compresa CH123

CONTENUTO DELLA CONFEZIONE 1 termostato ... con le viti in dotazione; 9.

montare la placca; 10. ridare tensione all'impianto elettrico. 3 421 **CH121** 2

COLLEGAMENTI ELETTRICI Caldaia ATTENZIONE: l'installazione deve essere eseguita da pers...

lang:it score:20 filesize: 1.35 M page\_count: 12 document date: 2020-12-02



[\[pdf\]](#)

CH123 istruzioni 5679722C fantinicosmi it 2018 04 |||

TERMOSTATO AMBIENTE DA INCASSO placca non compresa CH123

CONTENUTO DELLA CONFEZIONE 1 termostato ... con le viti in dotazione; 9.

montare la placca; 10. ridare tensione all'impianto elettrico. 3 421 **CH121** 2

COLLEGAMENTI ELETTRICI Caldaia ATTENZIONE: l'installazione deve essere eseguita da pers...

lang:it score:20 filesize: 1.27 M page\_count: 12 document date: 2019-06-07



TERMOSTATO AMBIENTE DA INCASSO



[\[pdf\]](#)

TERMOSTATO AMBIENTE DA INCASSO CH123 istruzioni 5679722D fantinicosmi it 2018 04 CH123 5679722D |||


TERMOSTATO AMBIENTE DA INCASSO placca non compresa CH123

CONTENUTO DELLA CONFEZIONE 1 termos ... n le viti in dotazione; 9. montare la

placca; 10. ridare tensione all'impianto elettrico. 3 421 **CH121** 2 COLLEGAMENTI

ELETTRICI Caldaia ATTENZIONE: l'installazione deve essere eseguita da pe...

lang:it score:19 filesize: 1.35 M page\_count: 12 document date: 2020-03-16




### [pdf] Datasheet Dimension Guide

CH121TS CH123TS Fantini Cosmi Apr 30 2018 — Flush mounting touchscreen thermostat with batteries or power supply at 230V 50Hz Temperature Gewiss Chorus One Lux Art Geo technopolymer EN technical data sheet 1 fantinicosmi it 04 |||

**CH121TS-CH123TS** Flush mounting touchscreen thermostat, with batteries or power supply at 230V-50Hz Thermostat with microprocessor to control heating and air-conditioning installations. 68 58 Dimensions mm 52 **CH121TS** CH123TS Temperature Prescribed regulation range differential\* 2 40 C 2 ...

lang:en score:18 filesize: 377.93 K page\_count: 3 document date: 2019-11-20




### [pdf] Catalog

TEM 2019 Catalogue blackcatcontrolsystems au index route product id 384 59

5 x 2M 3M 1/2M 3 x 2M 2/3M 4 x 2M 7M 4M 1/3M Dobrodosli v družini Welcome to the family ... za termostate Fantini Cosmi 3M - namenjen za uporabo z dnevnimi termostati Fantini Cosmi za modela **CH121** in CH123 - namenjen za uporabo s tedenskimi termostati Fantini Cosmi za modela CH141A in CH143...

lang:en score:12 filesize: 38.05 M page\_count: 224 document date: 2019-03-29




### [pdf]

Untitled Modul kapcsoló katalógus 2019 mixvill hu letoltések |||

5 x 2M 3M 1/2M 3 x 2M 2/3M 4 x 2M 7M 4M 1/3M dvzli a Welcome to the termkcsald family C ... FOKSZABLYZKHOZ 3M - szerelkeret csavarokkal, Fantini Cosmi hfokszablyzkhoz 3M - A Fantini Cosmi **CH121** s CH123 napi idprogramozs hfokszablyzhoz is alkalmazhat - A Fantini Cosmi CH141A s CH143A heti...

lang:en score:12 filesize: 38.14 M page\_count: 224 document date: 2019-03-29




[\[pdf\]](#) Catalog

TEM 2018 General Catalogue blackcatcontrolsystems au index route product id 290 49

3M 1/2M 3 x 2M 2/3M 4 x 2M 7M 4M 1/3M Dobrodošli v družini Welcome to the family

Za vas ... za termostate Fantini Cosmi 3M - namenjen za uporabo z dnevnimi termostati Fantini Cosmi za modela **CH121** in CH123 - namenjen za uporabo s tedenskimi termostati Fantini Cosmi za modela CH141A in CH143...

lang:en **score:11** filesize: 36.67 M page\_count: 222 document date: 2018-03-07



[\[pdf\]](#) Borchure

Untitled full fai srl brochure documents tem |||

5 x 2M 3M 1/2M 3 x 2M 2/3M 4 x 2M 7M 4M 1/3M Benvenuti nella famiglia Welcome

to the fa ... r termostati Fantini Cosmi 3M - adatto all uso con termostati giornalieri

Fantini Cosmi per modelli **CH121** e CH123 - adatto all uso con termostati settimanali

Fantini Cosmi per modelli CH141A e CH143A ...

lang:it **score:11** filesize: 38.03 M page\_count: 224 document date: 2019-03-29



[\[pdf\]](#)

Untitled Modul kapcsolocsalad katalogus mixvill hu img cms letoltesek |||


5 x 2M 3M 1/2M 3 x 2M 2/3M 4 x 2M 7M 4M 1/3M dvzli a Welcome to the termkcsald

family C ... FOKSZABLYZKHOZ 3M - szerelkeret csavarokkal, Fantini Cosmi

hfokszablyzkhoz 3M - A Fantini Cosmi **CH121** s CH123 napi idprogramozs

hfokszablyzhhoz is alkalmazhat - A Fantini Cosmi CH141A s CH143A heti...

lang:en **score:10** filesize: 50.96 M page\_count: 230 document date: 2020-06-30



[\[pdf\]](#)

2023 On Off and everything in between1702365036809 1142842763exhibitorsearch messefrankfurt  
images original mics 10000016202401 0011061671 1702365036809 1142842763 |||

On Off and everything in between 2023 50 LINE SOFT PURE EDGE 162 192 230 5

On Off a ... za termostate Fantini Cosmi 3M - namenjen za uporabo z dnevnimi  
termostati Fantini Cosmi za modela **CH121** in CH123 - namenjen za uporabo s  
tedenskimi termostati Fantini Cosmi za modela CH141A in CH143...

lang:en **score:10** filesize: 44.82 M page\_count: 244 document date: 2023-12-12