

Lavor CH131748

Lavor Extension Lance for Pressure Washer - Model CH131748 User Manual

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your Lavor Extension Lance, Model CH131748. This accessory is designed to extend the reach of your pressure washer, allowing for easier cleaning of elevated or distant surfaces. Please read these instructions carefully before installation and operation.



Image 1: Labor Extension Lance for Pressure Washer. This black, rigid accessory is designed to extend the reach of compatible pressure washers. It features a ribbed body for improved grip and connectors at both ends for secure attachment to the pressure washer and nozzle.

The Labor Extension Lance is constructed from durable alloy steel, ensuring resistance to wear and a long service life. Its design facilitates a straightforward connection to compatible pressure washer models.

2. SAFETY INFORMATION

Always observe the following safety precautions when using the extension lance with a pressure washer:

- **Read the Pressure Washer Manual:** Before using this extension lance, thoroughly read and understand the instruction manual for your specific pressure washer model.
- **Wear Protective Gear:** Always wear appropriate personal protective equipment, including safety glasses, gloves, and sturdy footwear, to protect against high-pressure spray and debris.
- **Disconnect Power:** Ensure the pressure washer is turned off and disconnected from its power source (electrical or fuel) before attaching, detaching, or performing any maintenance on the extension lance.
- **Check Connections:** Verify that all connections are secure and leak-free before operating the pressure washer. Leaks can cause injury or damage.
- **Maintain Control:** The extended length of the lance can affect balance and control. Use both hands

and maintain a firm grip. Be aware of your surroundings and potential obstacles.

- **Avoid Direct Contact:** Never direct the high-pressure spray at people, animals, or electrical equipment.

3. PACKAGE CONTENTS

Upon unpacking, ensure all items are present and undamaged:

- 1 x LAVOR Extension Lance (Model CH131748)

4. SETUP

Follow these steps to attach the extension lance to your pressure washer:

1. **Ensure Safety:** Turn off the pressure washer and disconnect it from its power source. Release any residual pressure in the system by squeezing the trigger gun.
2. **Prepare Connections:** Identify the connection point on your pressure washer's spray gun where the standard lance or nozzle attaches.
3. **Attach Extension Lance:** Securely connect one end of the LAVOR Extension Lance to the spray gun. Ensure it clicks into place or is tightened properly, depending on your pressure washer's connection type.
4. **Attach Nozzle/Accessory:** Connect your desired pressure washer nozzle or accessory to the other end of the extension lance. Ensure this connection is also secure.
5. **Check for Leaks:** Before starting the pressure washer, visually inspect all connections for proper seating.

5. OPERATING INSTRUCTIONS

Once the extension lance is securely attached, operate your pressure washer according to its manufacturer's instructions. The extension lance provides additional reach, which can be beneficial for cleaning:

- High walls or siding
- Roofs (exercise extreme caution)
- Undercarriages of vehicles
- Other hard-to-reach areas

Compatibility: This extension lance is compatible with a wide range of pressure washer models, including but not limited to:

DELTA JET: Delta Pro 140, Turbo net 140

LAVOR: Superwash 160, Superwash 150, stm160, best28, bi cleaner, cobra 19, cobra 20, delta pro2100, eagle 20, falcon, gt20, hj18, iclean 1.40, iclean 160, independent 1900, prime 165, jk18 joker, stm140, jp ames, karjet 1300, kj21 karjet, kn18, koala, ks20, li2100e, lm2500es, lp20,

lw30000000, mach 20, mach 288,
ninja plus 130, novak, partner 170,
Phantom 19, pro 2100, raptor,
raptor 21, patrol 21, raptor
p80.0263, rise hr145, runner 20,
runner 24, sk11111.8 skaner,
skipper 19, skipper junior, Pino
Junior 130, skipper junior 17,
skipper midi 19, sp20, sp20e,
stm150, sp21, starjet 17, storm2
18 steam, storm2 19 compresor,
superwash 160 - 8.062.08.23,
superwash 160 - 8.062.08.36,
superwash 160 - 8.062.09.09,
temporel 19, Thermo 3s
8.601.0107, Tiger, Time 110, TK20
tanker, victor 125, viper, washer
19, wave hr135, wave up 125, wp,
x-ray plus 140, space 180.

Always maintain a stable footing and be mindful of the increased leverage and potential for kickback when operating with an extended lance.

6. MAINTENANCE

Proper maintenance ensures the longevity and performance of your extension lance:

- **Cleaning:** After each use, rinse the extension lance thoroughly with clean water to remove any chemical residues or debris.
- **Inspection:** Regularly inspect the lance for signs of wear, cracks, or damage, especially at the connection points. Do not use a damaged lance.
- **Storage:** Store the extension lance in a clean, dry place, away from direct sunlight and extreme temperatures. Protect it from freezing.

7. TROUBLESHOOTING

If you encounter issues while using the extension lance, consider the following:

- **Leaks at Connections:**
 - Ensure all connections are fully tightened or properly seated.
 - Check O-rings and seals for damage or wear. Replace if necessary.
- **Reduced Pressure:**
 - Verify that the pressure washer itself is operating correctly.
 - Check the nozzle for blockages.
 - Inspect the extension lance for any internal obstructions.

If problems persist, consult your pressure washer's manual or contact Lavor customer support.

8. SPECIFICATIONS

Brand	Lavor
Model Number	CH131748
ASIN	B01B4LCKJC
Material	Alloy Steel
Color	Black
Nominal Wall Thickness	8 millimeters
Item Length	60 Centimeters
Package Dimensions	37 x 3.2 x 3.2 cm
Item Weight	140 grams
International Article Code (UPC)	03663774053183

9. WARRANTY AND SUPPORT

For warranty information or technical support regarding your Lavor Extension Lance, please refer to the documentation provided with your pressure washer or visit the official Lavor website. Contact their customer service for assistance with product-specific inquiries.