

Franke PKG11031ONY

Franke Peak Undermount Single-Bowl Kitchen Sink User Manual

Model: PKG11031ONY | Brand: Franke

PRODUCT OVERVIEW

The Franke Peak Undermount Single-Bowl Kitchen Sink in Onyx is designed to provide a highly functional and aesthetically pleasing workspace in modern kitchens. Crafted from durable granite, this sink features clean lines, tight corners, and an integrated ledge for enhanced functionality with custom-fit accessories.

Key features include:

- **Modern Style:** Clean lines and tight corners for a contemporary look.
- **Integrated Ledge:** Enhances functionality by creating an elevated workspace for accessories (sold separately).
- **Square Drain Cover:** Provides a flat bottom surface, allowing glassware to stand securely.
- **Easy to Maintain:** Made from 80% quartz and 20% hard acrylic resin, offering resistance to scratches, stains, and heat.



Image: The Franke Peak Undermount Single-Bowl Kitchen Sink in Onyx, seamlessly integrated into a kitchen countertop. This view highlights its sleek design and how it complements modern kitchen aesthetics.

SETUP AND INSTALLATION

This Franke Peak sink is designed for undermount installation. Proper installation is crucial for optimal performance and longevity. It is recommended that installation be performed by a qualified professional.

Pre-Installation Checklist:

- Verify all components are present and undamaged.
- Ensure the cabinet opening meets the minimum size requirements.
- Review local plumbing codes and regulations.

Dimensions:

- **Exterior Dimensions:** 32.0 inches (left-to-right) x 18.75 inches (front-to-back)
- **Interior Dimensions:** 31.0 inches (left-to-right) x 17.75 inches (front-to-back) x 9.5 inches (deep)
- **Minimum Cabinet Size:** 36 inches



Image: A detailed top-down view of the Franke Peak sink, highlighting its single-bowl design and the distinctive square drain cover. This perspective is useful for understanding the sink's internal layout and dimensions.

OPERATING INSTRUCTIONS

The Franke Peak sink is designed for everyday kitchen tasks, from washing dishes to food preparation. Its single-bowl design offers ample space for large pots and pans.

Integrated Ledge Functionality:

The integrated ledge allows for the use of custom-fit accessories (sold separately), such as cutting boards, roll-up drying racks, or colanders. These accessories slide along the ledge, creating an efficient and ergonomic workspace directly over the sink. This feature helps to streamline food preparation and cleanup processes.

Drain Cover:

The square drain cover provides a clean, flush look and ensures a flat bottom surface within the sink. This design prevents glassware from tipping over when placed near the drain, enhancing safety and convenience.



Image: The Franke Peak sink in a kitchen setting, demonstrating the use of an integrated drying rack accessory on the ledge. This illustrates the practical benefits of the sink's design for food preparation and drying.

MAINTENANCE AND CARE

To ensure the longevity and pristine appearance of your Franke Peak granite sink, follow these simple maintenance guidelines:

- **Daily Cleaning:** Wipe the sink with a dry, soft cloth after each use to prevent water spots and mineral buildup.
- **Stain Removal:** For stubborn stains, use a mild soap and water solution with a non-abrasive sponge or cloth. Rinse thoroughly and dry.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, steel wool, or harsh chemical solutions (e.g., bleach, strong acids, or alkalis) as these can damage the granite composite material.
- **Heat Resistance:** While the sink is heat resistant, it is advisable to avoid placing extremely hot items directly on the surface for extended periods. Use a trivet or hot pad for very hot cookware.
- **Scratch Resistance:** The granite composite is highly scratch-resistant, but avoid dragging sharp or heavy objects across the surface to maintain its finish.

TROUBLESHOOTING

While the Franke Peak sink is designed for durability and ease of use, minor issues may occasionally arise. This section provides general guidance for common concerns.

Water Spots or Mineral Buildup:

- **Cause:** Hard water deposits.
- **Solution:** Regularly wipe the sink dry after use. For existing buildup, use a solution of equal parts white vinegar and water. Apply, let sit for a few minutes, then scrub gently and rinse thoroughly.

Accessories Not Fitting Properly:

- **Cause:** Incompatible accessories or manufacturing variations.
- **Solution:** Ensure you are using genuine Franke accessories designed specifically for the Peak series. If issues persist with genuine accessories, contact Franke customer support.

For issues not covered here or for complex problems, please refer to the "Support and Warranty" section for contact information.

SPECIFICATIONS

Attribute	Detail
Brand	Franke
Model Number	PKG11031ONY
Color	Onyx
Material	Granite (80% quartz, 20% hard acrylic resin)
Product Dimensions (D x W x H)	18.75" x 32" x 9.5"
Style	Modern
Installation Type	Undermount
Finish Type	Brushed
Shape	Rectangular
Drain Type	Grid (with square cover)
Product Care Instructions	Wipe with Dry Cloth
Item Weight	35.2 pounds

WARRANTY AND SUPPORT

Warranty Information:

The Franke Peak Undermount Single-Bowl Kitchen Sink comes with a**Limited Lifetime Warranty**. This warranty covers manufacturing defects under normal use and service. Please retain your proof of purchase for warranty claims.







For full details regarding the terms and conditions of the warranty, please refer to the official Franke warranty documentation included with your product or visit the Franke official website.


Customer Support:

If you have any questions, require technical assistance, or need to make a warranty claim, please contact Franke customer service. Contact information can typically be found on the Franke official website or in the packaging materials.

When contacting support, please have your product model number (PKG11031ONY) and purchase date readily available.


Related Documents - PKG11031ONY

	Franke Sinks: Global Contacts and Installation Guide Find Franke kitchen sink contact information worldwide and access installation and maintenance guidance, including product details for the Franke Maris MRX 110-40.
	Franke P2X 110-21\" SI Sink Installation Guide Detailed installation document for the Franke P2X 110-21\" SI sink, including dimensions and technical specifications.
	Franke Kubus 2 Undermount Sink Installation Guide Comprehensive installation and user guide for Franke Kubus 2 undermount sinks, detailing model specifications, dimensions, and step-by-step fitting instructions for Fraganite sinks.
	Franke Sinks Installation and User Manual This document provides comprehensive installation and user guidance for Franke sinks, covering various materials like Fraganite, Fraceram, and Tectonite. It includes detailed, step-by-step instructions for inset and undermount installations, safety precautions, and care recommendations.
	Franke MYX210-70B Mythos Kitchen Sink - Dimensions & Installation Guide Detailed information and installation guide for the Franke MYX210-70B Mythos kitchen sink, including dimensions, features, and available accessories. Learn about its topmount/flushmount installation, bowl size, and material.
	Franke BOX CENTER Stainless Steel Sinks - Installation Guide Comprehensive installation manual for Franke BOX CENTER stainless steel kitchen sinks, including models BWX 220 54-27 TL, BWX 220 41-27, BWX 210/110 27, and BWX 120 41-27. Covers Slimtop, Flushmount, and Undermount installation methods with detailed diagrams and dimensions.



[pdf] Dimension Guide Guide

125 0389 567 Franke PKG11031ONY Dimensions Guide Peak Undermount 32 in x 18 75 Onyx Single Bowl Granite Kitchen Sink 7612981671273 44132703 lowes productdocuments 80148ff7 ecef 448e 8294 a1022efb0d2c |||
Peak **PKG11031ONY** Granite Onyx 125.0389.567 FAMILY : Sinks SERIE : Peak MODEL : **PKG11031ONY** FINISH : Granite Onyx INSTALLATION TYPE : Undermount STYLE : Contemporary TECHNICAL DATA Minimum Cabinet Size Drain Opening Length overall Width overall Length of large bowl Width of large bowl De...
lang:lv score:38 filesize: 56.96 K page_count: 1 document date: 2016-06-10



[pdf] Instructions

Read instructions FRANKE PKG11031ONY WKC PEAK 32 INCH GRANITE WORKCENTER KITCHEN SINK ONYX PKG11031 kbauthority files Franke |||
Franke Home Solutions 11.07.2022 1 / 2 Franke Home Solutions 11.07.2022 2 / 2 ...
lang:lv score:31 filesize: 504.51 K page_count: 2 document date: 2022-07-11

[pdf] Instructions Reference Guide Accessories Borchure

2022 Collection Franke 21 gen — instructions for use and follow the s Chef Center gives you power Copper \$740 DW16065 Bronze DW16080 Satin Nickel Canada EN force true franke content dam corporate ca en ks brochures |||
2C0o2II2ection RefQuriecnkce Accessories DisWpaossteers DisSpoeanspers Filtration Faucets F ... on and sink installation. GrPaenaikte 17 43cm 17 I3 4 45cm 18 I3 4 48cm Peak Granite **PKG11031ONY**-WKC PKG11031MOC-WKC PKG11031OYS-WKC PKG11031CHA-WKC PKG11031SHG-WKC PKG11031PWT - WKC PKG...
lang:en score:22 filesize: 13.52 M page_count: 160 document date: 2022-04-28



[pdf] Borchure

FrankeGraniteBrochure force true franke content dam corporate shared ks s
Granite Undermount Sinks Peak PKG160OYS shown with PKG17-36RM and PKG12-36RM bottom roller mats, M ... ishes to complement your Franke granite sink. 5 Peak Onyx Mocha Storm Oyster Champagne Peak **PKG11031ONY** shown with PKG18-31RM shelf roller mat, Planar 8 FF2800 faucet, Planar 8 SD2800 soap dis...
lang:en score:20 filesize: 2.28 M page_count: 12 document date: 2015-12-28




[pdf] User Manual Accessories Borchure Catalog

V ol 202 4 2025 13 feb 2024 — *Always refer to the installation manual Polished Chrome TIGE CUBE R E G A T 903 INOX CREAM UV 36RM Sinks and Franke CA English franke content dam ca en home solutions documents catalogs brochures core |||

FAMILIES 12 Mythos 20 Maris PRODUCT CATEGORIES Sinks 32 Stainless Steel 110 Granite 152 Fireclay Fa ... Stone Grey PKG11031SHG-WKC 125.0672.241 1,765 Slate Grey PKG11031SLG-WKC 125.0715.371 1,765 Onyx **PKG11031ONY-WKC** 125.0672.232 1,765 Matte Black PKG11031MBK-WKC 125.0672.235 1,765 Champagne PKG110...

lang:en score:19 filesize: 31.6 M page_count: 136 document date: 2024-02-13




[pdf] Specifications Warranty Accessories

PKG11031 327 KBSpecification Sheetsfranke content dam franke us en home solutions documents 2022 spec sheets sinks peak granite |||

PEAK TECHNICAL FEATURES Overall Sink Size OD 32 x 183/4 Bowl Size ID 31 x 173/4 Bowl De ... PKG11031SHG 125.0491.545 Polar White PKG11031PWT 125.0641.510 Mocha PKG11031MOC 125.0390.397 Onyx **PKG11031ONY** 125.0389.567 Oyster PKG11031OYS 125.0389.569 Matte Black PKG11031MBK 125.0637.090 Slate ...

lang:en score:19 filesize: 327.3 K page_count: 1 document date: 2024-02-29




[pdf] Specifications Warranty Accessories

Specification Sheets Peak PKG11031 WKC franke content dam us en home solutions documents1 2022 spec sheets sinks peak granite |||

PEAK GRANITE 32 WORKCENTER SINK Model PKG11031-WKC The Peak Granite Workcenter sink provides all ... 36 Installation Type Undermount Weight 45 lbs Warranty Limited Lifetime AVAILABLE FINISHES **PKG11031ONY-WKC** Onyx PKG11031MOC-WKC Mocha PKG11031OYS-WKC Oyster PKG11031CHA-WKC Champagne ...

lang:en score:18 filesize: 277.5 K page_count: 1 document date: 2022-03-27



[pdf] Specifications Warranty Accessories

Specification Sheets Peak PKG11031 WKC EN franke content dam us en home solutions documents1 2022 spec sheets sinks workcenter |||

PEAK GRANITE 32 WORKCENTER SINK Model PKG11031-WKC The Peak Granite Workcenter sink provides all ... 36 Installation Type Undermount Weight 45 lbs Warranty Limited Lifetime AVAILABLE FINISHES **PKG11031ONY-WKC** Onyx PKG11031MOC-WKC Mocha PKG11031OYS-WKC Oyster PKG11031CHA-WKC Champagne ...

lang:en score:18 filesize: 276.3 K page_count: 1 document date: 2022-03-28



[\[pdf\]](#) Borchure Catalog

BR002 WORKCENTERS 0524 indd Franke Workcenter Sink Collection 21 MBA defined space

FrankeCatalogs BrochuresFranke Workcenters transform how you go about your daily meal prep and cleanup They are functional maximize efficiency in kitchen area FrankeFranke BrochureFranke Brochurefranke content dam franke us en home solutions documents catalogs brochures Brochure corefranke core |||

A defined space in the kitchen Workcenters www.franke.com /1 2/ Workcenters Franke Workcenters F ... Drain Cover Polar White PKG11031PWT-WKC Stone Grey PKG11031SHG-WKC Slate Grey PKG11031SLG-WKC Onyx **PKG11031ONY-WKC** Matte Black PKG11031MBK-WKC Champagne PKG11031CHA-WKC Oyster PKG11031OYS-WKC Mocha P...

lang:en **score:18** filesize: 21.21 M page_count: 9 document date: 2024-05-08

PEAK

GRANITE 32" SINGLE BOWL SINK
Model PKG11031

Peak granite sinks let you create the kitchen that fits your style. A wide range of accessories allow you to create the ultimate workspace for the way you use your sink.

FEATURES

- A choice of eight sophisticated color finishes lets you define the perfect look.
- The integrated ledge enhances your workspace by allowing you to work directly over the sink.
- SoftTouch® function reduces bacteria and microbial growth.
- Clean lines, tight corners and a hidden drain add a contemporary edge to this line of sinks.

TECHNICAL FEATURES

Overall Sink Size (OD)	32" x 18 3/4"
Bowl Size (ID)	31" x 17 3/4"
Bowl Depth (ID)	9 1/2"
Corner Radius	10 mm
Minimum Cabinet Size	36"
Installation Type	Undermount
Weight	38 lbs
Warranty	Limited Lifetime

AVAILABLE FINISHES

PKG11031ONY	Onyx
PKG11031MOC	Mocha
PKG11031STD	Stone
PKG11031OYS	Oyster
PKG11031CHA	Champagne
PKG11031SHG	Stone Grey
PKG11031PWT	Polar White
PKG11031MBK	Matte Black

OPTIONAL ACCESSORIES

Bottom Roller Mat	PKG11-36SM
Bottom Grid	PKG11-36S
Shelf Roller Mat	PKG11B-31SM
Cutting Board	PKA-40S
Strainer Basket	906 / 906S
Drain Cover	PKGCVR (Included)

Franke Home Solutions | Tel: +1 800 626 5771 | www.franke.us/ks

[\[pdf\]](#) Specifications Warranty Accessories

SPECIFICATION Franke 18 3 4 x 32 in Granite Undermount Kitchen Sink Polar White Ferguson 9316982 8497177 specification fergusonprod a bigcontent io to v1 static |||

PEAK Peak granite sinks let you create the kitchen that fits your style. A wide range of accessories ... D 9 1/2 Corner Radius Minimum Cabinet Size Installation Type Weight Warranty AVAILABLE FINISHES **PKG11031ONY** PKG11031MOC PKG11031STO PKG11031OYS 10 mm 36 Undermount 38 lbs Limited Lifetime Onyx M...

lang:en **score:18** filesize: 498.8 K page_count: 1 document date: 2021-07-12

PEAK

FRAGRANITE 32" SINGLE BOWL SINK
Model PKG11031

TECHNICAL FEATURES

Overall Sink Size (OD)	32" x 18 3/4"
Bowl Size (ID)	31" x 17 3/4"
Bowl Depth (ID)	9 1/2"
Corner Radius	10 mm
Minimum Cabinet Size	36"
Installation Type	Undermount
Weight	38 lbs
Warranty	Limited Lifetime

AVAILABLE FINISHES

Champagne	Stone
Stone Grey	Oyster
Polar White	Matte Black
Mocha	Slate Grey

INCLUDED ACCESSORIES

Drain Cover	PKGCVR-171
-------------	------------

OPTIONAL ACCESSORIES


Bottom Roller Mat	PKG11-36SM
Bottom Grid	PKG11-36S
Shelf Roller Mat	PKG11B-31SM
Cutting Board	PKA-40S
Strainer Basket	906 / 906S
Colander	906 / 906S
Colander Strainer	906 / 906S
Colander Flange	906 / 906S

Franke Home Solutions North America, LLC | www.franke.com

[Franke PKG11031 Peak 32-Inch FrAGRanite Single Bowl Undermount Kitchen Sink - Specifications](#)

Detailed specifications for the Franke PKG11031 Peak 32-inch single bowl undermount kitchen sink made of FrAGRanite. Includes dimensions, available finishes, accessories, and model numbers.

lang:en **score:18** filesize: 320.22 K page_count: 1 document date: 2025-03-22



[\[pdf\]](#) Specifications Warranty Accessories

GRANITE 32 SINGLE BOWL SINK Model PKG11031 23 feb 2024 — TECHNICAL FEATURES Overall

Sink Size OD x 183 4 Bowl ID 31 173 Depth 91 2 Corner Radius 10 mm Minimum Cabinet Peak


SpecSheet res cloudinary dzhpkjoqj Franke |||

PEAK TECHNICAL FEATURES Overall Sink Size OD 32 x 183/4 Bowl Size ID 31 x 173/4 Bowl De ... PKG11031SHG 125.0491.545 Polar White PKG11031PWT 125.0641.510 Mocha PKG11031MOC 125.0390.397 Onyx **PKG11031ONY**

125.0389.567 Oyster PKG11031OYS 125.0389.569 Matte Black PKG11031MBK

125.0637.090 Slate ...

lang:en score:18 filesize: 327.3 K page_count: 1 document date: 2024-02-29



[\[pdf\]](#) Specifications Warranty Accessories

PKG11031 WKC 342 KBgranite 32 workcenter sink pkg11031 wkc FrankeSpecification

SheetsTECHNICAL FEATURES Overall Sink Size OD x 183 4 Bowl ID 31 173 Depth 91 2 Corner

Radiusfranke content dam franke us en home solutions documents 2022 spec sheets sinks peak granite

WKCfranke |||

PEAK TECHNICAL FEATURES Overall Sink Size OD Bowl Size ID Bowl Depth ID


Corner Radius Minimum ... -WKC 125.0672.241 Polar White PKG11031PWT-WKC

125.0672.240 Mocha PKG11031MOC-WKC 125.0672.236 Onyx **PKG11031ONY-**

WKC 125.0672.232 Oyster PKG11031OYS-WKC 125.0672.237 Matte Black

PKG11031MBK-WKC 125.067...


lang:en score:17 filesize: 342.13 K page_count: 1 document date: 2024-02-27



[Franke Peak 31" Granite Single Bowl Undermount Kitchen Sink | Model PKG11031](#)

Explore the Franke Peak 31" granite single bowl undermount kitchen sink (Model PKG11031). Features include an integrated ledge, Sanitized® function, and durable granite construction. Available in multiple finishes with optional accessories.

lang:de score:17 filesize: 277.34 K page_count: 1 document date: 2022-08-04



[pdf] Dimension Guide Accessories

PEAK GRANITE WORKCENTER Plytix The roller mat offers a wealth of many uses for rinsing washing produce drying dishes trivet hot cookware or as plating area Available in seven Peak Granite Workcenter PKG11031 WKC Rev1 files plytix api v1 1 file public pim assets 90 54 0f 5e 5e0f5490333365e339b58d68 texts 1f 8b 34 63 63348b1fa2bd4ba46fd2fb67 |||

PEAK GRANITE WORKCENTER Optimize every inch of the sink. Designed for multi-tasking and seamlessly ... inimum Cabinet Size: 36 Integral Franke Ledge System Corner Radius: 10mm Installation: Undermount **PKG11031ONY-WKC** PKG11031MOC-WKC PKG11031OYS-WKC PKG11031CHA-WKC PKG11031SHG-WKC PKG11031PWT -WKC PKG...


lang:en score:16 filesize: 2.22 M page_count: 3 document date: 2022-03-28

[pdf] Specifications Warranty Accessories

Product SpecificationsFranke Peak 32 in x 18 8 Granite Undermount Single Bowl Workcenter Kitchen Sink Matte Black Amati CanadaPeak PKG11031 WKCfiles plytix api v1 1 file public files pim assets 90 54 0f 5e 5e0f5490333365e339b58d68 texts f5 50 7c 62 627c50f5eefe7cdd5f36f085 WKC SpecificationsSpecification SheetFranke CanadaFranke PKG11031SHG Basin Workstation Includes Rack Basket StrainerPeak WKCfranke pkg11031 wkc specification sheetfiles WKC s1 img b build mediabase specifications franke 1878822 sheet ||| ||| PEAK TECHNICAL FEATURES Overall Sink Size OD Bowl Size ID Bowl Depth ID Corner Radius Minimum Cabinet Size Installation Type Weight Warranty 32 x 183/4 31 x 173/4 91/2 10mm 36 Undermount 45 lbs Limited Lifetime AVAILABLE FINISHES Champagne

PEAK TECHNICAL FEATURES Overall Sink Size OD Bowl Size ID Bowl Depth ID Corner Radius Minimum ... -WKC 125.0672.241 Polar White PKG11031PWT-WKC 125.0672.240 Mocha PKG11031MOC-WKC 125.0672.236 Onyx **PKG11031ONY-WKC** 125.0672.232 Oyster PKG11031OYS-WKC 125.0672.237 Matte Black PKG11031MBK-WKC 125.067...

lang:en score:16 filesize: 360.55 K page_count: 1 document date: 2025-03-22




[pdf] Specifications

Franke Peak Fraganite Onyx Single Bowl Kitchen Sink Specification Sheet PKG11031ONY 7612981671273 specs content abt documents 83105 |||

Franke Kitchen Systems, LLC 11.12.2017 1 / 1 ...

lang:en score:16 filesize: 212.21 K page_count: 1 document date: 2017-12-11



[pdf]

Spec SheetFranke Peak PKG11031ONY Granite Onyx Kitchen Sink — RiseFranke PKG11031ONYcdn shopify s files 1 0513 0564 4209 Franke v 1654887415 |||

Franke Home Solutions 10.06.2022 1 / 2 Franke Home Solutions 10.06.2022 2 / 2 ... lang:en score:16 filesize: 524.09 K page_count: 2 document date: 2022-06-10


[pdf]

Reference Guide Accessories Borchure Catalog

Catalogs Brochures 2022 Franke Catalog Spreads franke content dam us en home solutions documents1 catalogs and brochures core ||| ||| Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FCAT0222 Print 2/2022 2022 Franke Kitchen Systems, LLC All rights reserved. Printe

Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... ode 11 Drain Cover PKGCVR Included 18 a 16 w 15 b 5 a 10 q 20 m 22 z 7 j Peak Granite **PKG11031ONY** Onyx 860 32 31 PKG11031MOC Mocha 860 5q 18e PKG11031STO Storm 860 17e 15a 17 ...

lang:en score:15 filesize: 12.91 M page_count: 159 document date: 2022-09-08



Franke FRAGRANITE 32" Workcenter Sink PKG11031-WKC - Product Overview

Detailed product overview of the Franke FRAGRANITE 32" Workcenter Sink (Model PKG11031-WKC) from the PEAK series. Features technical specifications, available finishes, included and optional accessories, and dimensional information.

lang:en score:15 filesize: 360.55 K page_count: 1 document date: 2025-03-22

[pdf]

Reference Guide Declaration of Conformity Accessories Catalog

Franke Kitchen Systems LLC 800 Aviation Parkway Smyrna TNMaking something wonderful rarely happens overnight and has been pushing the boundaries for over 100 years Founded in 1911 was built on a FRANKE AG150 Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||

Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... ode 11 Drain Cover PKGCVR Included 18 a 16 w 15 b 5 a 10 q 20 m 22 z 7 j Peak Granite **PKG11031ONY** Onyx 860 32 31 PKG11031MOC Mocha 860 5q 18e PKG11031STO Storm 860 17e 15a 17 ...

lang:en score:15 filesize: 12.91 M page_count: 159 document date: 2022-09-08





[\[pdf\]](#) Borchure

Franke 2017 Consumer Brochure force true franke content dam corporate us en ks s

2017 KITCHEN COLLECTION Simply Elegant. 10 Metropolitan Elegance Stainless Steel Sinks 16 Clean ... undermount sink can be completed with roller mats to maximize your workspace. 26 SHOWN: Peak Sink **PKG11031ONY** and Active Plus Faucet FF3801 Kitchen Essentials Expand Your Countertop for Additional ...
lang:en score:14 filesize: 12.37 M page_count: 31 document date: 2016-12-07



[\[pdf\]](#) Accessories Borchure Catalog

Untitled 2023 Franke Collection CA EN franke content dam ca en home solutions documents catalogs and brochures core |||

COLLECTIONS 2023 2 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... Polar White PKG11031PWT-WKC 125.0672.240 1,680 Stone Grey PKG11031SHG-WKC 125.0672.241 1,680 Onyx **PKG11031ONY**-WKC 125.0672.232 1,680 Matte Black PKG11031MBK-WKC 125.0672.235 1,680 Champagne PKG110...

lang:en score:14 filesize: 28.23 M page_count: 134 document date: 2023-06-26




[\[pdf\]](#) Accessories Borchure Catalog

Catalogs Brochures 2023 Franke USA V3 4 26 23 franke content dam us en home solutions documents1 catalogs and brochures core |||

COLLECTIONS 2023 2 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... Polar White PKG11031PWT-WKC 125.0672.240 1,525 Stone Grey PKG11031SHG-WKC 125.0672.241 1,525 Onyx **PKG11031ONY-WKC** 125.0672.232 1,525 Matte Black PKG11031MBK-WKC 125.0672.235 1,525 Champagne PKG110...

lang:en score:14 filesize: 36.74 M page_count: 236 document date: 2023-04-26




[\[pdf\]](#) Accessories Catalog

Franke PKG12 36RM Catalog markssupply ca ASSETS DOCUMENTS ITEMS EN |||

2017 COLLECTION 2 franke.us/ks MAKE IT WONDERFUL DISCOVER THE WONDERS OF A FRANKE KITCHEN At Fran ... sanitized technology. The result: a sink that always looks wonderful and stays hygienic. 103 Peak **PKG11031ONY** shown with PKG18-31RM shelf roller mat, Active Plus FF3801 faucet, Ambient DW7080 Little...

lang:en score:12 filesize: 22.51 M page_count: 127 document date: 2016-12-20



[\[pdf\]](#) Reference Guide Declaration of Conformity Warranty Accessories Catalog

2022 Collection UnilogFWDJ75B \$645 e HP Disposer FEATURES AND BENEFITS Horsepower Feed Continuous RPM 2700 Silverguard® Warranty 10 Year Bio Shield® FRANKE MA 40S Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||

2022 Collection RefGuide Declaration of Conformity Warranty Accessories DisWpaossteers DisSpoeanspers Filtration Faucets F ... on and sink installation. GrPaenakte 17 43cm 17 l3 4 45cm 18 l3 4 48cm Peak Granite **PKG11031ONY-WKC** PKG11031MOC-WKC PKG11031OYS-WKC PKG11031CHA-WKC PKG11031SHG-WKC PKG11031PWT - WKC PKG...

lang:en score:12 filesize: 13.52 M page_count: 160 document date: 2022-04-28



[\[pdf\]](#) Accessories Catalog

2021 COLLECTION PF Valente Associates Inc 14 mar — Dispensers Filtration Faucets Granite Sinks

Fireclay FRANKE US 3 2 Collection On the cover PTX110 28 sink with FFPD4450 faucet

2021FrankeCatalogUSA pfvalente manufacturers franke |||

2021 COLLECTION Quick Reference Accessories Waste Disposers Soap Dispensers

Filtration Faucet ... 7 Cutting Board PG2-40S 9 Strainer Basket 906 906SN 10 Drain

Cover PKGCVR Included Peak Granite **PKG11031ONY** Onyx 760 32 31

PKG11031MOC Mocha 760 5q 18e PKG11031STO Storm 760 17e 15a 17 ...

lang:en score:12 filesize: 20.66 M page_count: 194 document date: 2021-01-25

[\[pdf\]](#) User Manual Installation Guide Instructions Specifications Guide Accessories Catalog

Luke Taylor Dual Mount Composite Granite 33 in 1 Hole 60 40 Double Bowl Kitchen Sink Champagne

Installation Guide Franke EOCH33229 0039487148745 1000636099 653d2293 c501 4dbb 9d7a

c3971c9bbc17 images thdstatic catalog Images 65 Primo Scratch Resistant Drop Undermount Brown

Mocha 4 Gravity Shadow Grey Ellipse Off White Beige Basin 17 Bar Gray DIG61091 SHG Manual

DIG62D91 GRA DIG62F91 KBG11031MOC KBG11013MOC ELG11022ONY PKG11031OYS

ELG11022STO KBG11013SHG ELG11022SHG ELG11022VAN PKG11031STO PKG11031SHG

PKG11031ONY KBG11013CHA PKG11031CHA ELG11022CHA KBG11031ONY CUX11018 W

CUX11024 PKG160CHA PKG160MOC ELG160SHG PKG160OYS ELG160STO ELG160CHA

ELG160ONY ELG120SHG PKG160STO PKG160ONY ELG120CHA CUX11025 CUX11027 CUX11030

CUX11015 CUX160 Sheet MOC 0039487157266 1003957607 7612985453820 1003939051

7612985453813 1003938924 ELG62D91 LIN 0039487157204 1003955597 WHT 039487157365

0039487157365 1002277224 EDCH33229 0039487148011 1000837110 SZCH1720 0039487144440

1000840812 SZGR1720 0039487142040 1000636017 mount x 22 Graphite Single 7612985453806

Equal 039487157259 039487157273 Offset 039487157280 Kubus 32 375 18 5 7612981671693 15

7612981642488 25 19 625 Onyx 7612981641627 Peak 75 Oyster 7612981671297 Storm

7612981641641 7612981906825 7612981906832 Vanilla 7612981641672 7612981671280

7612981906658 7612981671273 7612981642525 7612981671303 7612981641665 7612981671686

Chef Center 28 125 88 Stainless Steel Workstation with Drainboard 7612981761035 875 7612981761059

7612981671662 7612981671631 21 7612981906856 7612981671655 7612981642365 7612981642389

7612981642341 7612981906849 7612981671648 7612981671624 7612981642327 Cube 26

7612981792329 7612981653347 31 5625 7612981653354 16 7612981653323 7612981653385 Linen or

Commercial inch 9 deep PKX11025 PEAK 3 Build PKX11013 Collection 14 7 606b680c b8de 4f86 9a16

bdb066a6fd51 da6bb793 af32 42a8 bb82 984f0dee2d36 fa178957 321e 48b6 ba4d ad3f7c0393d6

b7b05e1f 0860 4012 8e3c dc33f1cb8b89 624becbc df11 4621 8900 bf28ce54bb5d 71b9ae82 6893 4b15

9964 b6abaf9d9a0f fcd7a3a4 b8ad 417b b3d9 0cf94b99cea3 ed156e85 2f2e 4345 80d5 9aac8de14f57

61067570 61067566 61067572 61067568 49250550 44131161 44131799 44131488 44131965 44131497

44131867 44131880 44131805 44131800 44131970 44132705 44141155 44131815 44131809 44131837

INSTALLATION MANUAL

STAINLESS STEEL AND GRANITE SINKS

For best results, Franke recommends this unit be mounted by a professional installer. This sink is specifically designed to be under mounted in a solid surface countertop only. Do not install a damaged sink. Inspect carefully.

NOTE: The template included for drilling downloaded from webkit is only a guide. The actual sink and accessories should be used to ensure a perfect cut. FRANKES NOT RESPONSIBLE FOR AN IMPROPERLY CUT COUNTERTOP OR IMPROPER INSTALLATION.

1. Create the cut-out in the desired location of the mounting surface using this template for the drill file downloaded from our website. Please note to compare the actual sink with the template being used to ensure a perfect fit. The size of the cut-out should be exact as this sink uses constricting accessories which fit precisely with the cut out. Also be aware of the spacing requirements of any other products that will be mounted to the countertop next to this sink such as faucet or soap dispensers.

2. It will be the responsibility of the countertop supplier/installer to decide the ideal anchoring method based on the application and countertop material being used. Determine ideal placement of the clip brackets provided, ideally they should be evenly spaced around the sink ledge on all sides. Pre-drill holes and install anchors. Mounting screws and/or other hardware described below will not be included. Attach clip brackets directly to the countertop using selected anchor.

3. Apply a bead of silicone evenly along the bowl rim and/or along the underside of countertop.

4. Position and align sink evenly over the opening of the cut out. Press sink into silicone seal and partially tighten the clip brackets against the sink as shown in place.

5. Check alignment and final time to ensure the sink is perfectly evenly aligned with the countertop cut out as outlined in the image below. Make adjustments as necessary to obtain perfect alignment.

6. Once satisfactory alignment is achieved, fully tighten clip brackets against the rim of the sink and remove excess silicone.

NOTE: After silicone cures, wipe inside edges with dampened alcohol. This will smooth out any rough areas.

MADE IN GERMANY **FRANKE**

44131854 44141153 44131824 44131992 44132710 44132722 44131952 44131959 44131148 44131546

44131502 44131513 44131810 44132728 44132331 44132706 44131516 44132697 61CGgQq j9L 2017

franke stainless granite sink undermount installation instructions pkx11013 sheet da fa b7 62 71 fc ed

lowes productdocuments a1eabedd 0d84 4769 85c0 79b7d04833aa 65802b73 8bce 4b50 8e73

ce1d54bf8ec9 7d58bbd9 c67f 430c ab54 7ede02c0d946 77745e16 3337 481a b23f 911755f1f364

35f407b6 ebeb 4d8a 953a a4f3645cf1d0 a27bab98 0df4 4dea abd6 6c97c4b4b28f dc15ef33 36ab 4ce0

a45d 30c5d8f55e08 1d2bd2ba 9f22 47b5 a7d6 3ac572454474 4fdb5b79 3391 4298 9fb6 a8fe3a82cf41

578f2038 edb5 485a bfdb bc334587b5f9 b4ffcea8 e076 460b 8d1d 868edb0810e0 aa955d2c 01d7 462d

957f 151df9c27089 f075e202 fb0f 4162 8369 49b45544a655 abd6eb6b 0d3b 41b6 92d4 41aefde1d1dc

716910d1 4922 4d45 bae8 2550e3d6543a 1800e668 9699 4f45 8be8 db01d53b9aee 21ec494e c9c1

40bb 80b7 2b5aa2972182 e1dee18e 7bf6 4c9a a775 21787ff54791 41744e06 4832 4134 a23b

31eedfb92828 8ebe934c 47ec 41ff 81ac 9af42cb5fd35 0e791850 f625 47af b4de 3f916dee528d

b54c19e5 097a 4d1f 8d44 e234ed15f2a4 d39c1100 3b38 4fe4 9643 d2075d879639 00d3c23b 163d 414a

bda5 530c2fc1c654 6970cf1c 7db6 4b2c b319 13288b8ca5d9 c463a3de 1c8c 42a2 90f0 4522b050df62

0b7347d3 9316 4fa5 a17d 45db58ef40e9 a5bacd47 db73 48dd ae21 05d7fe8a7579 1cbb1e0e 4135 4d1e

a1c4 1786e324bfd1 4555f04b c75f 487f b8b6 ec743496808f f23e193b d7ac 4b1c 9588 98511159739a

35c2828f 152b 4161 b9ee 13a10c4a38d6 f45f3d56 a814 471b abf3 bbfd50c483d9 90fcd11e 5d84 41a2

91a0 a2313d8fa54d c219d943 298e 46d6 a364 03b56b7dd684 73f5a7ca 178b 4129 885b 614410334286

dd2a8fe3 4ca1 4039 a307 822a8cf84b07 53db4f5b 2cfe 406f 8178 db2741a61226 m media amazon l s1

img b build mediabase specifications 858066 647197 INSTALLATION MANUAL 43418965 860a33cd

5704 4446 91b8 3367e2e2d512 Guide33 GuideDual GuideEllipse GuidePrimo GuideOff GuideGray

GuideFranke ManualFranke ManuallInstallation SheetFranke 1003957607Franke 1003939051Franke

1003938924Franke 1000636099Franke 1003955597Franke 1002277224Franke 1000837110Franke

1000840812Franke 1000636017Primo 7612985453806Primo 039487157259Primo

7612985453813Primo 039487157273Gravity 039487157280Kubus 7612981671693Kubus

7612981642488Ellipse 7612981641627Peak 7612981671297Ellipse 7612981641641Kubus

7612981906825Ellipse 7612981906832Ellipse 7612981641672Peak 7612981671280Peak

7612981906658Peak 7612981671273Kubus 7612981642525Peak 7612981671303Ellipse

7612981641665Kubus 7612981671686Chef 7612981761035Chef 7612981761059Peak

7612981671662Peak 7612981671631Ellipse 7612981906856Peak 7612981671655Ellipse

7612981642365Ellipse 7612981642389Ellipse 7612981642341Ellipse 7612981906849Peak

7612981671648Peak 7612981671624Ellipse 7612981642327Cube 7612981792329Cube

7612981653347Cube 7612981653354Cube 7612981653323Cube 7612981653385Franke deepFranke

Buildimages bdb066a6fd51images 984f0dee2d36images ad3f7c0393d6images c3971c9bbc17images

dc33f1cb8b89images bf28ce54bb5dimages b6abaf9d9a0fimages 0cf94b99cea3images

9aac8de14f57lowes 61067570lowes 61067566lowes 61067572lowes 61067568lowes 49250550lowes

44131161lowes 44131799lowes 44131488lowes 44131965lowes 44131497lowes 44131867lowes

44131880lowes 44131805lowes 44131800lowes 44131970lowes 44132705lowes 44141155lowes

44131815lowes 44131809lowes 44131837lowes 44131854lowes 44141153lowes 44131824lowes

44131992lowes 44132710lowes 44132722lowes 44131952lowes 44131959lowes 44131148lowes

44131546lowes 44131502lowes 44131513lowes 44131810lowes 44132728lowes 44132331lowes

44132706lowes 44131516lowes 44132697m j9Llowes 43418965s1 L X D AF Supplyfranke cux160

sheetimages 43418965afsupply pub product matridtech install |||

INSTALLATION MANUAL STAINLESS STEEL AND GRANITE SINKS For best results, Franke recommends this unit be mounted by a professional installer. This sink is specifically designed to be under mounted in a solid surface countertop only. Do not install a damaged sink. Inspect carefully. NOTE: The template ...

lang:en score:10 filesize: 99.2 K page_count: 1 document date: 2017-04-17