Gorilla Carts GOR6PS

Gorilla Carts Heavy-Duty Poly Yard Dump Cart

Model: GOR6PS

Brand: Gorilla Carts

Introduction

This manual provides essential information for the safe assembly, operation, and maintenance of your Gorilla Carts Heavy-Duty Poly Yard Dump Cart, Model GOR6PS. Designed for durability and ease of use, this cart is ideal for transporting various materials in your yard, garden, or farm. Please read this manual thoroughly before using the product.



Image: The Gorilla Carts Heavy-Duty Poly Yard Dump Cart, Model GOR6PS, ready for use.

Safety Information

Always prioritize safety when operating the dump cart. Failure to follow safety guidelines can result in injury or damage to the product.

- **Weight Capacity:** Do not exceed the maximum weight capacity of **1200 pounds**. Overloading can cause structural damage and loss of control.
- **Load Distribution:** Distribute loads evenly within the poly bed to maintain stability.
- **Incline Safety:** Exercise extreme caution when operating on inclines. Heavy loads can gain momentum quickly, making the cart difficult to control.
- **Children and Pets:** Keep children and pets away from the cart during operation and storage. This product is not a toy.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Assembly Instructions

Assembly is required for this product. While straightforward, having a second person may simplify the process. The hardware is typically organized to correspond with assembly steps.

Tools Required:

- Phillips head screwdriver
- Crescent wrench
- Pliers (for bending cotter pins)

General Assembly Tips:

- Follow the step-by-step instructions provided in the separate assembly guide included with your product.
- If you encounter difficulty with bolts and washers, using strong packing tape to hold them in place on one side can assist in securing nuts on the other.
- Should a cotter pin hole not align perfectly, a drill bit slightly larger than the hole can be used to clear the path.



Image: Overview of the cart's main features including the heavy-duty poly bed, 2-in-1 tow handle, tight turn steering, quick release dump, extra wide stability, 1200 lbs max load, 6 cu ft capacity, and 13 inch pneumatic tires.

Features & Components

The Gorilla Carts Heavy-Duty Poly Yard Dump Cart is engineered with several key features for optimal performance:

- **Heavy-Duty Poly Bed:** The spacious 6-cubic-foot tub is constructed from durable poly material that resists rust, ensuring longevity.
- **Innovative Steel Frame:** A robust alloy steel frame design provides enhanced stability and maneuverability, supporting up to 1200 pounds.
- **2-in-1 Convertible Handle:** The versatile handle allows for comfortable manual pulling or can be easily converted for towing behind a lawn tractor or ATV.
- **Quick-Release Dump Mechanism:** A patented system enables fast and effortless unloading of materials by simply pulling a lever.
- **Pneumatic Tires:** Equipped with four 13-inch pneumatic turf tires, the cart offers all-terrain mobility and smooth transport over various surfaces.
- **Side Wall Slots:** The poly bed includes integrated slots, allowing users to add wooden side extensions (not included) to increase load volume for lighter, bulkier materials.



Image: The quick-release dump mechanism in action, allowing the poly bed to tilt and fully dump its contents.

Operating Instructions

Manual Pulling:

- Grasp the handle firmly. The cart's design provides tight-turn steering for easy navigation around obstacles.
- Ensure the load is balanced to prevent tipping, especially when turning or on uneven terrain.

Towing with a Vehicle:

- To convert the handle for towing, remove the pins securing the handle in the upright position.
- Rotate the handle assembly 180 degrees so the hitch pin is facing forward.
- Secure the handle in the towing position using the pins.
- Attach the hitch pin to your lawn mower or ATV's hitch point.
- Always operate at a safe, slow speed when towing, especially with heavy loads or on uneven ground.



Image: Close-up of the 2-in-1 handle, illustrating how it converts from a pull handle to a hitch for towing.

Dumping Contents:

- Once at your desired dumping location, locate the quick-release lever near the front of the cart.
- Pull the lever to disengage the locking mechanism.
- Lift the handle to tilt the poly bed forward, allowing contents to slide out.
- Lower the bed back into place and ensure the quick-release lever re-engages to secure the bed before moving.



Image: The quick-release dumping system in use, showing the cart unloading rocks.

Maintenance

Regular maintenance will extend the life and performance of your Gorilla Cart.

- **Tire Pressure:** Periodically check the air pressure in the pneumatic tires and inflate to the recommended PSI (typically found on the tire sidewall) to ensure smooth operation and prevent premature wear.
- **Cleaning:** After each use, especially when transporting dirt, mulch, or other debris, clean the poly bed with water to prevent buildup and maintain its condition.
- **Lubrication:** The swivel joint for the front wheels may benefit from occasional lubrication (e.g., with WD-40 or grease) to ensure smooth turning, especially if it becomes stiff.
- **Hardware Check:** Regularly inspect all bolts, nuts, and cotter pins for tightness and signs of rust. Tighten any loose fasteners and replace rusted components as needed.

Troubleshooting

Stiff Swivel Joint:

- **Symptom:** The front wheels or handle are difficult to turn, or the cart does not steer smoothly.
- **Solution:** Turn the cart upside down or tilt it to access the swivel joint. Apply a penetrating lubricant like WD-40 to the joint. Work the handle back and forth to help the lubricant penetrate. If necessary, slightly loosen the bolts on the swivel joint, apply grease, and then re-tighten to an appropriate tension that allows for smooth movement without excessive play.

Specifications

Model Number	GOR6PS
Product Dimensions (L x W x H)	44" x 25.7" x 26.2"
Tub Capacity	6 Cubic Feet
Weight Limit	1200 Pounds
Item Weight	54 Pounds
Tire Type	Pneumatic Tires (13-inch)

Materials	Alloy Steel (Frame), Poly (Bed)
Assembly Required	Yes



Image: Detailed dimensions of the Gorilla Carts dump cart, including length, width, and height.

Warranty & Support

For warranty information, replacement parts, or technical assistance, please contact Gorilla Carts customer support. Refer to the packaging or the official Gorilla Carts website for the most current contact details and warranty terms.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question