

[Manuals.plus](#) /

› [InSinkErator](#) /

› InSinkErator Model ISE56 Food Waste Disposer Instruction Manual

InSinkErator ISE56

InSinkErator Model ISE56 Food Waste Disposer Instruction Manual

Model: ISE56

INTRODUCTION

The InSinkErator Model ISE56 food waste disposer is designed to efficiently grind food scraps into fine particles that can be flushed away through your plumbing system. This manual provides essential information for the safe installation, operation, and maintenance of your new appliance. Please read all instructions carefully before use.

SAFETY INFORMATION

WARNING: To reduce the risk of injury, electric shock, fire, or damage to property, always follow these basic precautions:

- Read all instructions before using the appliance.
- Do not insert hands or other objects into the disposer opening while it is operating.
- Ensure the disposer is properly grounded.
- Never dispose of flammable materials, glass, metal, or plastic in the disposer.
- Avoid disposing of highly fibrous materials like corn husks, artichokes, or large bones, as these can cause clogs.
- Always turn off the power to the disposer before attempting to clear a jam or perform maintenance.

SETUP AND INSTALLATION

The InSinkErator Model ISE56 features an easy 4-step installation process, utilizing the Quick-Lock™ Mounting System for secure and straightforward setup. Professional installation is recommended.

Easy 4-step installation instructions included

Incluye instrucciones sencillas de instalación en 4 pasos

Instruções simples de instalação em quatro etapas incluídas

Istruzioni di installazione semplici in 4 passi incluse

В комплект входит простая инструкция по установке в 4 шага

Installationsanweisungen zur einfachen Installation in 4 Schritten sind im Lieferumfang enthalten

مرفق تعليمات التركيب السهل في أربع خطوات



Food waste disposers can provide an environmentally responsible alternative to transporting food waste to landfills. And they can help reduce greenhouse gas emissions. At capable wastewater treatment plants, food waste can be recycled to produce renewable energy. Also, capable wastewater treatment plants can process food waste into fertilizer. (Check the plant in your area.)

Los trituradores de desperdicios de comida proporcionan una alternativa responsable con el medio ambiente para transportar los desperdicios de comida a rellenos sanitarios. Pueden reducir también las emisiones de gases de efecto invernadero. En plantas de tratamiento de aguas residuales competentes, los desperdicios de comida pueden reciclarse para producir energía renovable. Además, las plantas de tratamiento de aguas residuales competentes pueden procesar los desperdicios de comida y convertirlos en fertilizantes. (Verifique la planta correspondiente a su zona.)

Os trituradores de resíduos alimentares podem fornecer uma alternativa ambientalmente responsável ao transporte de resíduos alimentares para aterros sanitários. E eles podem auxiliar a reduzir as emissões de gases do efeito estufa. Em estações de tratamento de águas residuais equipadas para tal fim, os resíduos alimentares podem ser reciclados para a produção de energia renovável. Além disso, estações de tratamento de águas residuais equipadas para tal fim podem processar resíduos alimentares para a produção de adubo. (Verifique o tipo de unidade de tratamento existente em sua área.)

I dissipatori di rifiuti alimentari possono essere un'alternativa rispettosa dell'ambiente al trasporto dei rifiuti alimentari alle discariche. Inoltre, aiutano a ridurre le emissioni di gas effetto serra. Negli impianti di trattamento delle acque reflue attrezzati, è possibile riciclare i rifiuti alimentari per produrre energia rinnovabile e i rifiuti alimentari possono essere trattati e trasformati in fertilizzanti (verificare l'impianto nella propria zona).

Диспозеры — это экологичная альтернатива транспортировке пищевых отходов на мусорные свалки. Также они помогают добиться снижения выбросов парниковых газов. На станциях очистки бытовых сточных вод пищевые отходы могут быть переработаны для производства возобновляемой энергии. Кроме того, на соответствующих станциях очистки их можно перерабатывать в удобрения. (Уточните возможности очистки станций в вашем районе.)

Küchenabfallsortierer bieten eine umweltfreundliche und verantwortungsbewusste Alternative zum Transport von Speiseabfällen zu Mülldeponien. Darüber hinaus können sie zur Reduzierung von Treibhausgasemissionen beitragen. In leistungsfähigen Kläranlagen kann das Recycling von Speiseabfällen zur Gewinnung erneuerbarer Energie genutzt werden. Darüber hinaus können in leistungsfähigen Kläranlagen Speiseabfälle zu Dünger verarbeitet werden. (Sprechen Sie mit den lokalen Betreibern.)

تقدم أجهزة التخلص من مخلفات الطعام بديلًا بآلي البنية لنقل مخلفات الطعام إلى مدافن النفايات. كما يمكنها المساعدة في تقليل انبعاثات غازات الاحتباس الحراري. ومن الممكن في المحطات المجهزة لمعالجة النفايات السائلة إعادة تدوير مخلفات الطعام لإنتاج مصادر متجددة للطاقة. علاوة على ذلك، يمكن أن تقوم هذه المحطات المجهزة بمعالجة مخلفات الطعام وتحويلها إلى أسمدة عضوية. (راجع المحطة التابعة في منطقتك.)



English
Español
Français
Português
Nederlands
Nepali

Deutsch
Svenska
Norsk
Polski
Česky

Italiano
Türkçe
Rusça
Dansk
العربية



Model 56
220-240V, 50-60Hz



MADE IN USA

InSinkErator Business Unit
Emerson Electric Co.
4700 2nd Street
Bacine, WI 53406-5093 USA
Tel: 1-262-554-5432
Website: www.insinkerator.com

InSinkErator Business Unit
Suite 101, Building 6
Mallory Lane
Crosby Green Business Park
Weston HE27TA, W018 0TH
United Kingdom
Sales Tel: (0) 1923 297 880
Service Tel: (0) 800 399 2765
Website: www.insinkerator.co.uk

InSinkErator Italy

c/o Control Techniques Spa

Via Giacomo Brodolini 7

20089 Rozzano (MI)

Italy

Venditor Tel: +39 02 8020 9547

Numero Verde: 800 331 500

Website: www.insinkerator.it

Global Environmental Technologies Inc.

Khaila, West 401 St. St.

P.O. Box 2455

Amman, Jordan 1181

Sales/Service Tel: 962-4-535-8779

Installation Steps Overview:

1. Step 1: Prepare Sink Flange - Remove existing drain assembly and install the new sink flange with gasket and

Image: Easy 4-step installation instructions for the InSinkErator food waste disposer. This diagram illustrates the process of attaching the mounting assembly to the sink, connecting the disposer unit, and securing it in place.

support ring into the sink opening.

2. **Step 2: Attach Mounting Ring** - Secure the fiber gasket, backup flange, and mounting ring to the sink flange from underneath, tightening the screws evenly.
3. **Step 3: Connect Disposer to Drain** - Attach the discharge tube to the disposer unit and connect it to your household drain line.
4. **Step 4: Mount Disposer Unit** - Align the disposer unit's mounting lugs with the Quick-Lock™ mounting ring and twist until securely locked. Ensure all electrical and plumbing connections are properly made.

in sink erator™

MODEL 56

The food waste disposer grinds and liquefies food waste, then discharges it to the sewer or septic waste system through household plumbing.

El triturador de desperdicios de comida tritura y licúa los desperdicios de comida y luego los despiden hacia el desagüe o el sistema séptico de residuos a través de la cañería del hogar.

O triturador de resíduos alimentares tritura e liquefaz os resíduos de alimentos, e em seguida, descarrega-os no sistema de esgoto ou tanque de resíduos sépticos através do encanamento doméstico.

Il dissipatore di rifiuti alimentari tritura e liquefa gli scarti alimentari, quindi li scarica nel collettore di scarico o nel sistema di scarico settico tramite le tubature di casa.

Диспозер пищевых отходов измельчает и разжижает пищевые отходы, а затем сбрасывает их в септическую систему через бытовую канализацию.

Der Küchenabfallsorger zermahlt und verflüssigt Speisereste mühelos in winzige Partikel, die automatisch durch den Standardküchenabfluss entsorgt und zur örtlichen oder eigenen Kläranlage transportiert werden.

يقوم جهاز التخلص من بقايا الطعام بطحن البقايا وتحويلها إلى سائل، ثم يصرفها في المجاري أو في نظم الصرف الصحي من خلال مواسير المنزل.

Includes: | Incluye: | Inclui: |
Include: | Состав комплекта |
Im Lieferumfang enthalten: | المحتويات:



Plastic Stopper
 Tapón de plástico
 Tampa de plástico
 Tappo in plastica
 Пластиковая пробка
 Plastikstopfen
 غطاء بلاستيكية



Quick-Lock™ Mounting System
 Sistema de montaje Quick-Lock™
 Sistema de montagem Quick-Lock™
 Sistema di montaggio Quick-Lock™
 Система установки Quick-Lock™
 Quick-Lock™-Aufhängungssystem
 zur einfachen Installation
 نظام التثبيت Quick-Lock™

Power Feature: |
Característica de potencia: |
Recurso de acionamento: |
Caratteristica alimentazione: |
Характеристика питания: |
Leistungsmerkmale: | موزة الطاقة



Powerful Induction Motor

Potente motor de inducción
 motor de indução poderoso
 Motore a induzione potente
 Мощный асинхронный двигатель
 Kraftvoller Hochleistungs-Induktionsmotor
 محرك تيار حث قوي




Image: Product packaging for InSinkErator Model 56, highlighting key features such as the Quick-Lock™ Mounting System and the powerful induction motor. The image also shows a diagram of the disposer's internal components.

The disposer includes a plastic stopper and utilizes the Quick-Lock™ Mounting System for easy installation. Ensure all connections are watertight and electrical wiring is done according to local codes.

OPERATING INSTRUCTIONS

To operate your InSinkErator ISE56 food waste disposer:

1. Remove the sink stopper.
2. Turn on a medium flow of cold water.
3. Turn on the disposer switch.
4. Slowly feed food waste into the disposer opening.
5. After grinding is complete, turn off the disposer, then turn off the water.

Important: Always use cold water when operating the disposer. Cold water keeps grease and fats in a solid state so they can be flushed away, preventing clogs in your drain pipes.

Acceptable Food Waste:

- Vegetable scraps (excluding highly fibrous items)
- Fruit peels and cores
- Small bones (poultry, fish)
- Coffee grounds
- Plate scrapings

Items to Avoid:

- Large bones (beef, pork)
- Fibrous materials (celery stalks, corn husks, artichokes, banana peels)
- Grease, oil, or fat
- Glass, metal, plastic, or rubber
- Chemicals or cleaning solutions
- Oyster or clam shells

MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your disposer.

Cleaning Your Disposer:

- **Daily Rinse:** After each use, run cold water for a few seconds after the grinding stops to flush out any remaining particles.
- **Deep Cleaning:** To clean the grinding chamber and remove odors, grind small pieces of citrus fruit (lemon, orange) with cold water. This helps to clean the internal components and leave a fresh scent.
- **Stubborn Odors:** For persistent odors, try grinding a tray of ice cubes. The ice helps to dislodge food particles from the grinding elements.

The Model ISE56 features galvanized steel grind components, designed for durability and effective grinding. Avoid using harsh chemicals or drain cleaners, as these can damage the disposer and plumbing.

TROUBLESHOOTING

If your disposer is not functioning correctly, refer to these common issues and solutions:

- **Disposer Hums but Doesn't Grind:** This usually indicates a jam. Turn off the disposer and the water. Look into the

drain opening with a flashlight. If an object is visible, try to remove it with tongs or pliers. Never use your hand. If no object is visible, insert the disposer wrench (if provided) into the center hole on the bottom of the disposer and turn it back and forth to free the grinding plate. Alternatively, press the red reset button on the bottom of the disposer.

- **Disposer Does Not Turn On:** Check if the circuit breaker has tripped or if the reset button on the bottom of the disposer needs to be pressed. Ensure the power switch is in the "ON" position.
- **Leaks:** Check all plumbing connections for tightness. Leaks can occur from loose connections at the sink flange, discharge tube, or dishwasher inlet. If the leak is from the disposer housing itself, the unit may require professional service or replacement.
- **Slow Draining/Clogging:** This can be caused by disposing of too much fibrous material or insufficient water flow. Ensure you are using plenty of cold water during operation and avoiding prohibited items.

If these steps do not resolve the issue, contact customer support.

SPECIFICATIONS

in sink erator™

MODEL 56



Model 46



Model 56



Model 66



Evolution 100



Evolution 200

Sound Reduction
Compared to Model 46

Reducción del ruido comparado con el Modelo 46
Redução de ruído comparado com o Modelo 46
Riduzione del rumore rispetto al modello 46
Diminuzione del rumore rispetto al modello 46
Сокращение шума по сравнению с моделью 46
Сокращение шума по сравнению с моделью 46
تقليل الصوت مقارنة بموديل 46



No. of Grinding Stages

Cantidad de etapas de trituración
Número de etapas de trituração
Menge der Stadien z.Trituration
Menge der Stadien z.Trituration
عدد مراحل التفتين



Horsepower

Capacidad de fuerza
Potência do motor
CV
Motor
Horsepower
PS
القوة الحصانية

.55 HP
@240V, 50Hz
@240 V, 50 Hz
240V, 50Hz
a 240V, 50Hz
240 V, 50 Hz
bei 240 V, 50 Hz
على 240 فولت 50 هرتز

.55 HP
@240V, 50Hz
@240 V, 50 Hz
240V, 50Hz
a 240V, 50Hz
240 V, 50 Hz
bei 240 V, 50 Hz
على 240 فولت 50 هرتز

.75 HP
@240V, 50Hz
@240 V, 50 Hz
240V, 50Hz
a 240V, 50Hz
240 V, 50 Hz
bei 240 V, 50 Hz
على 240 فولت 50 هرتز

.75 HP
@240V, 50Hz
@240 V, 50 Hz
240V, 50Hz
a 240V, 50Hz
240 V, 50 Hz
bei 240 V, 50 Hz
على 240 فولت 50 هرتز

.75 HP
@240V, 50Hz
@240 V, 50 Hz
240V, 50Hz
a 240V, 50Hz
240 V, 50 Hz
bei 240 V, 50 Hz
على 240 فولت 50 هرتز

Guarantee /Years

Garantía/años
Garantia/anos
Garantia/anni
Garantie/anni
Garantie/anni
التأمين كسنوات

2 Years
2 años
2 anos
2 anni
2 anni
2 Jahre
مئتان

3 Years
3 años
3 anos
3 anni
3 anni
3 Jahre
٣ سنوات

4 Years
4 años
4 anos
4 anni
4 anni
4 Jahre
٤ سنوات

5 Years
5 años
5 anos
5 anni
5 anni
5 Jahre
٥ سنوات

6 Years
6 años
6 anos
6 anni
6 anni
6 Jahre
٦ سنوات

Grind Components

Componentes para la trituración
Componentes de trituração
Material de trituração
Material de trituração
Material de trituração
مكونات التفتين

Galvanized Steel
Acero galvanizado
Aço galvanizado
Acciaio galvanizzato
Opvinoxen-steel
Verzinkter Stahl
فولاذ مغلف

Stainless Steel
Acero inoxidable
Aço inoxidável
Acciaio inossidabile
Opvinoxen-steel
Edelstahl
معدن لا يصدأ

Stainless Steel
Acero inoxidable
Aço inoxidável
Acciaio inossidabile
Opvinoxen-steel
Edelstahl
معدن لا يصدأ

Stainless Steel
Acero inoxidable
Aço inoxidável
Acciaio inossidabile
Opvinoxen-steel
Edelstahl
معدن لا يصدأ

Stainless Steel
Acero inoxidable
Aço inoxidável
Acciaio inossidabile
Opvinoxen-steel
Edelstahl
معدن لا يصدأ

Air Switch

Interruptor de flujo de aire
Interruptor de fluxo de ar
Interruptor d'aria
Interruptor d'aria
Interruptor d'aria
مفتاح هواء





Image: Comparison chart detailing features of various InSinkErator models, including Model 56, showing sound reduction, grinding stages, horsepower, guarantee, and grind components.

Feature	Detail (Model ISE56)
---------	----------------------

Brand	InSinkErator
Model	ISE56
Dimensions (L x W x H)	42.5 x 42.5 x 31 cm (approximate package dimensions)
Weight	8.6 Kilograms
Motor Horsepower	0.55 HP
Grinding Stages	1x
Grind Components	Galvanised Steel
Sound Reduction	Standard (1x compared to Model 46)
Mounting System	Quick-Lock™

WARRANTY INFORMATION

The InSinkErator Model ISE56 food waste disposer comes with a **3-year guarantee**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims. For full terms and conditions, refer to the warranty documentation included with your product or visit the official InSinkErator website.

CUSTOMER SUPPORT

For technical assistance, troubleshooting, or warranty service, please contact InSinkErator customer support. Contact details can typically be found on the manufacturer's website or in the documentation provided with your product.

Online Resources: Visit the official InSinkErator website for FAQs, product registration, and additional support materials.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question