

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Safety 1st](#) /

› [Safety 1st Extra Wide Baby Gate with Door Instruction Manual \(Model GA106WHO1\)](#)

Safety 1st GA106WHO1

Safety 1st Extra Wide Baby Gate with Door Instruction Manual

Model: GA106WHO1

Brand: Safety 1st

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and use of the Safety 1st Extra Wide Baby Gate. Failure to follow these instructions could result in serious injury or death.

- This gate is designed for children 6-24 months of age and is also suitable for pets.
- **WARNING:** Never use this pressure-mounted gate at the top of stairs. It is intended for use in doorways, hallways, and at the bottom of stairs only.
- Always install with the provided wall cups to ensure the gate remains securely in place.
- Regularly check all parts for proper assembly and tightness.
- Do not use if any components are missing or damaged.
- Keep small parts away from children during assembly.

2. PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Main Gate Frame with Door
- Extension Panels (various sizes, as needed for width)
- 4 Tension Rods with Wall Cups
- Instruction Manual

3. SETUP AND INSTALLATION

The Safety 1st Extra Wide Baby Gate features an easy, pressure-mounted installation that requires no drilling. It adjusts to fit openings between 29 to 47 inches wide and stands 36 inches tall.

3.1 Determine Placement and Width

Measure your doorway or opening. Select the appropriate number of extension panels to achieve the desired width. The gate is designed to fit snugly within the opening.

3.2 Assemble Gate with Extensions

Attach any necessary extension panels to the main gate frame. Ensure they click securely into place.

3.3 Install Tension Rods and Wall Cups

Insert the four tension rods into the corners of the gate frame. Place the wall cups against the wall or door frame at the desired height. Rotate the adjustment wheels on the tension rods to extend them until they make firm contact with the wall cups. Continue tightening until the gate is securely held in place and the SecureTech indicator shows green.




Image: Adjusting the tension rod for a secure fit. Ensure the gate is closed during installation to verify proper alignment.




Image: Detailed view of the tension rod adjustment mechanism. Rotate to expand and secure the gate.



Easy Install Extra Tall & Wide Gate



Image: The Safety 1st Extra Wide Baby Gate installed in a kitchen opening, demonstrating its broad coverage.




Image: An overview diagram of the gate, pointing out key features such as the SecureTech indicator, two-action handle, and adjustable width.

4. OPERATING INSTRUCTIONS

The gate features a walk-through design with a SecureTech locking system for ease of use and enhanced safety.

4.1 Opening the Gate

To open the gate, slide the button on the top rail forward and simultaneously push the button on the bottom of

the handle. This two-action mechanism is designed to be difficult for children to operate.



Image: Demonstrating the two-action handle, which requires sliding a button forward and pushing another simultaneously to open the gate.

4.2 Closing and Locking the Gate

Simply push the gate door closed. It will automatically latch. The SecureTech indicator on the top rail will show green when the gate is securely locked, providing visual confirmation of safety. If the indicator shows red, the gate is not securely locked and needs to be adjusted or re-closed.



Image: The SecureTech indicator changes from red (unlocked) to green (locked) to provide visual confirmation of the gate's security.

4.3 Gate Swing Direction

The gate door can swing in either direction. A stopper mechanism at the bottom allows you to restrict the swing to one direction if desired, which can be useful in certain locations.

4.4 Video Demonstration: Locking Mechanism

Video: This video demonstrates the two-action locking mechanism of the Safety 1st baby gate, showing how to engage and disengage the lock for opening and closing the gate. It highlights the security features designed to prevent children from opening it.

5. MAINTENANCE

To keep your Safety 1st baby gate in optimal condition:

- Clean with a mild soap and damp cloth. Do not use abrasive cleaners or strong chemicals.
- Periodically check all connections and tension rods to ensure they remain tight and secure.
- Inspect the gate for any signs of wear, damage, or loose parts. Discontinue use if any damage is found.

6. TROUBLESHOOTING

If you encounter issues with your gate, try the following:

- **Gate not closing/latching properly:** Ensure the gate is installed squarely within the opening. Loosen the tension rods slightly, adjust the gate's position, and then re-tighten. Check the SecureTech indicator for green.
- **Gate feels loose:** Re-tighten all four tension rods until the gate is firm and the SecureTech indicator shows green. Ensure wall cups are properly installed.
- **Difficulty opening the gate:** Ensure you are performing both actions (sliding the top button and pushing the bottom button) simultaneously.

7. SPECIFICATIONS

Feature	Specification
Brand	Safety 1st
Model Number	GA106WHO1
Item Type Name	Safety 1st Easy Install Gate
Adjustable Width	29 to 47 inches
Height	36 inches
Mounting Type	Pressure Mount
Material Type	Metal, Plastic
Color	White
Closure Type	Latch
Item Weight	15.3 Pounds

Certifications	JPMA Certified, Meets CPSC Requirements
----------------	---

8. WARRANTY AND SUPPORT

This Safety 1st Extra Wide Baby Gate is backed by a one-year limited warranty. For warranty claims or product support, please refer to the contact information provided with your purchase or visit the official Safety 1st website.