Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

STANLEY BDS6650

STANLEY FATMAX Professional Grade Garden Hose (Model BDS6650) - 50 Feet x 5/8 Inch Instruction Manual

Model: BDS6650 | Brand: STANLEY

Product Overview

The STANLEY FATMAX Professional Grade Garden Hose is engineered for durability and ease of use in various watering tasks. It features POLYFUSION TECHNOLOGY for lightweight maneuverability and AntiKink technology to prevent tangles. The hose is equipped with heavy-duty anodized aluminum couplings for secure connections and is designed for all-weather reliability.



Image: Stanley FATMAX Professional Grade Garden Hose in its retail packaging, highlighting key features like 500 PSI burst strength, all-weather performance, POLYFUSION TECHNOLOGY, and AntiKink technology.

Setup

Follow these steps to properly set up your STANLEY FATMAX Garden Hose:

1. **Uncoil the Hose:** Carefully uncoil the entire length of the hose to prevent kinks and ensure smooth water flow.
2. **Connect to Water Source:** Attach the female end of the hose to your outdoor spigot. The heavy-duty easy-twist collar allows for effortless connection without the need for additional tools. Ensure the connection is hand-tight to prevent leaks.
3. **Attach Accessories (Optional):** If using a nozzle, sprinkler, or other watering attachment, connect it to the male end of the hose. The anodized aluminum couplings provide a secure and crush-proof connection.



Image: A close-up view demonstrating the easy-twist wrench-free grip of the Stanley FATMAX hose being connected to an outdoor spigot, ensuring a secure attachment.

Operating Instructions

The STANLEY FATMAX Garden Hose is designed for efficient and hassle-free watering.

- **Water Flow:** Slowly turn on the water at the spigot. The hose's AntiKink technology helps prevent twists and tangles, ensuring a smooth and uninterrupted flow.
- **Maneuverability:** The lightweight POLYFUSION TECHNOLOGY (combining polyurethane and PVC) allows for easy navigation around garden tools, plants, and other obstacles.
- **All-Weather Performance:** This hose maintains its flexibility and performance across a wide range of temperatures, making it suitable for use in various weather conditions.



Image: The Stanley FATMAX garden hose coiled on green grass, illustrating its flexibility and readiness for use in outdoor tasks.



Image: A diagram highlighting the AntiKink Technology, which makes kinking almost impossible, and POLYFUSION TECHNOLOGY, yielding a lightweight yet strong and durable hose.

Your browser does not support the video tag.

Video: An official product video demonstrating the features and use of the Stanley FatMax Garden Hose, showcasing its flexibility and ease of handling.

Maintenance

Proper maintenance will extend the life of your garden hose:

- **Storage:** After each use, drain any remaining water from the hose and coil it neatly. Store the hose in a cool, dry place away from direct sunlight and extreme temperatures when not in use for extended periods.
- **Cleaning:** Periodically clean the exterior of the hose with mild soap and water to remove dirt and debris.
- **Inspect Couplings:** Regularly check the anodized aluminum couplings for any signs of wear or damage. Ensure they are free from debris and properly sealed to prevent leaks.

Troubleshooting

- **Kinks or Tangling:** The AntiKink technology is designed to minimize kinking. If a kink occurs, gently straighten the hose. Ensure the hose is fully uncoiled before use to prevent tangles.
- **Leaks at Connections:** Check that the couplings are securely tightened to the spigot and any attachments. Ensure rubber washers are properly seated within the couplings.
- **Reduced Water Flow:** Verify that the spigot is fully open and that there are no obstructions in the hose or attached accessories.

Specifications

Brand	STANLEY
Model Number	BDS6650
Material	Polyurethane (PU), Polyvinyl Chloride (PVC)
Color	Yellow
Product Dimensions	600"L x 0.63"W (50 feet x 5/8 inch)
Item Weight	7 Pounds
Maximum Pressure	500 Pound per Square Inch (PSI)
Outside Diameter	0.63 Inches
Nominal Wall Thickness	0.125 inches
UPC	844841066500

Warranty

The STANLEY FATMAX Professional Grade Garden Hose comes with a **Lifetime Limited Warranty**. Please retain your proof of purchase for any warranty claims. For detailed terms and conditions, refer to the product packaging or contact STANLEY customer support.

Support

For further assistance, product inquiries, or warranty support, please visit the official STANLEY website or contact their customer service department. You can also refer to the STANLEY Store on Amazon for additional product information and resources.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B01BYB8DPW

More documents and user manuals: **https://manuals.plus/**