Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

iOttie HLCRIO120

iOttie Easy One Touch 3 Car Mount User Manual

MODEL: HLCRIO120

1. Introduction

The iOttie Easy One Touch 3 car mount offers a compact, versatile, and highly functional solution for mounting your phone in your vehicle. It features a redesigned telescopic arm that extends for optimal viewing angles and an adjustable bottom foot to accommodate various device sizes and positions. The mount utilizes a powerful sticky gel pad for secure attachment to most surfaces, and it includes a dashboard pad for alternative mounting options. This mount is designed for universal compatibility, securely holding devices up to 3.5 inches in width.

Key Features:

- Enhanced universal Easy One Touch mounting system for quick device locking and release.
- Compact design with updated spring mechanics for improved performance.
- Reusable sticky gel pad for secure attachment to most surfaces, including a dashboard pad.
- Improved telescopic arm extends by 1 inch for closer device viewing.
- Universal compatibility, fitting devices up to 3.5 inches in width.



Image 1.1: The iOttie Easy One Touch 3 Car Mount, showcasing its compact design and adjustable components.

2. Setup and Installation

1. **Choose a Mounting Location:** Select a flat, smooth surface on your dashboard or windshield. Ensure the area is clean and free of dust or debris. For textured dashboards, use the included dashboard pad.
2. **Attach the Suction Cup:** Remove the protective film from the sticky gel pad. Press the suction cup firmly onto the chosen surface.
3. **Secure the Lever:** Push the locking lever down to create a strong vacuum seal.
4. **Adjust the Telescopic Arm:** Loosen the knob on the telescopic arm to extend or retract it to your desired length. Tighten the knob to secure the arm position.
5. **Adjust the Angle:** Loosen the ball joint knob to adjust the viewing angle of the phone holder. Tighten the knob once the desired angle is achieved.



Image 2.1: Close-up of the suction cup base, showing the locking lever and the sticky gel pad for secure attachment.



Image 2.2: The iOttie Easy One Touch 3 car mount installed on a dashboard, holding a smartphone in landscape orientation.

3. Operating Instructions

1. **Mounting Your Device:** Gently press your phone against the Easy One Touch trigger button located in the center of the mount. The side arms will automatically close and secure your device.
2. **Removing Your Device:** Squeeze the release bars on the sides of the mount to open the side arms and retrieve your phone.
3. **Adjusting the Bottom Foot:** The bottom foot can be moved left, right, up, or down to ensure proper alignment and support for various phone sizes and port access.
4. **Rotating the Device:** The phone holder can be rotated 360 degrees for portrait or landscape viewing.



Image 3.1: Detailed view of the phone holder, illustrating its adjustable width to accommodate devices up to 3.2 inches (8.12 cm).




Image 3.2: Side view of the mount, showing the telescopic arm extended and the overall length of the unit.

4. Maintenance

To maintain the optimal performance of your iOttie Easy One Touch 3 car mount, especially the sticky gel pad, follow these simple steps:

- If the sticky gel pad loses its adhesion, rinse it with warm water and let it air dry completely. Do not use any cleaning agents or cloths, as this may damage the gel.
- Ensure the mounting surface is always clean before reattaching the mount.
- Avoid exposing the mount to extreme temperatures for prolonged periods, as this may affect the material integrity.

5. Troubleshooting

Issue	Possible Cause	Solution
Mount does not stick to the surface.	Surface is dirty or textured; gel pad is dirty.	Clean the mounting surface thoroughly. Rinse the sticky gel pad with warm water and air dry. Use the included dashboard pad for textured surfaces.
Phone is not held securely.	Phone width exceeds capacity; bottom foot not adjusted correctly.	Ensure your device is within the 3.5-inch width limit. Adjust the bottom foot to provide adequate support for your phone.
Telescopic arm or ball joint is loose.	Knobs are not tightened sufficiently.	Tighten the respective knobs on the telescopic arm and ball joint until secure.

6. Specifications

- **Brand:** iOttie
- **Model Name:** One Touch 3
- **Model Number:** HLCRIO120
- **Color:** Black
- **Compatible Devices:** Smartphones
- **Compatible Phone Models:** iPhone 6s, 6s plus, Galaxy Note 5, s7, s7 edge (and devices up to 3.5 inches wide)
- **Mounting Type:** Dashboard
- **Additional Features:** Adjustable
- **Water Resistance Level:** Water Resistant
- **Compatible with Vehicle Type:** Automobile
- **Item Dimensions:** 4.3 x 2.8 x 5.6 inches
- **Item Weight:** 7 ounces
- **Shape:** Rectangular
- **Enclosure Material:** Faux Leather
- **Included Components:** Car Mount, Dashboard Disc
- **UPC:** 732235309992, 763230577635, 852306006299

7. Warranty and Support

Warranty: This iOttie product comes with a 1-year limited warranty from the date of purchase. Please retain your proof of purchase for warranty claims.

Customer Support: For further assistance, technical support, or warranty inquiries, please visit the official iOttie website or contact their customer service department. Contact details can typically be found on the product packaging or the official iOttie website.

© 2023 iOttie. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B01BZC262Q

More documents and user manuals: **https://manuals.plus/**