



[Manuals.plus](#) /

> [Wilbar](#) /

> Wilbar Meadows Reprieve 18 ft Round Above Ground Swimming Pool Instruction Manual

Wilbar PIBMR1852

Wilbar Meadows Reprieve 18 ft Round Above Ground Swimming Pool Instruction Manual

Model: PIBMR1852

INTRODUCTION

This manual provides detailed instructions for the safe and efficient installation, operation, and maintenance of your Wilbar Meadows Reprieve 18 ft Round Above Ground Swimming Pool. Please read all instructions carefully before beginning assembly or use to ensure proper setup and to maximize the lifespan of your pool.

The Wilbar Meadows Reprieve pool features a durable steel wall with resin coating for protection against rust, a 25-gauge overlap liner, and a widemouth skimmer. Its design is intended for year-round outdoor use.

SETUP INSTRUCTIONS

Proper site preparation and assembly are crucial for the stability and longevity of your above ground pool. Follow these steps carefully.

1. Site Preparation

Select a level area free from sharp objects, roots, or debris. The ground must be firm and capable of supporting the weight of the filled pool (approximately 7,000 - 8,500 gallons of water). Ensure adequate drainage away from the pool area.

18' Round Meadows Reprieve




Figure 1: Key dimensions and material specifications of the Wilbar Meadows Reprieve 18 ft Round Above Ground Pool.

2. Component Overview

Before starting, verify all components are present and undamaged. The pool package includes the steel wall, 25-gauge overlap liner, widemouth skimmer, and coping strips for liner installation.



Figure 2: Fully assembled Wilbar Meadows Reprieve 18 ft Round Above Ground Pool.

3. Pool Assembly

Refer to the detailed installation video for a visual guide on assembling the pool structure. This includes setting up the bottom wall tracks, installing the steel wall, and securing all connections.

Your browser does not support the video tag.

Video 1: Detailed installation guide for an Aquarian Phoenix Round Frame Above Ground Swimming Pool, demonstrating site preparation, wall assembly, and liner installation steps.

4. Liner Installation

The 25-gauge overlap liner is designed to fold over the top of your pool wall. Lay the liner out in the sun for at least one hour to warm the vinyl, ensuring it stretches properly during installation. Ideal installation temperatures are between 70-80 degrees Fahrenheit.




Figure 3: Close-up of the 25-gauge boulder swirl overlap liner pattern.




Figure 4: Diagram of an overlap liner installation, showing how the liner folds over the wall and is secured with coping strips.

5. Skimmer and Inlet Installation

Install the widemouth skimmer and water inlet according to the manufacturer's instructions provided with those components. Ensure all seals are tight to prevent leaks.



Figure 5: The included widemouth skimmer for efficient water surface cleaning.

OPERATING YOUR POOL

Filling the Pool

Once the liner is securely in place and all connections are tight, begin filling the pool with water. As the water level rises, smooth out any wrinkles in the liner from the center outwards. Stop filling when the water reaches the recommended level, typically halfway up the skimmer opening.

Water Circulation

Ensure your pump and filter system (sold separately) are correctly installed and operating. Proper water circulation is essential for maintaining water quality and preventing algae growth.

MAINTENANCE

Regular maintenance will keep your pool clean, safe, and enjoyable for years.

Water Chemistry

Test your pool water regularly for pH, chlorine, alkalinity, and calcium hardness. Adjust chemical levels as needed to maintain a balanced and sanitary swimming environment. Follow the instructions provided with your water testing

kit and pool chemicals.

Cleaning

Skim debris from the water surface daily. Vacuum the pool floor as needed to remove settled dirt and particles. Brush the pool walls to prevent algae buildup.

Your browser does not support the video tag.

Video 2: A product showcase from U.S. Pool Supply, featuring various pool cleaning and maintenance tools such as skimmers, rakes, brushes, and vacuum heads.

Winterization

For colder climates, proper winterization is essential to protect your pool from freezing damage. Consult a local pool professional or specific winterization guides for your region. Do not attempt to sink this pool into the ground, as this will void the manufacturer's warranty.

TROUBLESHOOTING

This section addresses common issues you might encounter with your above ground pool.

- **Cloudy Water:** Check filter, backwash if necessary. Test water chemistry and adjust as needed. Ensure proper circulation.
- **Algae Growth:** Shock the pool with appropriate chemicals. Brush walls and vacuum. Check and adjust chlorine levels.
- **Leaks:** Inspect the liner for tears or punctures. Check all plumbing connections for tightness. Small leaks in the liner may be repaired with a vinyl patch kit.
- **Pump/Filter Issues:** Refer to the instruction manual for your specific pump and filter system. Ensure proper priming and clean filter media.

SPECIFICATIONS

| | |
|----------------------------|--|
| Brand | Wilbar |
| Model Number | PIBMR1852 |
| Shape | Round |
| Product Dimensions | 216"L x 216"W x 52"H (18 ft Diameter x 52 inches Wall Height) |
| Capacity | 7,000 - 8,500 Gallons (Estimated) |
| Material | Alloy Steel, Resin, Vinyl |
| Included Components | 25 Gauge Boulder Swirl Overlap liner, Widemouth Skimmer, Coping Strips |
| Assembly Required | Yes |

WARRANTY INFORMATION

The Wilbar Meadows Reprieve Above Ground Swimming Pool comes with a **10-Year Limited Manufacturer Warranty**. This warranty covers defects in materials and workmanship under normal use and service. Please retain

your proof of purchase for any warranty claims. For specific terms and conditions, refer to the warranty documentation included with your product or contact Wilbar customer support.

CUSTOMER SUPPORT

If you have any questions regarding the installation, operation, or maintenance of your Wilbar pool, please contact Wilbar customer support. Ensure you have your model number (PIBMR1852) and proof of purchase available when contacting support.

For additional resources and product information, visit the official Wilbar website or consult your local pool supply retailer.