

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Command](#) /

› [Command BATH31-SN-ES Heavy Duty Shower Caddy Instruction Manual](#)

## Command BATH31-SN-ES

# Command BATH31-SN-ES Heavy Duty Shower Caddy Instruction Manual

Model: BATH31-SN-ES

## INTRODUCTION

---

The Command BATH31-SN-ES Heavy Duty Shower Caddy in satin nickel provides a damage-free solution for organizing your shower essentials. This caddy adheres firmly to various surfaces like glass, mirror, tile, fiberglass, wood, and painted surfaces, offering a reliable alternative to unsightly suction cups or damaging screws and nails. It is designed for strong hold in wet and humid conditions and removes cleanly without leaving holes or sticky residue.

## SETUP AND INSTALLATION

---

Follow these steps carefully for optimal adhesion and performance of your Command Shower Caddy.

- Surface Preparation:** Clean the surface thoroughly with the included alcohol wipe. Allow the surface to air dry completely. Do not use household cleaners, as they may leave residues that reduce adhesion.
- Apply Strips to Mounting Base:** Separate the Command Water-Resistant Strips. Remove the blue liner from one side of a strip and press it firmly onto the clear plastic mounting base of the caddy. Repeat this for all four strips, ensuring they are securely attached to the bases.
- Apply Mounting Base to Wall:** Remove the black liners from the exposed side of the strips. Position the entire caddy (with strips attached to the base) against the desired clean, dry wall surface. Press firmly for 10 seconds.
- Remove Caddy:** Gently slide the caddy up and off the clear plastic mounting bases, leaving the bases attached to the wall.
- Press Firmly:** Press each individual mounting base firmly against the wall for 30 seconds.
- Wait:** Wait 24 hours before re-attaching the caddy and placing any items in it. This allows the adhesive to reach maximum strength. It is recommended to shower at least once during this 24-hour period to help activate the water-resistant adhesive.
- Re-attach Caddy:** After the 24-hour waiting period, slide the caddy back onto the mounting bases.



3M

**Command**  
BRAND



**EASY TO INSTALL**

No Tools Required

Figure 1: Easy, tool-free installation process.

**CONTAINS:** Isopropyl Alcohol [67-63-0]. **PRECAUTIONS:** Vapor may cause flash fire. Keep away from heat, sparks, flame and sources of static discharge. Avoid eye contact. Do not swallow. **KEEP OUT OF REACH OF CHILDREN. FIRST AID INFORMATION:** Eye Contact: Immediately flush with large amounts of water. Get medical attention. If Swallowed: Do not induce vomiting, get medical attention.

**CONTIENE:** Alcohol isopropílico. **PRECAUCIONES:** El vapor puede causar incendio. Manténgalo alejado del calor, chispas, llamas y fuentes de descarga estática. Evite el contacto con los ojos. No lo trague. **MANTÉNGALO FUERA DEL ALCANCE DE LOS NIÑOS. INFORMACIÓN DE PRIMEROS AUXILIOS:** Contacto con los ojos: Lave inmediatamente con grandes cantidades de agua. Busque atención médica. Si se traga: No induzca el vómito, busque atención médica.



**Damage-Free Hanging**  
Colgar sin dañar



**Holds Strongly**  
Sujeta firmemente



**Removes Cleanly**  
No deja residuos al retirar



**WARNING:** Contains: Propan-2-ol. May cause drowsiness or dizziness. Keep out of reach of children. Avoid breathing vapours. If medical advice is needed, have product container or label at hand. Dispose of contents/ container in accordance with applicable local/regional/national/ international regulations. 35% of the mixture consists of components of unknown acute oral toxicity. Contains 35% of components with unknown hazards to the aquatic environment.

MSDS: 24-6595-3 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT, Tel: 01344 858 000

3M Ireland Ltd, The Iveagh Building, The Park, Carrickmines, Dublin 16, Tel: 01 2603335

Para producto vendido en Unión Europea **ATENCIÓN!** Contiene: Isopropanol. Puede provocar somnolencia o vértigo. Mantener fuera del alcance de los niños. Evitar respirar los vapores. Si se necesita consejo médico, tener a mano el envase o la etiqueta. Eliminar el contenido/ recipiente siguiendo la legislación local/ autonómica/nacional/ internacional aplicable. 35% de la mezcla consiste en componentes de toxicidad oral aguda desconocida. Contiene 35% de componentes con peligros para el medio ambiente acuático desconocidos.

**Failure to follow instructions carefully may cause damage. Save instructions or visit command.com**

**CAUTION:** Do not hang over beds or on wallpaper. Do not hang valuable or irreplaceable items. Apply and use 15°-125°F. Caddy can be reused with Command® Bath Large Refill Strips.

**Si no sigue las instrucciones pueden producirse daños. Guarde las instrucciones o visite command.com**

**PRECAUCIÓN:** No cuelgue sobre camas o utilice en papel tapiz. No cuelgue artículos valiosos o irremplazables. Aplicar y usar entre 7° y 50°C. El cesto se puede volver a usar con las tiras de baño grandes de repuesto Command®.

**Limited Warranty and Limitation of Liability** for product sold in USA: This product will be free from manufacturing defects. If defective, your exclusive remedy shall be, at 3M's option, product replacement or refund. 3M will not be liable for any loss or damage arising from this product, whether direct, indirect, special, incidental or consequential. Imported por: 3M México S.A. de C.V. Av. Santa Fe, No. 190 Col. Santa Fe, Del. Álvaro Obregón, México D.F., C.P. 01210-3M Costa Rica S.A., S/A. Roca de Santo Domingo Heredia - 3M Perú S.A. Canaval y Moreyra 441, San Isidro Lima, Perú RUC: 20100119227-3M Panamá S.A. Via Ricardo J. Alfaro, Panamá-3M Colombia S.A. Av El Dorado No. 75-90 Bogotá, D.C. - 3M Chile S/A Isabel 1001, Providencia, CAC 600 300 3435

**Garantía limitada y límite de responsabilidad** (para producto vendido en E.U.A.): Este producto no tendrá defectos de fabricación. Si tiene defectos, su única solución será, a opción de 3M, el remplazo del producto o el reembolso del precio de compra. 3M no será responsable de ninguna pérdida o daño que se deriven de este producto, ya sea directos, indirectos, especiales, fortuitos o resultantes.

**APPLY APLICAR**

- 1** If possible, choose a spot where strips are not over grout lines. Allow space above and below caddy for removal.
- 2** Clean the surface with enclosed alcohol wipe. Do not use household cleaners.
- 3** Separate strips. Remove blue liners. Press 2 strips to each mounting base.
- 4** Remove black liners. Press caddy to wall for 10 seconds.
- 5** To ensure adhesive hold, slide caddy up and off.
- 6** Press each base firmly for 30 seconds.
- 7** Use shower once and wait 24 hours to allow adhesive to build. Then slide caddy back onto the mounting bases.

**REMOVE RETIRAR**

- 1** Slide caddy up and off.
- 2** Gently hold mounting base in place.
- 3** Never pull the strip towards you! Always pull straight down.
- 4** Stretch each strip slowly against the wall at least 15 inches to release.

Figure 2: Detailed visual guide for applying and removing Command Water-Resistant Strips.

Your browser does not support the video tag.

Video 1: This video demonstrates the step-by-step installation process of the Command Shower Caddy, including surface preparation and application of the water-resistant strips.

**Removal Instructions**

To remove the caddy and strips without damage:

- 1. Slide Caddy Off:** Gently slide the caddy up and off the mounting bases.
- 2. Stretch Strip Down:** Grab the bottom tab of the adhesive strip and slowly stretch it straight down along the wall, parallel to the surface. Continue stretching until the strip releases from the wall. Do not pull the strip towards you or at an angle, as this may damage the surface.



Figure 3: Proper technique for clean strip removal.

## OPERATING INSTRUCTIONS

Once installed and cured for 24 hours, the Command Shower Caddy is ready for use. Place your shampoo, conditioner, body wash, and other shower essentials into the caddy. Ensure the total weight of items does not exceed 6.5 lbs (approximately 3 kilograms) to maintain secure adhesion.

# How much does your item weigh?

1 lb.



3 lbs.



5 lbs.



8 lbs.



## COMMAND™ WEIGHT REFERENCE GUIDE

Figure 4: The shower caddy in use, holding multiple items.

### MAINTENANCE

To clean the caddy, remove it from the mounting bases. Wash with mild soap and water, then rinse and dry thoroughly. The satin nickel finish is rust-resistant. Ensure the mounting bases and wall surface are dry before re-attaching the caddy.

### TROUBLESHOOTING

- **Caddy not holding or falling:**

- Ensure the surface was cleaned with the alcohol wipe and allowed to dry completely before application.
- Ensure strips were pressed firmly for the recommended time (10 seconds for caddy, 30 seconds for bases).
- Ensure the 24-hour wait time was observed before placing items in the caddy.
- Verify the total weight of items does not exceed 6.5 lbs (3 kg).
- Check if the surface is suitable. Command strips are not recommended for wallpaper, fabrics, textured walls, brick, or other rough/non-stick surfaces.

- **Difficulty removing strips:**

- Ensure the strip is stretched **straight down** along the wall, parallel to the surface, not pulled outwards or at an angle. Slow and steady pressure is key for clean removal.

## SPECIFICATIONS

Feature	Detail
Brand	Command
Model Number	BATH31-SN-ES
Color	Satin Nickel
Material	Metal, Plastic
Finish Type	Satin Nickel
Mounting Type	Wall Mount
Special Feature	Rust Resistant
Recommended Uses	Shower, Bathroom
Shape	Rectangle
Item Weight	13.85 Ounces (approx. 0.39 kg)
Included Components	1 Caddy, 4 Water-Resistant Strips, 1 Alcohol Wipe
Item Dimensions (L x W x H)	4.92 x 1.67 x 2.51 inches (approx. 12.5 x 4.2 x 6.4 cm)
Surface Recommendation	Glass, Mirror, Tile, Fiberglass, Wood, Painted Surfaces
Maximum Weight Recommendation	6.5 lbs (3 Kilograms)
UPC	763087285400



Figure 5: Product dimensions for the shower caddy.



3M

**Command**  
BRAND



**HOLDS STRONGLY**  
Holds 6.5 lbs

Figure 6: The caddy's strong holding capacity of 6.5 lbs.



Figure 7: Compatible and incompatible surfaces for Command products.

## WARRANTY AND SUPPORT

For warranty information or further product support, please visit the official Command brand website or contact Command customer service directly. Please retain your purchase receipt for any warranty claims. You can visit the Command Store for more products and information: [Command Store](#)