

[Manuals.plus](#) /

› [LIGHTACCENTS](#) /

› LIGHTACCENTS Shark Navigator Swivel Plus Vacuum Belt NV46 Series Instruction Manual

LIGHTACCENTS NV46

Shark Navigator Swivel Plus Vacuum Belt - NV46 Series Instruction Manual

Brand: LIGHTACCENTS

1. PRODUCT OVERVIEW

This document provides instructions for the replacement belt designed for the Shark Navigator Swivel Plus Vacuum, specifically for the NV46 Series (including models like NV46, NV46 26, etc.). This belt is essential for repairing the motorized floor brush function of your vacuum cleaner.



Image 1: A single black replacement vacuum belt, circular with internal teeth, designed for the Shark Navigator NV46 series.

2. PRODUCT FEATURES

- Package includes one (1) replacement belt.
- Designed for Shark Navigator Swivel NV46 Series Vacuums.
- Constructed for durability, not requiring frequent replacement.
- Guaranteed fit for specified models.
- New condition.

3. INSTALLATION INSTRUCTIONS

Replacing the vacuum belt requires careful disassembly and reassembly of the vacuum's brush head. Follow these steps to ensure proper installation:

1. **Safety First:** Always unplug your Shark Navigator vacuum cleaner from the power outlet before performing any maintenance or installation.
2. **Access the Brush Roll:** Lay the vacuum flat on its back. You will need to remove the bottom plate of the brush head to access the brush roll and belt. This usually involves unscrewing several screws.
3. **Remove Old Belt:** Once the bottom plate is off, carefully lift out the brush roll. The old belt will likely be visible around the brush roll and motor shaft. Remove the old, broken, or worn-out belt.
4. **Clean the Area:** While the brush head is open, take the opportunity to clean any accumulated hair, debris, or dust from the brush roll, motor shaft, and surrounding areas. This helps prevent future issues and ensures optimal performance.

- 5. **Install New Belt:** Place the new replacement belt around the motor shaft first, then stretch it around the brush roll. Ensure the belt is seated correctly in the grooves of both the motor shaft and the brush roll.
- 6. **Reinstall Brush Roll:** Carefully place the brush roll back into its housing, ensuring the ends are properly aligned with their respective slots and the belt remains correctly positioned.
- 7. **Reattach Bottom Plate:** Secure the bottom plate back onto the brush head using the screws removed earlier. Ensure all screws are tightened securely.
- 8. **Test Vacuum:** Plug the vacuum back in and test its operation. The brush roll should spin freely and effectively.



Video 1: This video demonstrates the disassembly and reassembly of a Shark Navigator Lift-Away vacuum's brush head, including the removal and installation of the brush roll and belt. While the specific model may vary slightly, the general procedure for accessing and replacing the belt is similar for many Shark Navigator models.

4. MAINTENANCE

Regular maintenance of your vacuum's brush roll and belt can extend their lifespan and maintain cleaning efficiency:

- **Inspect Regularly:** Periodically check the belt for signs of wear, cracking, stretching, or breakage. Inspect the brush roll for tangled hair, strings, or debris that can hinder its rotation.
- **Clean Brush Roll:** Use scissors or a seam ripper to carefully cut and remove any hair or threads wrapped around the brush roll. This prevents strain on the belt and motor.
- **Avoid Overloading:** Do not vacuum large or heavy objects that could jam the brush roll and cause the belt to break.
- **Proper Storage:** Store your vacuum in a clean, dry place to prevent material degradation of the belt.

5. TROUBLESHOOTING

If your vacuum's brush roll is not spinning, consider these troubleshooting steps:

- **Check for Obstructions:** Ensure no hair, string, or debris is wrapped around the brush roll or motor shaft, preventing movement.
- **Inspect the Belt:** Open the brush head (refer to installation steps) and visually inspect the belt. Is it broken, stretched, or dislodged? If so, replace it with a new one.
- **Motor Function:** If the belt is intact and the brush roll is clear but still not spinning, there might be an issue with the motor. In such cases, professional service may be required.
- **Power Supply:** Ensure the vacuum is properly plugged in and receiving power.

6. SPECIFICATIONS

Item Model Number	NV46
Compatible Devices	Shark Navigator Swivel Plus Vacuum (NV46 Series)
Belt Style	Timing Belt
Color	Black
Item Weight	0.352 ounces (approximately 0.01 Kilograms)
Package Dimensions	4 x 3.6 x 0.6 inches
Manufacturer	Belts, Vacs, Parts & More

ASIN

B01C7WC53S

7. WARRANTY AND SUPPORT

This product comes with a 30-day warranty, guaranteeing its fit and function. If you require assistance with replacing your belt or have any questions, please contact the seller for support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question