

Intermec PM43A01000000201

Intermec PM43 Direct Thermal/Thermal Transfer Printer User Manual

Model: PM43A01000000201

1. INTRODUCTION

The Intermec PM43 is a mid-range industrial label printer designed for reliable performance and ease of use. This printer supports both direct thermal and thermal transfer printing methods, making it versatile for various labeling applications. It features a user-friendly interface, available with either a color touch-screen or universal icons, to simplify operation and reduce training requirements. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your PM43 printer.




Figure 1: Front view of the Intermec PM43 printer, showing the control panel and media output slot.

2. SETUP

2.1 Unpacking and Placement

Carefully remove the printer from its packaging. Ensure all packing materials are removed. Place the printer on a stable, flat surface with adequate space around it for ventilation and access to ports and media loading areas.

2.2 Connecting Power

1. Ensure the printer's power switch is in the OFF (O) position.
2. Connect the power cord to the printer's AC inlet.
3. Plug the other end of the power cord into a grounded electrical outlet.

2.3 Connecting to a Host System

The PM43 printer supports USB and Ethernet connectivity.

- **USB Connection:** Connect a USB cable from the printer's USB port to an available USB port on your computer.
- **Ethernet Connection:** Connect an Ethernet cable from the printer's Ethernet port to your network router or switch.



Figure 2: Rear panel of the PM43 printer, illustrating the power inlet, power switch, USB ports, and Ethernet port.

2.4 Loading Media

The PM43 printer can use various media types, including labels, tags, and continuous media. For thermal transfer printing, a ribbon is also required.

1. Open the printer's media cover.
2. Place the roll of labels onto the media supply spindle, ensuring the labels feed from the bottom of the roll.
3. Thread the media through the guides and under the printhead assembly.
4. If using thermal transfer, load the ribbon onto the ribbon supply spindle and thread it according to the internal diagrams.
5. Close the media cover.



Figure 3: Internal view of the PM43 printer, highlighting the media and ribbon loading mechanisms.

3. OPERATING INSTRUCTIONS

3.1 Powering On/Off

- To power on, flip the power switch on the rear panel to the ON (I) position. The printer will perform a self-test.
- To power off, flip the power switch to the OFF (O) position.

3.2 Basic Printing

Once the printer is connected and media is loaded, you can send print jobs from your host system. Ensure the correct printer drivers are installed on your computer.

1. Open the document or application from which you wish to print.
2. Select the Intermec PM43 printer from the print dialog.
3. Adjust print settings (e.g., label size, print density) as needed.
4. Initiate the print job.

3.3 Using the User Interface

The PM43 features either a color touch-screen or a universal-icon interface for direct control and configuration. Navigate through menus to adjust settings such as media calibration, network configuration, and printer status.

4. MAINTENANCE

4.1 Cleaning the Printhead

Regular cleaning of the printhead is crucial for maintaining print quality and extending the printhead's lifespan. Use a lint-free cloth or a printhead cleaning pen with isopropyl alcohol.

1. Power off the printer and disconnect the power cord.
2. Open the media cover.
3. Gently wipe the printhead element from the center outwards.
4. Allow the printhead to dry completely before closing the cover and powering on the printer.

4.2 Replacing Media and Ribbon

Replace media rolls and thermal transfer ribbons as they run out. Refer to section 2.4 for loading instructions. Always ensure the correct media and ribbon types are used for optimal performance.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your PM43 printer.

5.1 Poor Print Quality

- **Faded or incomplete print:** Clean the printhead (see section 4.1). Ensure the ribbon (if thermal transfer) is correctly loaded and not depleted. Adjust print density settings.
- **Smudged print:** Verify media type is compatible. Ensure printhead pressure is correctly set.

5.2 Media Jams

- Power off the printer.
- Open the media cover and carefully remove any jammed media.
- Ensure media is loaded correctly and guides are properly adjusted.
- Close the cover and power on.

5.3 Connectivity Issues

- **Printer not detected:** Check all cable connections (USB/Ethernet). Restart the printer and host system. Verify driver installation.
- **Network issues:** Confirm network cable is connected. Check network settings on the printer and host system.

6. SPECIFICATIONS

The following table outlines the key technical specifications for the Intermec PM43 printer.

Feature	Specification
Model Name	PM43
Printing Technology	Direct Thermal / Thermal Transfer
Print Color	Monochrome (Black)
Maximum Print Speed	12 inches per second
Maximum Print Resolution	203 dpi
Media Types Supported	Black Mark, Continuous Label, Fanfold, Gap, Label, Linered Label, Linerless, Notch, Roll Fed, Tag
Maximum Media Size	4 x 6 inches
Connectivity	USB, Ethernet
Memory	128 MB
Control Method	Touch-screen or Universal-icon interface
Product Dimensions	25 x 18 x 16 inches
Item Weight	1 pound
Power Source	AC Supply
Language Emulation	DSim, Fingerprint, IPL, XML



Figure 4: Regulatory and compliance labels found on the Intermec PM43 printer.

7. WARRANTY INFORMATION

The Intermec PM43 printer is covered by a limited warranty. For specific terms and conditions, please refer to the



warranty documentation included with your product or visit the official Intermec support website.


8. SUPPORT

For further assistance, technical support, or to download the latest drivers and firmware, please visit the official Intermec support website or contact your authorized Intermec dealer. Ensure you have your printer's model number (PM43A01000000201) and serial number available when seeking support.

© 2023 Intermec. All rights reserved.

Related Documents - PM43A01000000201

	Intermec Direct Protocol v8.60 Programmer's Reference Manual A comprehensive guide to the Intermec Direct Protocol v8.60, detailing its use for creating label layouts and sending formatting instructions for Intermec printers like the EasyCoder PF2i, PF4i, PM4i, PX4i, and PX6i.
	Intermec 3400E to PM43 Label Printer Migration Guide Guide for migrating from Intermec 3400E to PM43 label printers, detailing configuration structures and conversion paths. Includes technical specifications and compatibility information.
	Manuale Utente Stampanti Intermec PM23c, PM43, PM43c: Guida Completa Scopri come configurare, utilizzare e mantenere le stampanti di etichette Intermec PM23c, PM43 e PM43c con questa guida utente completa. Include istruzioni dettagliate, risoluzione problemi e specifiche tecniche.
	Intermec PM43/PM43c Label Dispenser Setup and Operation Instructions A concise guide detailing the setup and operational steps for the Intermec PM43 and PM43c label dispensers, including loading labels, threading the web, sensor adjustment, and unit attachment.




Documents - Intermec – PM43A01000000201



[\[pdf\]](#) Guide Configuration Guide Label

Migration Guide 3400D to PM43 Label Printers 3400D Configuration Structure
Product 3400 Model D ... oax Configurations Twinax Configurations Ethernet
Configurations PM43 Printer Configurations PM43A **PM43A01000000201**

PM43A01000000201 Parallel Port...



[\[pdf\]](#) Guide Configuration Guide Label

Migration Guide 3400C to PM43 Label Printers 3400C Configuration Structure 1st Digit = Product Mod ... Self Strip 3400C0100002 Parallel Cutter Configurations

PM43A11000000201 **PM43A01000000201** PM43A11000000201

lang:en **score:35** filesize: 142.71 K p

Migration Guide to PM43 to PM43 Label Printers

PM43A Configuration Structure

Model	Host	Self-Eng. - Power Supply	Self-Eng. - Interface	Self-Eng. - Memory
PM43	A	U.S.S. 2 x 4	U.S.S. 2 x 4	8x17
		ESBC-1	Standard 15 Pin D	Standard 15 Pin D
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1
		ESBC-1	ESBC-1	ESBC-1

PM43	A	ESBC-1	ESBC-1	ESBC-1

[\[pdf\]](#) Guide Configuration Guide Label

3400A to PM43 MigrationGuide intermec public files guides en printer migration |||

Migration Guide 3400A to PM43 Label Printers 3400A Configuration Structure

Product Model 1st Dig ... All PM configurations have Universal Power Supply and Ethernet 3400A000 Standard Configuration **PM43A01000000201**

PM43A11000000201 PM43 Icon UI PM43 Touch UI 3400A100 Standard Configuration PM4...

lang:en score:35 filesize: 137.89 K page_count: 1 document date: 2012-11-27

[illegible]

[\[pdf\]](#) Guide Configuration Guide Label

3400B to PM43 MigrationGuide intermec public files guides en printer migration |||

Migration Guide 3400B to PM43 Label Printers 3400B Configuration Structure

Product Model 1st Digi ... PM43 configurations have Universal Power Supply and Ethernet 3400B0000000 Standard Configuration **PM43A01000000201**

PM43A11000000201 PM43 Icon UI PM43 Touch UI 3400B1000000 Standard Configuration ...

lang:en score:35 filesize: 139.89 K page_count: 1 document date: 2012-11-27

[illegible]

Intermec 3400E to PM43 Label Printer Migration Guide

Guide for migrating from Intermec 3400E to PM43 label printers, detailing configuration structures and conversion paths. Includes technical specifications and compatibility information.

lang:en score:35 filesize: 145.19 K page count: 1 document date: 2012-11-27



[\[pdf\]](#) Accessories Catalog Label

Printer and Media Catalog intermec public files guides en |||

Printers Media Catalog 2014 Edition CONTENTS INTRODUCTION PRINTERS MEDIA ACCESSORIES SOFTWA ... All and Oracle WMS RFID: 18000-6C / EPC Class 1 Generation 2 Popular Configurations Model Number **PM43A01000000201** PM43A01000040201 PM43A11000000201 PM43A11000040201 Description PM43 Icon UI, Latin...

lang:en **score:33** filesize: 3.89 M page_count: 54 document date: 2014-05-19




[\[pdf\]](#) User Manual Instructions Documentation Guide Accessories

Honeywell Pricebook CHINA version 8 2 2020 01 02 Generated by fen deng@honeywell All prices are subject to change without notice and will be confirmed upon reception of orders Users Manuals available via Download VE011 2021 Companion CD includes Windows Drivers User Accessory Guide Media Guides Basic Lithium ion batteries NA desktop power supply PS 050 4000D two mounting screws 100006897 Instructions MBC INST No SKU 1 20 pricebook 1578640329 tech scanshop cn scanner honeywell

Honeywell Pricebook - CHINA Solutions that Enable Productivity Barcode Scanners - 3800 Series Acc ... Click here to view Configuration Structure Hardware - Standard Configuration SKU PM43A01000000200 **PM43A01000000201** PM43A01000000300 PM43A01000040200 PM43A11000000201 PM43A11000000210 PM43A1100000030...

lang:en **score:29** filesize: 1.35 M page_count: 183 document date: 2020-01-10



[\[pdf\]](#) Guide Configuration Guide Accessories

Microsoft PowerPoint PM Series Configuration Guide pptx RGALLOWA documents intermec pmseries configguide en Intermec PM43 Printers Tagma tagma nl |||

PM43, PM43C, PM23c Configuration/Migration Guide Content Main Models UI Part Numbering Differentia ... in configuration PM4D010000000020 PM4i, TTR, 203 dpi PM43A11000000211 PM43 Full Touch, DT, 203 dpi **PM43A01000000201** PM43 Icon, TTR, 203 dpi PM43A11000000211 PM43 Icon, DT, 203 dpi Last digit represe...

lang:en **score:28** filesize: 402.31 K page_count: 14 document date: 2013-09-03

[\[pdf\]](#) Guide Accessories Catalog Label

Printers Media Catalog Honeywellaidc 4 Model Number Description PX4C010000000020 PX4i DT TTR

Universal Firmware 203 dpi PX4C010000005020 Self Strip LTS printer and media catalog guide en 7644ecc9 3656 4502 9972 68d104110144 honeywellaidc files public guides cdn cnetcontent 76 44

Printers Media Catalog 2014 Edition CONTENTS INTRODUCTION PRINTERS MEDIA ACCESSORIES SOFTWA ... All and Oracle WMS RFID: 18000-6C / EPC Class 1 Generation 2 Popular Configurations Model Number **PM43A01000000201** PM43A01000040201 PM43A11000000201 PM43A11000040201 Description PM43 Icon UI, Latin...

lang:en **score:25** filesize: 4.01 M page_count: 55 document date: 2014-11-27





[\[pdf\]](#) Catalog

Untitled intermec bluestarinc e catalog |||


MOBILE COMPUTERS CK70 MOBILE COMPUTER The Intermec CK70 is the next-generation, ultra-rugged mobi ... Description PM43A11000000201

PM43A01000041211 PM43A01000040201 PM43A01000000301

PM43A01000000211 **PM43A01000000201** INTERMEC, PM43, FT, ROW,

ETHERNET, HGR, THERMAL TRANSFER203, US PC INTERMEC, PM43,...

lang:i-klingson **score:17** filesize: 11.66 M page_count: 47 document date: 2012-05-25



[\[pdf\]](#) Flyer

Top Runner Program Jan July Flyer 2018 FINAL backend bluestarinc fileadmin bluestar typo3 US

Manufacturer Microsites Honeywell Promotions |||

Top Runner Program SAVE UP TO 170 WITH INSTANT REBATES ON OUR MOST POPULAR PRODUCTS Honeywell has ... 203 dpi, 12 ips, Standard Kit, Bi-Directional

TT, 110 V U.S. Plug, 3.0 in Plastic Media Hub PM43 **PM43A01000000201** PM43, 4

in, Icon Display, ROW, Ethernet, No I/O 1, No I/O 2, None, Hanger, TT 203 ...

lang:en **score:16** filesize: 534.79 K page_count: 2 document date: 2018-02-05



[\[pdf\]](#) Catalog

INTERMEC Q3 bluestarinc 80 fileadmin bluestar typo3 documents Catalog 2015 Catalogs

INTERMEC QTR 3 2015 Carrie Brooks cbrooks bluestarinc.com Table of Contents

Category Page PRINT ... ERFACE, SERIAL, USB, ETHERNET, PARALLEL

INTERFACE, FIXED HANGER, DIRECT THERMAL, 203DPI, US PC SKU

PM43A01000000201 PM43A01000000211 PM43A01000000301

PM43A01000040201 PM43A01000041211 PM43A1100000020...

lang:i-klingson **score:16** filesize: 5.72 M page_count: 45 document date: 2015-09-30



[pdf]


Microsoft Word Flier Hot Sheet 3Q21 E556901 imaginextstg ingrammicro IngramMicroAdvisor media imlibrary site h honeywell docs |||

HOT SHEET Q3 2021 Instant Rebates on Select SKUs Offer Term: July 4, 2021
October 2, 2021 while su ... 0-L1N-1EC110F CT40-VD-0 SL42-055301-K-06
VM1C1A2A1AUS0AA VM1W2A1A1BUS0AA VM3W2F3A1BUS1EA1 IH21A0014

PM43A01000000201 PM43A11000000201 PM43A11000000301

PM43A11000040201 PM43A14000000201 CN80 / 3GB / 3...

lang:en score:14 filesize: 717.57 K page_count: 6 document date: 2021-06-23



[pdf] Catalog

credit application BlueStar Untitled \$21 00 DATAMAX O NEIL SPARE PART SWIVEL BELT LOOP \$349

INTERMEC MAG STRIPE READER FOR GREY HG3 AR 2 1 C02 INCLUDES SOFTCARD SMARTTAP

Catalog Q4 2016 reduced bluestarinc media temp

MANUFACTURER LISTINGS CREDIT APPLICATION DATE: _____ BLUESTAR

SALES REP: _____ ... PRINTER - INDUSTRIAL: PM43

HONEYWELL PRINTER - INDUSTRIAL: PM43C PRINTERS SKU MSRP

DESCRIPTION **PM43A01000000201** 1,790.00 INTERMEC, PM43 PRINTER, ICON
INTERFACE, SERIAL, USB, ETHERNET, FIXED HANG...

lang:en score:13 filesize: 31.79 M page_count: 284 document date: 2016-11-14



[pdf]

Kathleen Darcy Hot Sheet Security Promotions BlueStar Final T s C HotSheet 4Q22 Distributor backend
bluestarinc fileadmin bluestar typo3 US Manufacturer Microsites Honeywell Promos 2022 Octobre |||

HOT SHEET Q4 2022 Instant Rebates on Select SKUs Offer Term: October 2, 2022
December 31, 2022 whi ... ss Printer PM43 Series Printer CT40P-L0N-27R11AF

EA2-00-1J005A00 PM43G11010050201 PM43A01000000200 **PM43A01000000201**

PM43A01000000300 PM43A11000000201 PM43A11000000210

PM43A11000000301 PM43A1100000040...

lang:en score:12 filesize: 352.05 K page_count: 9 document date: 2022-09-29



[pdf]

Kathleen Darcy Kiosk Printers BlueStar Hot Sheet 1Q23 Distributor gl 1*1gqqwxj*
 ga*NDI3MjEwNTcyLjE2MjUwNjA0NTc * ga JVFSMVRE1 backend bluestarinc fileadmin bluestar typo3
 US Manufacturer Microsites Honeywell PROMO 2023 |||
 HOT SHEET Q1 2023 Instant Rebates on Select SKUs Offer Term: January 1, 2023
 April 2, 2023 while s ... 00010201 PD43A03100010301 PD43A03300010201
 PM43G11010050201 PM43 Series Printer PM43A01000000200
PM43A01000000201 PM43A01000000300 PM43A11000000201
 PM43A11000000210 PM43A11000000301 PM43A1100000040...
 lang:en score:11 filesize: 437.51 K page_count: 11 document date: 2022-12-22



[pdf] Accessories Catalog Label

Honeywell Takt und Timing Arrow de 42printer and media catalog static6 arrow aro conversion
 f85d1c620cbad9a6786e443a382e8a195ac58d57 |||
 Downloaded from Arrow.com. Printers Media Catalog 2014 Edition CONTENTS
 INTRODUCTION PRINTERS ... All and Oracle WMS RFID: 18000-6C / EPC Class 1
 Generation 2 Popular Configurations Model Number **PM43A01000000201**
 PM43A01000040201 PM43A11000000201 PM43A11000040201 Description PM43
 Icon UI, Latin...
 lang:en score:11 filesize: 3.39 M page_count: 55 document date: 2022-03-25



[pdf] Flyer

Kathleen Darcy HOT SHEET BlueStar The Android™ based Thor™ VM1A combines all of the easy to
 use Ultra rugged industrial 1D 417 2D SR focus with vib Red scanner Hot Sheet Q2 2023 Flyer may1
 backend bluestarinc fileadmin bluestar typo3 US Manufacturer Microsites Honeywell Promotions |||
 HOT SHEET Q2 2023 Instant Rebates on Select SKUs Offer Term: April 3, 2023
 June 30, 2023 while sup ... l13-00-48000L07 PC43DA00100201 PD43A03100010201
 PD43A03100010301 PD43A03300010201 PM43A01000000200
PM43A01000000201 PM43A11000000201 PM43A11000000301
 PM43A11000000401 PM43A11000040201 PM43A1100004030...
 lang:en score:10 filesize: 442.99 K page_count: 11 document date: 2023-03-29




[pdf] Flyer

Kathleen Darcy Honeywell Hot Sheet 2024 Promotions BlueStar Flyer Q1 backend bluestarinc fileadmin bluestar typo3 US Manufacturer Microsites Promo |||

HOT SHEET Q1 2024 Instant Rebates on Select SKUs Offer Term: January 1, 2024 March 31, 2024 while ... ll.com Hot Sheet Promotion Flyer Q1 1/24 2024 Honeywell International Inc. PM43A01000000200 **PM43A01000000201** PM43A11000000201 PM43A11000000301 PM43A11000000401 PM43A11000040201 PM43A1100004030...

lang:en score:10 filesize: 473.27 K page_count: 15 document date: 2023-12-27



[pdf] Accessories Catalog

Untitled Catalog Q4 2016 honeywell backend bluestarinc fileadmin bluestar typo3 documents

ANTENNAS HONEYWELL ACCESSORIES HONEYWELL CAPTUVO ACCESSORIES SKU MSRP DESCRIPTION 6000279ANT ... PRINTER - INDUSTRIAL: PM43 HONEYWELL PRINTER - INDUSTRIAL: PM43C PRINTERS SKU MSRP DESCRIPTION **PM43A01000000201** 1,790.00 INTERMEC, PM43 PRINTER, ICON INTERFACE, SERIAL, USB, ETHERNET, FIXED HANG...

lang:i-klnglon score:10 filesize: 8.92 M page_count: 92 document date: 2018-02-26



[pdf] Flyer

Kathleen Darcy Hot Sheet PR Q3 2023 Flyer July12 backend bluestarinc fileadmin bluestar typo3 US Manufacturer Microsites Honeywell PROMO |||

HOT SHEET Q3 2023 Instant Rebates on Select SKUs Offer Term: July 3, 2023 September 30, 2023 while ... 07 I13-00-48000L07 PC43DA101NA201 PC43DA00100201 PD43A03100010301 PD43A03300010201 PM43A01000000200 **PM43A01000000201** PM43A11000000201 PM43A11000000301 PM43A11000000401 PM43A11000040201 PM43A1100004030...

lang:en score:10 filesize: 481.22 K page_count: 13 document date: 2023-06-28



[\[pdf\]](#) Flyer

Kathleen Darcy Distribution Centers Warehouse BlueStar Final Hot Sheet Flyer Q4 2023 backend

bluestarinc fileadmin bluestar typo3 US Manufacturer Microsites Honeywell PROMO |||

HOT SHEET Q4 2023 Instant Rebates on Select SKUs Offer Term: October 1, 2023

December 31, 2023 whi ... onal TT,110v Black Power Cord With U.S. Plug,Base

Model w-Wired LAN,3.0in-1.5in Media Hub 500.00 **PM43A01000000201** PM43A, Icon
Display, Ethernet, Hanger, TT, 203 DPI, US Power Cord 750.00 PM43A1...

lang:en **score:9** filesize: 509.71 K page_count: 18 document date: 2023-10-02