

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Moen](#) /
- › [Moen Engage Magnetix Shower Head with Handheld Sprayer User Manual](#)

### Moen 26100EP

## Moen Engage Magnetix Shower Head with Handheld Sprayer

Model: 26100EP | Brand: Moen

### PRODUCT OVERVIEW

The Moen Magnetix Engage 6-Function Handheld Showerhead is designed for effortless use and modern style. Its gleaming chrome finish complements any bathroom, adding a sleek, polished look. Featuring Magnetix® technology, this showerhead snaps securely into place with a powerful magnetic docking system, making it easy to remove and reattach. The rotating dial offers six spray settings, including three massage types, wide-coverage, rinse, and downpour modes, allowing you to customize your shower experience. The tangle-free, flexible metal hose extends your reach, making it ideal for various uses. This showerhead is a perfect upgrade for any bathroom shower or bathtub setup.





The Moen Engage Magnetix Shower Head, showcasing its sleek chrome finish and integrated handheld sprayer.

## KEY FEATURES

---

- **Magnetic Base:** Magnetic docking allows for easy detachment and secure reattachment of the handheld showerhead.
- **Easy Installation:** The handheld shower head with a kink-free, 60-inch hose easily mounts to the shower wall.
- **Adjustable Settings:** Includes 6 spray functions: pause, rinse, downpour, and three massage types.
- **Versatile Design:** Chrome finish provides a highly reflective, mirror-like look that complements various decorating styles.
- **WaterSense Certified:** Meets EPA WaterSense criteria to conserve water without sacrificing performance.
- **Durable Construction:** Made from zinc with a chrome finish, designed for long-lasting use.

## PACKAGE CONTENTS

---

- Handheld Shower
- Hose (60 Inches)
- Mounting Bracket

## INSTALLATION GUIDE

---


Installation of the Moen Engage Magnetix Shower Head is designed to be straightforward for most standard shower arms. No specialized tools are typically required for basic installation.

1. Ensure the water supply to your shower is turned off.
2. Remove your existing shower head from the shower arm.
3. Clean any old sealant or debris from the shower arm threads.
4. Apply plumber's tape (thread seal tape) clockwise around the threads of the shower arm.
5. Screw the new Moen mounting bracket onto the shower arm by hand until it is snug. Do not overtighten.
6. Attach the 60-inch hose to the mounting bracket and the handheld shower head. Ensure all connections are hand-tight and secure.
7. Place the handheld shower head onto the magnetic docking system of the mounting bracket.
8. Turn on the water supply and check for any leaks. If leaks occur, tighten connections slightly.

**MOEN®**

# Easy Install

Fits most standard shower arms for quick DIY installation.



Applying plumber's tape to the shower arm is a crucial step for a leak-free installation.

## OPERATING YOUR SHOWER HEAD

---

The Moen Engage Magnetix Shower Head offers versatile operation for a customized showering experience.

### Using the Magnetix Docking System

The innovative Magnetix docking system allows for easy removal and secure reattachment of the handheld shower. Simply pull the handheld unit away from the main shower arm to use it. When finished, guide it back towards the magnetic dock, and it will snap securely into place, even with wet hands.





# MOEN®



## MAGNETIX™ DOCKING TECHNOLOGY

Magnetix handheld showers include magnetic docking, which allows for easy release and securely snaps back into place.



## EXTENDED REACH

The included 60 inch hose extends for reach and flexibility.

The Magnetix docking system provides easy release and secure reattachment, while the 60-inch hose offers extended reach.

## Adjusting Spray Settings

Your shower head features a rotating dial on the face of the shower head. Turn this dial to cycle through the six distinct spray functions:

- **Downpour:** A full, drenching spray for complete coverage.
- **Rinse:** A focused spray for efficient rinsing.
- **Massage (3 types):** Varying intensities of pulsating massage sprays for relaxation.
- **Pause:** Temporarily reduces water flow to a trickle, conserving water while lathering or shaving.



A close-up photograph of a chrome Moen showerhead mounted on a wall with blue subway tiles. The showerhead is spraying water, and the background is slightly blurred. The Moen logo is in the top left, and the WaterSense logo is in the top right.

**MOEN**



# Reduce Excess Water Waste

Eco-Performance meets EPA  
WaterSense® criteria to conserve water  
without sacrificing performance.

This Moen showerhead is WaterSense certified, ensuring water conservation without compromising performance.

## CARE AND MAINTENANCE

---

To maintain the beauty and performance of your Moen shower head, follow these simple care instructions:

- Clean regularly with a soft cloth and warm, soapy water.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish.
- For mineral deposits on spray nozzles, gently rub them with your finger or a soft brush to dislodge.
- Periodically check hose connections for tightness to prevent leaks.



**MOEN®**

# Chrome Finish

More like a mirrored surface than a color.  
Super-polished and cool-toned to the point of  
glistening for an enduring look.

The durable chrome finish is designed to resist corrosion and tarnishing, maintaining its mirror-like appearance with proper care.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Pressure	Clogged spray nozzles; partially closed water valve; mineral buildup in hose.	Clean spray nozzles; ensure water supply valve is fully open; flush hose.
Leaking from Connections	Loose connections; worn washers/gaskets; insufficient plumber's tape.	Tighten connections by hand; replace washers/gaskets if damaged; reapply plumber's tape.
Handheld Not Docking Securely	Debris on magnetic surface; misalignment.	Clean magnetic surfaces; ensure proper alignment when docking.

## TECHNICAL SPECIFICATIONS

Specification	Detail
Brand	Moen
Model Number	26100EP
Color	Chrome
Material	Zinc
Finish Type	Chrome
Installation Type	Wall Mounted
Flow Rate	1.75 Gallons Per Minute (6.65 L/Min) Max
Number of Settings	6
Hose Length	60 Inches
Item Weight	10.9 ounces
Product Dimensions	5.31"L x 3.75"W
Special Feature	Detachable, Magnetix
Certification	ADA, WaterSense

## WARRANTY AND CUSTOMER SUPPORT

The Moen Engage Magnetix Shower Head is backed by Moen's Limited Lifetime Warranty, ensuring peace of mind regarding its quality and durability. For detailed warranty information, claims, or technical assistance, please refer to the official Moen website or contact Moen customer support directly.

You can also find additional information and a comprehensive user manual in PDF format by clicking [here](#).