**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



### Motor Trend MT-786-BK

# Motor Trend Heavy Duty Utility Cargo Liner User Manual

Model: MT-786-BK

## Introduction

This manual provides comprehensive instructions for the installation, operation, maintenance, and troubleshooting of your Motor Trend Heavy Duty Utility Cargo Liner. Please read this manual thoroughly before use to ensure proper handling and longevity of the product.

## Product Features

- **Designed for Compatibility:** Trimmable to fit various vehicle cargo areas.
- **Flex Tough Material:** Advanced performance rubber polymers resist cracking, splitting, and deforming.
- **Built for Protection:** Guards against spills, dirt, mud, and debris. Features an anti-slip backing.
- **Easy Installation & Cleaning:** Simple placement after trimming, easy to remove and clean.
- **Premium Quality:** Extra thick for enhanced durability.

## Setup and Installation

The Motor Trend Heavy Duty Utility Cargo Liner is designed for universal fit and requires trimming to match your vehicle's cargo area contours. Follow these steps for optimal installation:

1. **Measure Your Cargo Area:** Before trimming, measure the dimensions of your vehicle's cargo or trunk area to determine the required size. The maximum dimensions of the liner are approximately 31.5" x 46.5" (80.01 cm x 118.11 cm).
2. **Position the Liner:** Place the cargo liner in your vehicle's trunk or cargo area. Ensure it covers the desired floor space.
3. **Identify Trim Lines:** The liner features designated trim lines. These lines are guides for cutting to achieve a custom fit for your specific vehicle.
4. **Trim to Fit:** Using a sharp pair of scissors, carefully cut along the identified trim lines. It is recommended to cut less initially and then trim more if needed, to avoid over-cutting.




*Image: A person carefully trimming the Motor Trend cargo liner with scissors along the pre-molded contour lines to achieve a custom fit for a vehicle.*





*Image: A side-by-side comparison showing the cargo liner before and after trimming, demonstrating how it achieves a universal fit by conforming to the vehicle's contours.*

5. **Final Placement:** Once trimmed, place the liner firmly on the floor of your vehicle's cargo area. The anti-slip backing will help keep it in place.

## Operating Instructions

The Motor Trend Cargo Liner is designed for passive protection and requires no active operation. Its primary function is to provide a protective barrier for your vehicle's cargo area.

- **Cargo Protection:** Place items directly on the liner. The durable rubber material will protect the original carpet or floor from spills, dirt, mud, snow, and other debris.



*Image: The Motor Trend cargo liner installed in a vehicle's trunk, effectively protecting the floor while holding items like work boots and a toolbox.*

- **Anti-Slip Surface:** The textured surface of the liner helps to minimize the movement of cargo during transit.




*Image: A close-up view of the textured surface of the Motor Trend cargo liner, designed to collect dirt, mud, and sand while providing an anti-slip base for cargo.*

## Maintenance and Care

Regular cleaning will extend the life and maintain the appearance of your cargo liner.

- **Routine Cleaning:** For light dirt and dust, simply shake out the liner or vacuum it.
- **Deep Cleaning:** For spills or heavy mud, remove the liner from your vehicle. You can rinse it with water using a hose or wipe it down with a damp cloth and mild soap.
- **Drying:** Allow the liner to air dry completely before placing it back in your vehicle to prevent moisture buildup.
- **Odor:** The material is designed to be odorless. If any initial manufacturing odor is present, it should dissipate quickly with ventilation.




*Image: A duffle bag placed on the Motor Trend cargo liner, emphasizing the product's odorless material feature, which helps keep the trunk smelling fresh.*

## Troubleshooting

| Problem | Possible Cause | Solution |
|---|---|---|
| Liner does not fit properly. | Insufficient or incorrect trimming. | Re-evaluate the fit and carefully trim more along the designated lines if necessary. Ensure measurements are accurate. |
| Liner slides or shifts. | Liner not fully seated or debris underneath. | Remove the liner, clean the vehicle's cargo floor and the underside of the liner, then re-position firmly. |
| Persistent chemical odor. | New product odor or insufficient ventilation. | Allow the liner to air out in a well-ventilated area for 24-48 hours before installation. The odor should dissipate over time. |
| Liner appears creased or deformed. | Product was rolled/folded for shipping or stored improperly. | Lay the liner flat in a warm environment (e.g., sunlight) for several hours or overnight to allow the material to relax and flatten. |

## Specifications

| Attribute | Detail |
|---|---|
| Brand | Motor Trend |
| Model Number | MT-786-BK |
| Material | Rubber |
| Color | Black |
| Product Dimensions (Max) | 80.01 x 118.11 x 2.54 cm (31.5" x 46.5" x 1") |
| Item Weight | 1.68 kg |
| Fit Type | Universal Fit (Trimmable) |
| Position | Rear (Cargo/Trunk) |
| UPC | 826942124938 |




*Image: A diagram illustrating the maximum dimensions of the Motor Trend cargo liner, showing it measures approximately 47.5 inches (120.65 cm) in length and 32.2 inches (81.79 cm) in width.*

## Warranty and Support

For information regarding product warranty, returns, or customer support, please refer to the retailer's policy where the product was purchased or visit the official Motor Trend website. Keep your purchase receipt for any warranty claims. For direct inquiries, you may attempt to contact the manufacturer, BDK, as listed in the product specifications.

© 2024 Motor Trend. All rights reserved.

### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**

---

**Open the live page**

**https://manuals.plus/asin/B01EW0B3DG**

More documents and user manuals: **https://manuals.plus/**