

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- > [Sirui](#) /
- > [SIRUI T-005X Ultralight Travel Tripod with C-10S Ball Head Instruction Manual](#)

Sirui T-005KX

SIRUI T-005X Ultralight Travel Tripod with C-10S Ball Head Instruction Manual

Model: T-005KX | Brand: Sirui

1. INTRODUCTION

This manual provides detailed instructions for the proper setup, operation, and maintenance of your SIRUI T-005X Ultralight Travel Tripod with C-10S Ball Head. Please read this manual thoroughly before using the product to ensure optimal performance and longevity.



Image: The SIRUI T-005X Ultralight Travel Tripod with C-10S Ball Head in its deployed state, ready for use with a camera.

2. PRODUCT OVERVIEW AND FEATURES

The SIRUI T-005X is a high-quality, compact travel tripod designed for portability and stability. It features a removable center column and the C-10S ball head, offering secure support for compact or system cameras.

Key Features:

- Legs fold up by 180 degrees for ultra-compact storage.
- Extendible and removable center column for versatile height adjustments and low-angle shooting.
- Lightweight design: 0.8kg (1kg with head), supporting a maximum load of 4kg.
- Adjustable height from 30.5cm to 130cm (10.5cm to 95cm without center column).
- Closed size of 30cm (34cm with head) for easy transport.
- Constructed from high-quality aluminum with 5 leg sections and sealed twist locks.
- C-10S Ball Head with Safety Lock System and 360-degree panoramic rotation.



Image: The SIRUI T-005X tripod in its compact, folded configuration, highlighting its portability.



Image: Close-up view of the SIRUI C-10S Ball Head, showcasing its design and control knobs.

3. SETUP

3.1 Unfolding the Tripod Legs

1. Grasp the tripod legs and rotate them 180 degrees outwards from the center column until they lock into position.
2. Extend each leg section by twisting the sealed twist locks counter-clockwise to loosen, pulling the leg section to the desired length, and then twisting clockwise to secure.



Image: Underside view of the tripod's base, showing the central column attachment point and the carabiner hook for adding stability.

3.2 Attaching the Ball Head

1. Ensure the C-10S ball head is securely screwed onto the tripod's center column mounting screw.
2. Tighten the base locking knob on the ball head to prevent unwanted rotation.

3.3 Mounting Your Camera

1. Attach the TY-C10 quick release plate to the bottom of your camera by screwing it into the camera's tripod socket. Use a coin or the provided Allen wrench if necessary.
2. Open the quick release clamp on the C-10S ball head.
3. Slide the camera with the attached quick release plate into the clamp until it clicks into place.
4. Engage the safety lock system (red button) and then tighten the main locking knob firmly to secure the camera.



Image: The SIRUI T-005X tripod fully extended with a camera mounted on the C-10S ball head, demonstrating its operational height.

4. OPERATING INSTRUCTIONS

4.1 Adjusting Leg Angles

Each leg features an angle adjustment lock. Press the lock and move the leg to one of the predefined angles (e.g., narrow, medium, wide stance), then release the lock to secure it.

4.2 Adjusting Ball Head Position

1. Loosen the main locking knob on the C-10S ball head.
2. Position your camera to the desired angle (tilt, pan, or rotate).
3. Tighten the main locking knob firmly to secure the camera's position.

4.3 Panoramic Rotation

The base of the C-10S ball head can rotate 360 degrees for panoramic shots. Loosen the panoramic locking knob, rotate the head to the desired position using the degree markings, and then tighten the knob.

4.4 Using the Center Column

The center column can be extended for additional height. Loosen the center column locking knob, raise the column to the desired height, and then tighten the knob. For low-angle shots, the center column can be removed entirely by unscrewing it from the tripod base.



Image: Close-up of the tripod leg hinges and the central column attachment point, showing the robust construction.

5. MAINTENANCE

- Regularly clean the tripod legs and ball head with a soft, dry cloth to remove dust and debris.
- Avoid using harsh chemicals, solvents, or abrasive materials, as these can damage the finish and

components.

- Periodically check all screws, locking mechanisms, and leg locks for tightness. Tighten any loose components carefully.
- Store the tripod in its provided transport bag in a dry, dust-free environment when not in use.
- Do not lubricate the twist locks or ball head unless specifically instructed by Sirui, as this can attract dirt and impair function.

6. TROUBLESHOOTING

Problem: Tripod is unstable.

Solution: Ensure all leg sections are fully extended and twist locks are securely tightened. Verify that the ball head is firmly attached to the tripod. For added stability, hang a weight (e.g., your camera bag) from the carabiner hook located at the bottom of the center column.

Problem: Camera slides or rotates in the quick release clamp.

Solution: Ensure the TY-C10 quick release plate is securely attached to your camera. Make sure the quick release clamp's main locking knob is fully tightened and the safety lock system is engaged.

Problem: Leg sections are difficult to extend or retract.

Solution: The twist locks may be overtightened or dirty. Gently clean the leg sections and twist locks. Do not force the mechanism. If the issue persists, contact Sirui customer support.

7. SPECIFICATIONS

Feature	Value
Item Model Number	T-005KX
Material	Aluminium
Leg Sections	5
Minimum Height	30.5 Centimeters
Maximum Height	130 Centimeters
Closed Size	30 Centimeters (approx. 34cm with head)
Item Weight	0.83 Kilograms (1.83 pounds)
Weight Limit	4 Kilograms
Tripod Head Type	Ball Head (C-10S)
Product Dimensions	3.94 x 3.94 x 13.39 inches (folded)

8. WARRANTY AND SUPPORT

For detailed warranty information and customer support, please refer to the official Sirui website or contact your local Sirui distributor. It is recommended to keep your purchase receipt as proof of purchase for any warranty claims.

[Visit Sirui Official Website](#)

