

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [AQUA CREST](#) /
- › [AQUA CREST 3US-PF01 / AQU-WF00 Under-Sink Water Filter Replacement Manual](#)

AQUA CREST AQU-3US-PF01-2

AQUA CREST 3US-PF01 / AQU-WF00 Under-Sink Water Filter Replacement Manual

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your AQUA CREST 3US-PF01 / AQU-WF00 under-sink water filter replacement. Please read this manual thoroughly before installation and retain it for future reference. Proper installation and maintenance ensure optimal performance and longevity of the filter.

PRODUCT OVERVIEW

The AQUA CREST 3US-PF01, now upgraded to AQU-WF00, is a high-efficiency under-sink water filter designed to provide clean, great-tasting water. It is certified by NSF/ANSI 42 for the reduction of chlorine, taste, and odor, and by NSF/ANSI 372 for lead-free compliance.





Image: Two AQUA CREST 3US-PF01 / AQU-WF00 water filters, illustrating the product packaging.

Key Features:

- **NSF/ANSI 42 Certified:** Reduces chlorine, taste, and odor for improved water quality.
- **Food-Grade Materials:** Constructed with lead-free and BPA-free materials for safety.
- **Stable Flow Rate:** Designed to provide consistent water flow without significant pressure drops.
- **Long Service Life:** Each filter lasts approximately 6 months or 15,000 gallons, depending on water quality and usage.
- **Coconut Shell Activated Carbon:** Utilizes advanced filtration technology for effective contaminant reduction.

Guarantee of Authoritative Certification



Certified by IAPMO R&T against NSF/ANSI Standard 42 in model AQU-WF00 for the reduction of the claims specified on the Performance Data Sheet, and to NSF/ANSI 372($\leq 0.25\%$ lead).



Image: AQUA CREST filter with IAPMO R&T and Platinum Seal certifications, alongside a glass of clear water, indicating certified performance.

Compatibility:

This filter is compatible with various under-sink water filter systems. Please verify your existing filter model number for proper fitment.

- 3M Filtrete 3US-PF01, 3US-MAX-F01, 3US-PF01H, 3US-MAX-F01H
- Filtrete under sink water filter systems: 3US-PS01, 3US-MAX-S01
- 3M HF25, HF25-S, HF25-MS, HF27, HF27-S, HF20, HF20-A020-S-SR, HF20-A020-SR, HF20-I, HF20-S-SR, HF20-SI
- Delta RP78702
- Manitowoc K-00337, K-00338
- AR10000 Water Filter Systems



Image: An AQUA CREST filter labeled 'AQU-3US-PF01' and 'AQU-WF00', indicating the model upgrade for excellence.

SETUP AND INSTALLATION

Follow these steps for proper installation of your AQUA CREST water filter. It is recommended to turn off the water supply before beginning the installation process.

Pre-Installation:

1. Locate your existing under-sink filter system.
2. Turn off the cold water supply to the filter system. This is typically a shut-off valve under the sink.
3. Open the filtered water faucet to relieve pressure in the system. Allow water to drain until flow stops.

Installation Steps:

1. Twist the old filter cartridge counter-clockwise to unlock and remove it from the filter head.
2. Discard the old filter cartridge.
3. Remove the new AQUA CREST filter from its packaging. Ensure the O-rings are properly seated.
4. Insert the new filter cartridge into the filter head. Align the tabs on the filter with the slots in the head.
5. Twist the new filter cartridge clockwise until it locks securely into place. Do not overtighten.
6. Slowly turn on the cold water supply. Check for any leaks around the filter head.
7. Open the filtered water faucet and flush the new filter for approximately 5 minutes (or until water runs clear and air is purged from the system). This removes carbon fines and prepares the filter for use.

Unlocking Water Success for Your Commerical Needs



Image: Diagram illustrating the easy, tool-free, and leakage-free installation process of the water filter.

OPERATING INSTRUCTIONS

Once installed and flushed, your AQUA CREST filter is ready for use. The filter is designed for cold water applications only.

Initial Use:

After installation, run water through the filtered faucet for 5 minutes to ensure all air is expelled and carbon fines are flushed out. This initial flush is crucial for optimal filter performance.

Normal Operation:

Simply open your filtered water faucet to dispense clean, filtered water. The filter will continuously reduce chlorine, taste, and odor from your cold water supply.

MAINTENANCE

Regular filter replacement is essential to maintain water quality and system performance.

Filter Replacement Schedule:

Replace your AQUA CREST filter every **6 months** or **after filtering 15,000 gallons**, whichever comes first. Actual replacement frequency may vary based on your local water quality and usage.



Image: A clock face with an arrow pointing to '6 Months' and '15000 Gallons', illustrating the recommended filter replacement schedule.

Replacement Procedure:

Follow the same steps as the initial installation (refer to the 'Setup and Installation' section) to replace an old filter with a new one. Remember to turn off the water supply and relieve pressure before removing the old filter.

TROUBLESHOOTING

If you encounter issues with your water filter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Reduced Water Flow	Clogged filter cartridge; Air in the system.	Replace the filter cartridge if it's past its service life. Flush the system by running water for several minutes to remove air.
Unusual Taste or Odor	Filter cartridge needs replacement; Initial carbon fines.	Replace the filter cartridge. Ensure the filter was properly flushed after installation.
Water Leakage	Improperly seated filter; Damaged O-rings.	Ensure the filter is twisted securely into the filter head. Check O-rings for damage and proper seating. Turn off water supply and re-install.

SPECIFICATIONS

Detailed technical specifications for the AQUA CREST 3US-PF01 / AQU-WF00 water filter:

Specification	Value
Model Number	AQU-3US-PF01-2 (Upgraded to AQU-WF00)
Material	Activated Carbon, Lead-Free & BPA Free Material
Product Dimensions	3.2"D x 3.2"W x 10.4"H
Item Weight	3.02 Pounds
External Testing Certification	IAPMO (NSF/ANSI 42 & 372)
Product Benefits	Reduces Odor, Taste and Chlorine
Unit Count	2.0 Count (per pack)
Service Life	6 months or 15,000 gallons
UPC	840814134078

WARRANTY AND SUPPORT

For any questions, concerns, or support regarding your AQUA CREST water filter, please contact AQUA CREST customer service. Refer to the product packaging or the official AQUA CREST website for contact information.

Related Documents - AQU-3US-PF01-2

	<p>Undersink Water Filter Installation Guide and Specifications</p> <p>Comprehensive installation, operating specifications, features, maintenance, and FAQ for the AQUACREST 8055A undersink water filter, a direct replacement for Moen 9601. Learn how to install and maintain your water filter for optimal performance.</p>
	<p>AQUA CREST EFF-6035A Refrigerator Water Filter Installation Guide</p> <p>Detailed installation, maintenance, and performance information for the AQUA CREST EFF-6035A refrigerator water filter, compatible with Samsung, Whirlpool, LG, and other major brands. Includes NSF certification details and FAQs.</p>
	<p>AQUA CREST AQF-FF07 Water Filter Compatibility Guide</p> <p>Find compatible Whirlpool, Maytag, Everydrop, Kitchenaid, and Pur refrigerator and filter models for the AQUA CREST AQF-FF07 water filter. Includes lists of other compatible filter brands and model numbers.</p>
	<p>Muzata PF01 PF02 Side Mount Post User Guide & Installation Instructions</p> <p>Comprehensive user guide and installation instructions for Muzata PF01 and PF02 Side Mount Posts. Learn about specifications, related items, and step-by-step installation for level and stair sections.</p>
	<p>ASKO D3250 US SS BiH Dishwasher Spare Parts Catalogue</p> <p>Comprehensive spare parts catalogue for ASKO D3250 US SS BiH dishwasher (3000 Series). Includes diagrams, part numbers, and details for base, baskets, wash system, control panel, and more. Features circuit diagram.</p>
	<p>Aqua ELLA 40x20 Inch Single Bowl Kitchen Sink with Drainboard - Technical Specifications</p> <p>Detailed technical specifications, features, dimensions, and warranty information for the Aqua ELLA 40x20 inch single bowl stainless steel kitchen sink with drainboard. Includes CUPC and CSA certifications.</p>