

[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UPBRIGHT 9V AC/DC Adapter for QFX PBX-1201 / PBX-1215 Speaker - Instruction Manual

UPBRIGHT QFX PBX-1201 Power Supply

UPBRIGHT 9V AC/DC Adapter for QFX PBX-1201 / PBX-1215 Speaker

Instruction Manual

1. INTRODUCTION

The UPBRIGHT 9V AC/DC Adapter is a power supply designed to provide power and charge compatible devices. This adapter is specifically engineered for use with QFX PBX-1201 and PBX-1215 rechargeable battery-powered PA speakers, delivering a stable 9V DC output with a current rating of 1.5A to 2A.

This manual provides essential information regarding the safe and effective use of your UPBRIGHT AC/DC adapter.

2. SAFETY INFORMATION

Please read and understand all safety instructions before using this product. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- Ensure the adapter's voltage and current specifications match your device's requirements.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter. There are no user-serviceable parts inside.
- Disconnect the adapter from the power outlet when not in use or during electrical storms.
- This adapter features Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) to ensure safe operation.

3. SETUP AND CONNECTION

Follow these steps to properly connect your UPBRIGHT AC/DC adapter:

1. **Identify the Adapter:** Ensure you have the correct UPBRIGHT 9V AC/DC adapter for your QFX PBX-1201 or PBX-1215 speaker.



This image displays the UPBRIGHT 9V AC/DC adapter, featuring a standard US two-prong plug and the DC output cable with a barrel connector.

2. **Connect to Device:** Insert the barrel connector end of the adapter's output cable into the DC input port of your QFX PA speaker.




The adapter is shown with its output cable neatly coiled, highlighting the barrel connector at the end, ready for connection to a compatible device.

3. **Plug into Power Outlet:** Plug the AC input prongs of the adapter into a standard wall power outlet (100-240VAC, 50/60Hz).

For international use, ensure you have the correct regional plug adapter. Some packages may include a suitable outlet adapter for your country/area.

Come With A Suitable Outlet Adapter (Only One) to Fit
Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



This image illustrates various international plug adapters (AU, EU, UK) that may be included for global compatibility, alongside a sample of the UPBRIGHT Limited Warranty Certificate.

4. OPERATING INSTRUCTIONS

Once the adapter is securely connected to both the power outlet and your QFX PA speaker, it will begin to supply power to the device or charge its internal battery. The speaker's charging indicator (if available) should activate.

- It is recommended to turn off the PA speaker during initial connection to prevent any potential electrical surges.
- Allow sufficient time for the speaker's battery to fully charge. Refer to your speaker's manual for specific charging times.
- The adapter can be used to power the speaker directly while it is in use, even if the battery is fully charged.

5. CARE AND MAINTENANCE

Proper care will extend the life of your UPBRIGHT AC/DC adapter:

- Keep the adapter clean and dry. Use a soft, dry cloth to wipe off any dust or dirt.
- Store the adapter in a cool, dry place when not in use.
- Avoid wrapping the cable too tightly around the adapter, as this can damage the internal wires.
- Regularly inspect the cable and connectors for any signs of wear or damage. If damage is found, discontinue use immediately.

6. TROUBLESHOOTING

If you encounter issues with your adapter, refer to the following table:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
No power to device / Device not charging	Adapter not properly connected; Power outlet not working; Incompatible device.	Ensure all connections are secure. Test the power outlet with another device. Verify the adapter is compatible with your specific QFX speaker model (PBX-1201 or PBX-1215).
Adapter feels hot	Normal operation (slight warmth); Overload; Poor ventilation.	A slight warmth is normal. If excessively hot, disconnect immediately. Ensure the adapter is not covered and has adequate airflow. Verify device compatibility and power requirements.
Adapter does not fit device port	Incorrect barrel connector size; Incompatible device model.	Double-check the model number of your QFX speaker. This adapter is specifically designed for QFX PBX-1201 and PBX-1215. If it does not fit, it may not be the correct adapter for your device.

7. SPECIFICATIONS

Feature	Detail
Brand	UPBRIGHT
Model Number	QFX PBX-1201 Power Supply (Compatible with PBX-1215)
Input Voltage	100-240VAC, 50/60Hz (World Wide Input)
Output Voltage	9V DC
Output Current	1.5A - 2A (1500mA - 2000mA)
Connector Type	Barrel Connector
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Certifications	CE, CCC, ROHS compliant
Compatible Devices	QFX PBX-1201, PBX-1215 Rechargeable Battery-Powered Party PA Speakers
Included Components	1 x AC Adapter (some packages may include 2)

8. WARRANTY INFORMATION

UPBRIGHT products are covered by a warranty to ensure customer satisfaction:

- **Refund Period:** 30 days from the date of purchase.
- **Exchange Period:** 24 months from the date of purchase.

Please retain your proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use. It does not cover damage caused by misuse, accidents, unauthorized modifications, or improper installation.

9. CUSTOMER SUPPORT

For any questions, technical assistance, or warranty claims, please contact UPBRIGHT customer support through the retailer where the product was purchased or refer to the official UPBRIGHT website for contact information.

When contacting support, please have your product model number and purchase details ready.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B01G59D970>

More documents and user manuals: <https://manuals.plus/>