

Manuals.plus /

› Delta /

› Delta Faucet Single-Spray Touch-Clean Rain Shower Head User Manual

Delta 52841

Delta Faucet Single-Spray Touch-Clean Rain Shower Head

Model: 52841

Brand: Delta

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Delta Faucet Single-Spray Touch-Clean Rain Shower Head. Designed for ease of use and durability, this shower head offers a drenching rainfall experience and features Touch-Clean spray holes for simple maintenance.

Please read this manual thoroughly before installation and use to ensure proper function and to maximize the lifespan of your product. Keep this manual for future reference.



Figure 1.1: Delta Faucet Single-Spray Touch-Clean Rain Shower Head (Chrome finish, bottom view).

2. SETUP AND INSTALLATION

2.1 Before You Begin

- Ensure you have all necessary components: Raincan Single-Setting Shower Head (included).
- Recommended additional items (not included): Shower arm (Delta RP46870) and flange (Delta RP51034).

- Materials needed: Plumber's tape (Teflon tape).
- Turn off the main water supply to your shower area before beginning installation.

2.2 Installation Steps

1. **Remove Old Shower Head:** Unscrew your existing shower head from the shower arm. Use a wrench if necessary.
2. **Clean Shower Arm Threads:** Clean any old plumber's tape or debris from the threads of the shower arm.
3. **Apply Plumber's Tape:** Wrap plumber's tape clockwise around the threads of the shower arm 3-4 times. This helps create a watertight seal.
4. **Attach New Shower Head:** Screw the Delta Rain Shower Head onto the taped threads of the shower arm. Hand-tighten firmly. Do not overtighten, as this can damage the threads or the shower head.
5. **Adjust Angle (if applicable):** If your shower arm allows, adjust the angle of the shower head for optimal water coverage.
6. **Restore Water Supply:** Turn the main water supply back on and check for leaks. If leaks occur, tighten slightly or reapply plumber's tape.

Installation typically takes less than 20 minutes and requires no special tools beyond basic household items.



Figure 2.1: Installed Delta Rain Shower Head (Chrome finish).

RAINCAN SHOWER HEAD



Figure 2.2: Shower Head Dimensions (8" width x 2.5" depth).

3. OPERATING INSTRUCTIONS

The Delta Single-Spray Touch-Clean Rain Shower Head is designed for straightforward operation, providing a consistent and luxurious drenching rainfall experience.

3.1 Water Flow

- This shower head provides a single, wide rain spray setting.
- To activate the water flow, turn on your shower's hot and cold water handles as you normally would.
- The shower head is WaterSense labeled, meaning it uses 20% less water (1.75 Gallons Per Minute) while still delivering a satisfying shower experience.




Figure 3.1: Soft Rain Spray from the Shower Head.

3.2 Product Video

Your browser does not support the video tag.

Video 3.1: Official product video demonstrating the Delta 52841 Raincan Single-Setting Touch-Clean Shower Head, highlighting its features and ease of use.

4. MAINTENANCE

4.1 Touch-Clean Spray Holes

The Delta Rain Shower Head features soft rubber Touch-Clean spray holes, designed to make cleaning mineral residue quick and easy. This innovation prevents unsightly mineral build-up over time.

- To clean, simply wipe away any calcium and lime build-up from the rubber spray holes with your finger or a soft cloth.

- No need for soaking, scrubbing, or harsh chemical cleaners.
- Regularly wiping the spray holes will maintain optimal water flow and spray performance.



Figure 4.1: Cleaning the Touch-Clean Spray Holes.

4.2 General Cleaning

- Clean the exterior of the shower head with a soft, damp cloth.
- Avoid using abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish.
- For stubborn spots, use a mild soap and water solution, then rinse thoroughly and dry with a soft cloth.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Pressure	Mineral buildup in spray holes. Water restrictor partially blocked. Low household water pressure.	Wipe Touch-Clean spray holes to remove mineral buildup. Check for debris in the shower head inlet. Consult a plumber if household water pressure is consistently low.
Leaking at Connection Point	Insufficient plumber's tape. Loose connection. Damaged threads on shower arm or shower head.	Turn off water, unscrew shower head, reapply plumber's tape (3-4 wraps clockwise), and re-tighten. Ensure connection is hand-tightened firmly. Inspect threads for damage; replace shower arm or shower head if necessary.
Uneven Spray Pattern	Mineral buildup in specific spray holes.	Wipe all Touch-Clean spray holes thoroughly to clear blockages.

6. SPECIFICATIONS

Brand	Delta
Model Number	52841
Style	Transitional
Shape	Square
Material	Stainless Steel
Finish Type	Chrome
Color	Chrome
Setting Type	Rain
Installation Type	Wall Mounted
Flow Rate	1.75 Gallons Per Minute (GPM)
Water Consumption	1.75 Gallons Per Minute
Product Dimensions	8" (Width) x 2.5" (Depth)
Item Weight	1.72 pounds
Special Features	Touch-Clean spray holes, WaterSense labeled
Certification	WaterSense
Country of Origin	China

7. WARRANTY AND SUPPORT

7.1 Lifetime Limited Warranty

The Delta Faucet Single-Spray Touch-Clean Rain Shower Head is backed by Delta Faucet's Lifetime Limited Warranty. This warranty covers defects in material and manufacturing for as long as the original consumer purchaser owns the home in which the product was first installed.

For full details regarding the warranty coverage, exclusions, and how to make a claim, please refer to the official Delta Faucet warranty documentation or visit the Delta Faucet website.

You can install this product with confidence, knowing it is supported by a robust warranty.

7.2 Customer Support

For technical assistance, replacement parts, or any questions regarding your Delta product, please contact Delta Faucet customer support:

- **Website:** www.deltafaucet.com
- **Phone:** Refer to the Delta Faucet website for regional contact numbers.

When contacting support, please have your product model number (52841) and purchase information readily available.