

Manuals.plus /

- › GIVI /
- › GIVI Trekker Rack Anodized Aluminum Plate (Black) Instruction Manual

## GIVI Trekker Rack Plate (B01GETHDTG)

# GIVI Trekker Rack Anodized Aluminum Plate (Black)

Model: Trekker Rack Plate (B01GETHDTG)

## INTRODUCTION

The GIVI Trekker Rack Anodized Aluminum Plate is engineered to offer a robust and stable mounting platform for GIVI Monokey top cases on motorcycles. Crafted from high-quality anodized aluminum, this rack ensures durability and a long service life. This manual provides comprehensive instructions for the correct installation, safe usage, and proper maintenance of your new GIVI Trekker Rack.

## SAFETY INFORMATION

- Always ensure all fasteners are securely tightened before operating the motorcycle.
- Regularly inspect the rack for any indications of wear, damage, or loose components.
- Do not exceed the maximum weight limit of **6 kg (13.2 lbs)** as specified for this product. Overloading can compromise motorcycle stability and rider safety.
- If you are uncertain about any installation steps or procedures, it is recommended to consult a qualified motorcycle mechanic.
- Ensure the top case is properly locked onto the plate before every ride.

## PACKAGE CONTENTS

Verify that all components are present in the package:

- 1x GIVI Trekker Rack Anodized Aluminum Plate (Black)
- *Note: Specific mounting hardware (screws, washers, spacers) is typically included with a motorcycle-specific fitting kit, sold separately.*

## SETUP AND INSTALLATION

The GIVI Trekker Rack plate is designed for installation on a compatible motorcycle rear rack. It requires specific mounting kits (sold separately) that vary depending on your motorcycle model. Always refer to the specific mounting kit instructions for your motorcycle for detailed, model-specific steps.

### General Installation Steps:

1. **Identify Mounting Points:** Locate the designated mounting points on your motorcycle's existing rear rack or luggage carrier.
2. **Position the Plate:** Carefully place the GIVI Trekker Rack plate onto the identified mounting points, ensuring proper alignment.
3. **Secure the Plate:** Using the hardware provided with your motorcycle-specific fitting kit (e.g., screws, washers, nuts), attach the plate firmly to the motorcycle rack. Do not overtighten initially.
4. **Adjust and Tighten:** Ensure the plate is level and centered. Gradually tighten all fasteners evenly until the plate is securely attached without any movement.
5. **Final Check:** Double-check all bolts and nuts for tightness. Gently attempt to move the plate to confirm it is rigidly mounted.



Image: The GIVI Trekker Rack Anodized Aluminum Plate securely mounted on the rear rack of a motorcycle, ready for a top case.



Image: A detailed view of the GIVI Trekker Rack Anodized Aluminum Plate, highlighting its robust construction and integrated Monokey locking mechanism.

## OPERATING INSTRUCTIONS

---

The GIVI Trekker Rack is specifically designed for use with GIVI Monokey top cases.

### Attaching a GIVI Monokey Top Case:

1. Ensure the top case's locking mechanism is in the open position.
2. Align the front hooks of the top case with the corresponding slots on the front edge of the Trekker Rack plate.
3. Lower the rear of the top case onto the plate, pressing down firmly until you hear an audible "click." This indicates the case is securely locked onto the plate.
4. Verify the top case is firmly attached by gently attempting to lift it.

### Detaching a GIVI Monokey Top Case:

1. Insert the key into the top case's lock and turn it to the unlock position.
2. While the key is turned, press the release button (usually located near the lock).
3. Lift the top case upwards and away from the plate.

**Important:** Always ensure the top case is securely locked before riding. Distribute weight evenly within the top case and adhere to the maximum load capacity of 6 kg to maintain motorcycle stability.

## MAINTENANCE

---

- **Cleaning:** Regularly clean the aluminum plate with a mild detergent and water. Avoid using abrasive cleaners, solvents, or harsh chemicals, as these can damage the anodized finish. Rinse thoroughly and dry with a soft cloth.
- **Inspection:** Periodically inspect the plate and all mounting hardware (bolts, washers, nuts) for any signs of corrosion, cracks, deformation, or loose fasteners.
- **Tightening:** Tighten any loose screws or bolts as necessary. Refer to your motorcycle's specific fitting kit instructions for recommended torque values if available.
- **Locking Mechanism:** If the top case locking mechanism becomes stiff or difficult to operate, apply a small amount of silicone-based lubricant to the moving parts. Avoid oil-based lubricants that can attract dirt.

## TROUBLESHOOTING

- **Problem: The plate feels loose or wobbly after installation.**  
**Solution:** Check all mounting bolts and ensure they are tightened to the manufacturer's specifications. Verify that the correct motorcycle-specific mounting kit was used and installed correctly. Re-tighten all fasteners evenly.
- **Problem: The top case does not attach or detach smoothly.**  
**Solution:** Ensure the locking mechanism on both the plate and the top case is clean and free of debris. Apply a small amount of silicone lubricant to the mechanism if it is stiff. Check for any physical obstructions or damage to the plate's hooks or the top case's base.
- **Problem: Excessive vibration or noise from the rack.**  
**Solution:** Ensure all mounting points are secure and tightened. Check for any missing rubber dampers or spacers that might be part of your specific fitting kit. Ensure the top case is not overloaded.

## SPECIFICATIONS

<b>Brand</b>	GIVI
<b>Model Name</b>	Trekker Rack Plate
<b>ASIN</b>	B01GETHDTG
<b>Material</b>	Aluminum
<b>Color</b>	Black
<b>External Finish</b>	Anodized
<b>Item Dimensions (LxWxH)</b>	35 x 35 x 35 cm
<b>Vehicle Service Type</b>	Motorcycle
<b>Weight Limit</b>	6 Kilograms
<b>Installation Type</b>	Vehicle Specific
<b>GTIN</b>	08019606201805

## WARRANTY INFORMATION

---

This GIVI Trekker Rack Anodized Aluminum Plate comes with a manufacturer's warranty of **2 years** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for any warranty claims. The warranty does not cover damage resulting from improper installation, misuse, accidents, or unauthorized modifications.

## **SUPPORT AND CONTACT**

---

For further assistance, technical support, or to inquire about compatible motorcycle-specific mounting kits, please visit the official GIVI website or contact your authorized GIVI dealer. When contacting support, please provide your product model (Trekker Rack Plate) and ASIN (B01GETHDTG) to ensure efficient service.

**GIVI Official Website:** [www.givi.it](http://www.givi.it)