

Perlick TSD30

Perlick TSD30 Underbar Embossed Top Drainboard User Manual

Model: TSD30

INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Perlick TSD30 Underbar Embossed Top Drainboard. Designed for commercial food service environments, this unit offers a durable and efficient solution for draining and drying glassware and other items. Please read these instructions thoroughly before using the product to ensure safe and optimal performance.

SAFETY INFORMATION

Always adhere to the following safety guidelines to prevent injury or damage to the unit:

- Ensure the drainboard is placed on a stable, level surface to prevent tipping.
- Do not overload the drainboard with excessive weight.
- Keep the drain area clear to ensure proper water flow and prevent blockages.
- Use caution when handling the unit to avoid sharp edges or corners.
- Regularly inspect the unit for any signs of damage or wear.
- This unit is intended for commercial use and should be operated by trained personnel.

UNPACKING AND INSPECTION

Upon receiving your Perlick TSD30 drainboard, carefully unpack the unit and inspect it for any shipping damage. If damage is found, immediately contact the carrier and your supplier. Retain all packaging materials for inspection by the carrier.

- Remove all protective packaging, including plastic films and cardboard.
- Verify that all components are present as described in the packing list.
- Check for dents, scratches, or bent parts on the stainless steel construction.

SETUP AND INSTALLATION

The Perlick TSD30 drainboard is designed for straightforward installation. Follow these steps for proper setup:

1. **Positioning:** Place the drainboard in its intended underbar location. Ensure there is adequate space for the unit's dimensions of 30 inches wide, 24 inches deep, and 6 inches high (including the backsplash).
2. **Leveling:** The unit is equipped with stainless steel legs and adjustable thermoplastic feet. Use a level to ensure the drainboard is perfectly level. Adjust the feet by turning them clockwise or counter-clockwise until the unit is stable and level. Proper leveling is crucial for effective drainage.
3. **Drain Connection:** The drainboard features an embossed top and a pop-up drain. Connect the drain outlet to an appropriate plumbing system. Ensure all connections are secure and watertight to prevent leaks.
4. **Backsplash and Rear Deck:** The integrated 6-inch high backsplash and 6-inch rear deck provide protection against splashes and offer additional utility space. Ensure these features are positioned correctly against a wall or other bar equipment.



TSD30 Shown For Reference Only

Image 1: The Perlick TSD30 Underbar Embossed Top Drainboard, showcasing its stainless steel construction, embossed top, and integrated backsplash. This image illustrates the overall design and features of the unit.

OPERATION

The Perlick TSD30 drainboard is designed for simple and efficient operation:

- Place wet items, such as washed glassware or bar tools, directly onto the embossed top surface.
- The embossed design facilitates water runoff towards the integrated pop-up drain.
- Ensure the drain is clear of debris to allow for continuous and efficient drainage.
- The 6-inch backsplash helps contain splashes, keeping the surrounding area dry.

MAINTENANCE AND CLEANING

Regular cleaning and maintenance will extend the life and maintain the appearance of your Perlick TSD30 drainboard. The unit is constructed from durable stainless steel, which is easy to clean.

- **Daily Cleaning:** Wipe the entire surface with a dry cloth after each use to prevent water spots and mineral buildup. For more thorough cleaning, use a mild soap or stainless steel cleaner with a soft cloth.
- **Stubborn Stains:** For stubborn stains or grease, use a non-abrasive stainless steel cleaner. Always wipe in the direction of the grain to avoid scratching the brushed finish.
- **Drain Maintenance:** Periodically check the pop-up drain for any accumulated debris and clear it to ensure proper drainage.
- **Avoid:** Do not use abrasive cleaners, steel wool, or harsh chemicals (e.g., bleach) as these can damage the stainless steel finish.

TROUBLESHOOTING

This section addresses common issues you might encounter with your drainboard.

Problem	Possible Cause	Solution
Water pooling on surface	Unit is not level; drain is clogged.	Adjust adjustable feet to level the unit. Clear any debris from the pop-up drain.
Unit is unstable or wobbly	Feet are not properly adjusted or surface is uneven.	Ensure all four adjustable feet are firmly on the ground and adjusted to eliminate wobble.
Slow drainage	Partial drain blockage.	Remove and clean the pop-up drain mechanism. Flush the drain pipe if accessible.

SPECIFICATIONS

Detailed specifications for the Perlick TSD30 Underbar Embossed Top Drainboard:

Model: TSD30

Brand: Perlick

Material: Stainless Steel

Product Dimensions (D x W x H): 24"D x 30"W x 6"H

Finish Type: Brushed

Drain Type: Pop-Up

Backsplash Height: 6"

Rear Deck: 6"

Legs: Stainless steel with adjustable thermoplastic feet

Certification: NSF

Product Care Instructions: Wipe with Dry Cloth

WARRANTY AND SUPPORT

For specific warranty information regarding your Perlick TSD30 Underbar Embossed Top Drainboard, please refer to the documentation provided at the time of purchase or visit the official Perlick website. For technical support, replacement parts, or service inquiries, please contact Perlick customer service directly. Ensure you have your model number (TSD30) and purchase date available when contacting support.

Perlick Official Website: www.perlick.com