

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Thule](#) /

› [Thule AeroBlade Edge Flush Mount Rack \(1 Bar\) Black Small User Manual](#)

Thule 7601B

Thule AeroBlade Edge Flush Mount Rack User Manual

Model: 7601B

Brand: Thule

INTRODUCTION

Welcome to the user manual for your Thule AeroBlade Edge Flush Mount Rack. This manual provides essential information for the safe and effective installation, operation, and maintenance of your new roof rack system.

The Thule AeroBlade Edge is designed for vehicles with integrated fix points or flush mount rails, offering a sleek, low-profile, and aerodynamic solution for carrying gear.

SAFETY INFORMATION

Read all instructions carefully before installation and use. Failure to follow these instructions can result in property damage, serious injury, or death.

- Ensure all components are securely fastened before driving.
- Do not exceed the maximum load capacity of 165 pounds (75 kg) for the rack system or your vehicle's roof capacity, whichever is lower.
- Regularly check all mounting hardware for tightness, especially after the first few miles of driving and periodically thereafter.
- Be aware of increased vehicle height and width when the rack is installed, especially when entering garages or low-clearance areas.
- For vehicles with sunroofs: Due to the low fit of the rack, it may not be possible to open the sunroof when the racks are installed. Always check clearance before opening your sunroof.
- Always distribute load evenly and secure it properly to prevent shifting during transit.

COMPONENTS

Your Thule AeroBlade Edge Flush Mount Rack (Small, Black) includes the following main components:

- One (1) Thule AeroBlade Edge Load Bar/Tower Set (Model 7601B)
- Integrated foot system
- Necessary installation tools

Note: A vehicle-specific fit kit and Thule One-Key locks are sold separately and are required for complete installation and security.



Figure 1: Thule AeroBlade Edge Flush Mount Rack (1 Bar) Black Small.

SETUP AND INSTALLATION

The Thule AeroBlade Edge system is pre-assembled for quick installation. However, a vehicle-specific fit kit is essential for proper mounting. Refer to the Thule Buyer's Guide for the correct fit kit for your vehicle.

Pre-Installation Checklist

- Verify you have the correct Thule AeroBlade Edge bar size (Small for this model).
- Ensure you have the appropriate vehicle-specific Thule Fit Kit.
- Gather all tools provided with the rack and fit kit.
- Clean the vehicle's roof and mounting points thoroughly.

Installation Steps

1. **Identify Mounting Points:** Locate the integrated fix points or flush mount rails on your vehicle's roof. These are typically marked or have pre-drilled holes.
2. **Attach Fit Kit Components:** Follow the specific instructions provided with your Thule Fit Kit to attach the vehicle-specific components (e.g., pads, clamps, brackets) to the rack feet and your vehicle.
3. **Position the Bar:** Carefully place the pre-assembled AeroBlade Edge bar onto the designated mounting points on your vehicle's roof. Ensure the bar is oriented correctly (Thule logo facing forward).
4. **Secure the Bar:** Using the provided tools, tighten the mounting bolts according to the torque specifications in your fit kit instructions. Ensure the bar is firmly secured and does not move.
5. **Install T-Track Accessories (Optional):** The upper T-track allows for fast installation and removal of Thule accessories. Slide compatible accessories into the T-track. Note that some accessories may require cutting the rubber strip within the T-track for proper fitment.
6. **Install Thule One-Key Locks (Optional):** For added security, install Thule One-Key locks (sold separately) into the integrated lock cylinders on the rack feet.

7. **Final Check:** Double-check all connections and fasteners to ensure they are tight and secure. Gently pull on the installed rack to confirm stability.



Figure 2: Top view of the AeroBlade Edge bar, highlighting the T-track for accessory attachment.

OPERATING INSTRUCTIONS

Once installed, your Thule AeroBlade Edge rack is ready to transport your gear.

Loading and Securing Gear

- **Load Distribution:** Always distribute the weight of your cargo as evenly as possible across the load bar.
- **Secure Cargo:** Use appropriate tie-downs, straps, or Thule accessories (e.g., bike carriers, ski carriers, cargo boxes) to securely fasten your load to the rack. Ensure there is no movement of the cargo during transit.
- **Check Clearance:** Before driving, verify that your loaded cargo does not obstruct your view or interfere with any vehicle functions (e.g., trunk opening, antenna).

Aerodynamics and Noise

- The AeroBlade Edge features WindDiffuser technology and a TrailEdge design to minimize noise and drag, contributing to improved fuel economy.
- While designed for quiet operation, some minor wind noise may be noticeable, especially at higher speeds or in certain weather conditions.



Figure 3: Side profile of the AeroBlade Edge bar, showcasing its aerodynamic design.

MAINTENANCE

Regular maintenance will ensure the longevity and safe operation of your Thule AeroBlade Edge rack.

- **Regular Inspection:** Periodically inspect all components for signs of wear, damage, or corrosion. Pay close attention to the mounting points, bolts, and the integrity of the bar itself.
- **Tightness Check:** Re-check the tightness of all mounting bolts and fasteners regularly, especially after long trips or driving on rough roads.
- **Cleaning:** Clean the rack with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Storage:** If removing the rack for extended periods, store it in a clean, dry place away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

This section addresses common issues you might encounter.

Wind Noise

- **Issue:** Excessive wind noise or whistling.
- **Solution:** Ensure all rubber strips in the T-track are properly seated and not missing. Verify that the bar is installed correctly and all end caps are securely in place. Check for any loose accessories.

Rack Movement

- **Issue:** The rack feels loose or moves after installation.
- **Solution:** Immediately re-tighten all mounting bolts according to the fit kit instructions. If movement persists, re-read the installation steps carefully and ensure the correct fit kit is being used for your specific vehicle.

Sunroof Interference

- **Issue:** Sunroof cannot open fully with the rack installed.
- **Solution:** This is a known characteristic due to the low-profile design. Always check clearance before opening your sunroof. If full sunroof operation is critical, consider alternative Thule rack systems.

SPECIFICATIONS

Feature	Detail
Model Name	Thule AeroBlade Edge Flush Mount Rack (1 Bar)
Model Number	7601B
Color	Black
Size	Small
Load Capacity	165 Pounds (75 kg)
Mounting Type	Rack (Flush Mount / Integrated Fix Points)
Dimensions (L x W x H)	Approx. 48 x 6 x 4 inches (122 x 15 x 10 cm)
Included Components	Load Bar/Tower Set

WARRANTY INFORMATION

Thule products are manufactured with high-quality materials and are tested for quality. Thule offers a Limited Warranty on this product. For detailed information regarding the terms and conditions of your warranty, please refer to the official Thule website or the warranty documentation included with your purchase.

SUPPORT






For further assistance, technical support, or to purchase additional accessories and fit kits, please visit the official Thule website or contact Thule customer service.


Official Thule Website: www.thule.com

User Guide (PDF): [Download PDF User Guide](#)

Thule Store on Amazon: [Visit the Thule Store](#)

Related Documents - 7601B

	<p>Thule AeroBlade Edge Flush Roof Rack Installation Instructions (7601, 7602, 7603) Comprehensive installation guide for Thule AeroBlade Edge Flush roof rack systems, models 7601, 7602, and 7603. Includes safety guidelines, product specifications, and step-by-step assembly instructions.</p>
	<p>Thule Product Guide - Van & Minivan Accessories 2020 Explore Thule's 2020 Product Guide for van and minivan accessories, featuring innovative roof rack systems, versatile awnings, smart storage solutions, and specialized carriers for bikes, water sports, and winter sports gear. Discover high-quality, secure, and easy-to-use products designed to enhance your active outdoor lifestyle and simplify bringing all your essential gear.</p>
	<p>Thule Rapid Podium Foot Pack 460R Installation and Guidelines Official installation instructions, parts list, warnings, and guidelines for the Thule Rapid Podium Foot Pack 460R. Learn how to safely attach and use this roof rack system.</p>
	<p>Thule EasyFold XT 2 Tow Bar Bike Carrier - Installation and User Manual Comprehensive instructions for installing and using the Thule EasyFold XT 2 tow bar mounted bike carrier. Includes safety information, weight limits, and accessory compatibility.</p>
	<p>Thule Verse Bike Rack Installation and User Manual Comprehensive instructions for installing and using the Thule Verse 2-Bike 2" and 2-Bike 1.25" bike racks. Includes safety information, load capacity details, and step-by-step assembly guides.</p>
	<p>Thule SmartRack Installation Guide and Instructions Detailed instructions for installing the Thule SmartRack roof mounted load carrier (models 730402, 730404, 730422, 730424). This guide covers safe mounting, part identification, and the Thule One-Key System for your vehicle.</p>




[pdf] User Manual Instructions

7601 7601B 7602 7602B 7603 7603B 7604 7604B Instructions static tgdp voyage pour vous assurer qu'il est bien attaché Vérifiez les lois locales ou provinciales sur le dépassement d'objets côtés un véhicule Soyez conscient de la largeur et hauteur votre chargement passer sous branches basses ponts plafonds stationnement couverts manual do KIT e execute os pasos específicos automovel antes continuar com esta instrução Thule XT Kit xxxx Aeroblade Edge 760x v07 size 987556 cdn1 assetloader axd pimid 7603A id 363846 brand market US att 1 austinkayak on demandware Sites Products Master ACK default dw04ba34f6 assets 7602A 80 7604A

A Thule AeroBlade Edge Flush/Fixed 7601, **7601B**, 7602, 7602B, 7603, 7603B, 7604, 7604B Instructions Load carrier Complies with ISO norm C.20160119 501-7818-07 ISO 11154-E www.thule.com 7601/B 2,3kg 5,lbs 7602/B 2,4kg 5,3lbs 7603/B 2,5kg 5,5lbs 7604/B 2,6kg 5,7lbs Max load 75 kg 165 lbs Not ok ...

lang:es score:29 filesize: 964.41 K page_count: 16 document date: 2016-01-19



[pdf] User Manual Owner's Manual Instructions

0947601 Thule 7601 AeroBlade Edge Flush Mount 1 CRUTCHFIELD COM HNEWBERRY owner's manual aluminum Single flush mount roof rack bar — requires Fit Kit to attach your vehicle at Crutchfield crutchfieldonline ImageBank v20191021164400 Manuals 094 |||

A Thule AeroBlade Edge Flush/Fixed 7601, **7601B**, 7602, 7602B, 7603, 7603B, 7604, 7604B Instructions Load carrier Complies with ISO norm C.20160119 501-7818-07 ISO 11154-E www.thule.com 7601/B 2,3kg 5,lbs 7602/B 2,4kg 5,3lbs 7603/B 2,5kg 5,5lbs 7604/B 2,6kg 5,7lbs Max load 75 kg 165 lbs Not ok ...

lang:es score:28 filesize: 2.24 M page_count: 18 document date: 2019-10-21

AeroBlade Edge Technical Specifications										
Part #	Description	AeroBlade Edge			AeroBlade Max Load Capacity			XT Load Capacity		
		Width	Length	Weight	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity
7601	Round Kit Single	107	203	0.75	225	270	270	30	30	30
7601B	Round Kit Double	107	203	0.75	225	270	270	30	30	30
7602	Round Kit Single	96	202	0.75	174	24	254	35.25	30.00	43.25
7602B	Round Kit Double	96	202	0.75	174	24	254	35.25	30.00	43.25
7603	Round Kit Single	96	202	0.75	174	24	254	35.25	30.00	43.25
7603B	Round Kit Double	96	202	0.75	174	24	254	35.25	30.00	43.25
7604	Round Kit Single	107	203	0.75	225	270	270	30	30	30
7604B	Round Kit Double	107	203	0.75	225	270	270	30	30	30

AeroBlade Edge Fixed & Flush										
Part #	Description	AeroBlade Edge			AeroBlade Max Load Capacity			XT Load Capacity		
		Width	Length	Weight	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity	Max. Load Capacity
7601	Round Kit Single	107	203	0.75	225	270	270	30	30	30
7601B	Round Kit Double	107	203	0.75	225	270	270	30	30	30
7602	Round Kit Single	96	202	0.75	174	24	254	35.25	30.00	43.25
7602B	Round Kit Double	96	202	0.75	174	24	254	35.25	30.00	43.25
7603	Round Kit Single	96	202	0.75	174	24	254	35.25	30.00	43.25
7603B	Round Kit Double	96	202	0.75	174	24	254	35.25	30.00	43.25
7604	Round Kit Single	107	203	0.75	225	270	270	30	30	30
7604B	Round Kit Double	107	203	0.75	225	270	270	30	30	30

[pdf] Specifications

Thule AeroBlade Edge Tech Specs size 1082605 cdn1 static tgdp assetloader axd pimid 7501B id 460435 brand market US att 1 7503 7503B 7504A 7504B 7601B 7602A 7603A 7603B 7604A 7604B

...

lang:es score:11 filesize: 1.03 M page_count: 1 document date: 2014-11-18