

Miele Miele GN

Miele GN HyClean 3D Efficiency Dustbags Instruction Manual

Model: Miele GN

1. INTRODUCTION

This manual provides essential instructions for the proper use, installation, and maintenance of Miele GN HyClean 3D Efficiency Dustbags. These dustbags are designed to ensure optimal performance and filtration for compatible Miele vacuum cleaners. Please read this manual thoroughly before use to ensure safe and effective operation.

The Miele HyClean 3D Efficiency Dustbags are engineered with a multi-layered microfiber material, offering over 99.9% filtration of fine dust particles. The innovative 3D design allows for maximum dust retention and a longer lifespan, even when the bag is nearly full.

HyClean

3D Efficiency


GN



>99,9%
FILTRATION



ORIGINAL
Miele

4x  + 2 Filter

Miele

Image 1.1: Front view of the Miele GN HyClean 3D Efficiency Dustbags package, showing the dustbag and filtration claims.

2. COMPATIBILITY

Miele GN HyClean 3D Efficiency Dustbags are compatible with a range of Miele canister vacuum cleaners. To ensure proper fit and performance, verify your vacuum cleaner model against the list below.

HyClean

3D Efficiency

GN

Complete C3
Complete C2
Classic C1
S8000 - S8999 S8
S5000 - S5999 S5
S2000 - S2999 S2
S800 - S858
S600 - S658

Original Miele

Qualität ohne Kompromisse – das Miele Original für
maximale Leistung

Uncompromising quality – Miele Original for maximum
performance

Calidad por encima de todo – máxima potencia con la
bolsa original de Miele

La qualité sans compromis – Original Miele, pour des
performances optimales




4 002515 488492

Made in Germany
Fabriqué en Allemagne
Miele & Cie. KG
Carl-Miele-Str. 29
33529 Gütersloh
Deutschland



ORIGINAL
Miele

4x  + 2 Filter

Miele

>99,9%
FILTRATION



Image 2.1: Side view of the Miele GN HyClean 3D Efficiency Dustbags package, displaying compatible vacuum cleaner models.

Compatible Miele Vacuum Cleaner Series:

- Complete C3
- Complete C2
- Classic C1
- S8000 - S8999 (S8 series)
- S5000 - S5999 (S5 series)
- S2000 - S2999 (S2 series)
- S800 - S858
- S600 - S658

Using non-genuine Miele dustbags may compromise filtration efficiency, vacuum performance, and potentially void your vacuum cleaner's warranty.

3. SETUP AND INSTALLATION

Follow these steps to correctly install a new Miele GN HyClean 3D Efficiency Dustbag into your compatible Miele vacuum cleaner.

1. **Open the Vacuum Cleaner Compartment:** Ensure the vacuum cleaner is unplugged from the power outlet. Locate and open the dustbag compartment cover. This is typically done by pressing a release button or latch.
2. **Remove the Old Dustbag (if applicable):** If an old dustbag is present, carefully pull it out. The HyClean dustbags feature an automatic hygiene shutter that closes upon removal, preventing dust from escaping. Dispose of the full dustbag responsibly.
3. **Insert the New Dustbag:** Take a new Miele GN HyClean 3D Efficiency Dustbag from its packaging. Hold the dustbag by the collar and slide it into the dustbag holder until it clicks securely into place. Ensure the dustbag is fully unfolded within the compartment.
4. **Install Filters:** The package includes two filters: a motor protection filter and an AirClean exhaust filter.
 - **Motor Protection Filter:** This filter protects the motor from fine dust. Replace it every time you replace a dustbag. It is usually located in a frame directly in front of the motor.
 - **AirClean Exhaust Filter:** This filter purifies the air expelled from the vacuum. Replace this filter after every 4-5 dustbag changes, or approximately once a year, depending on usage. Refer to your vacuum cleaner's specific manual for its exact location and replacement procedure.
5. **Close the Compartment:** Close the dustbag compartment cover firmly until it latches. The vacuum cleaner will not operate if the cover is not properly closed.

HyClean

3D Efficiency

de Das Original Miele AirClean-System mit mehr als 99,9% Filtrationsgrad: ① HyClean 3D Efficiency Staubsaugerbeutel, besonders reißfest und mit automatischem Beutelverschluss. ② Motorschutzfilter zum Erhalt der gewohnten Miele Qualität Ihres Staubsaugers. ③ AirClean-Filter für saubere Raumluft.

en The Original Miele AirClean-System with more than 99,9% filtration: ① HyClean 3D Efficiency vacuum cleaner bags, extremely strong, with automatic hygiene shutter. ② Dust compartment filter to maintain the high quality you expect from your Miele vacuum cleaner. ③ AirClean filter for cleaner room air.

es El Sistema AirClean Original de Miele con más de 99,9% de grado de filtración: ① HyClean 3D Efficiency Bolsa recogepolvo, especialmente resistente y con cierre de bolsa automático. ② Filtro del motor para el mantenimiento de la Calidad Miele que espera de su aspirador. ③ AirClean-Filter para temperatura ambiente limpia.


fr Le système Original Miele AirClean avec un niveau de filtration qui dépasse les 99,9% : ① Un sac à poussière HyClean 3D Efficiency, particulièrement résistant et à fermeture automatique. ② Avec son filtre moteur, votre aspirateur vous offre la qualité Miele à laquelle vous tenez. ③ Un air pur grâce au filtre AirClean.

cs Originální Miele AirClean systém s více než 99,9% stupněm filtrace: ① Prachový sáček HyClean 3D Efficiency, odolný proti roztrhnutí, s automatickým uzavřením. ② Motorový filtr ③ Filtr AirClean pro čistý okolní vzduch.

da Det originale Miele AirClean-system med en filtreringsgrad på mere end 99,9%: ① HyClean 3D Efficiency støvsugerpose, særlig stærk og med automatisk hygiejnelukning. ② Motorbeskyttelsesfilter til sikring af den høje kvalitet af din Miele-støvsuger. ③ AirClean-filter for renere luft i rummet.

el Το αυθεντικό σύστημα Miele AirClean που φιλτράρει πάνω από το 99,9% της σκόνης: ① Σακούλα HyClean 3D, εξαιρετικά ανθεκτική με αυτόματο κλείστρο υγιεινής. ② Φίλτρο για την προστασία του موتور για τη διατήρηση της υψηλής ποιότητας που περιμένετε από τη Miele σκούπα σας. ③ Φίλτρο AirClean για καθαρότερο περιβάλλοντα χώρο.

fi Alkuperäinen Miele AirClean-järjestelmä koostuu kolmesta tekijästä ja sen suodatuskyky on yli 99,9%: ① HyClean 3D pölypussi - erittäin kestävä, sulkuläpällä varustettu pölypussi. ② moottorisuojasuodatin suojaa imuria ja pitää yllä sen korkeaa toimintakykyä. ③ AirClean-suodatin pitää poistoilman puhtaana.



hr Originalan Miele AirClean sustav sa stupnjem filtracije više od 99,9%: ① HyClean 3D Efficiency vrećice, posebno otporne i s automatskim zatvaranjem. ② Filtar za zaštitu motora za održavanje poznate Miele kvalitete Vašeg usisavača za prašinu. ③ AirClean filter za čisti zrak u prostoriji.

hu Az eredeti Miele Air Clean szűrőrendszer több, mint 99,9%-os szűrési hatékonysággal: ① HyClean 3D Efficiency porzsák, különösen magas szakítószilárdságú anyagból, automatikus porzárral. ② Motorvédő szűrő a Miele porszívó magas minőségének hosszútávú megőrzéséhez. ③ AirClean-Filter: gondoskodik a lakás tiszta levegőjéről.

it Il sistema AirClean originale con filtraggio superiore al 99,9%: ① sacchetto polvere HyClean 3D Efficiency, particolarmente resistente agli strappi e con chiusura sacchetto automatica. ② filtro motore per mantenere inalterata l'usuale qualità dell'aspirapolvere Miele. ③ filtro AirClean per un'aria ambiente pulita.

ja 99,9%以上を滤過するミーレオリジナルのエアクリンシステム: ① 凄く丈夫で自動的にフタが閉まる衛生的なハイクリーン3Dダストバック ② ミーレ掃除機の性能を維持するためのモーター保護フィルター ③ 室内の空気をよりきれいにするエアクリンフィルター

ko 99,9% 이상의 미세먼지 여과성능을 갖춘 밀레 에어클린시스템 ① 자동위생셔터 내장, 9겹의 튼튼한 하이클린(HyClean) 먼지봉투 ② 진공청소기 모터를 보호하도록 설계된 모터보호필터 ③ 깨끗한 실내공기를 위한 에어클린(AirClean)필터

nl Het Miele Air-clean-systeem met een filterwerking van ruim 99,9% bestaat uit: ① HyClean 3D Efficiency-stofcassette; extreem scheurbestendig en met automatische stofafsluiting. ② Motorfilter voor het behoud van uw Miele-stofzuiger. ③ AirClean-filter voor nog schonere lucht in het vertrek.

no Originalt Miele AirClean-system med mer enn 99,9% filtreringseffekt: ① HyClean 3D Efficiency støvpose, svært slitesterk og med automatisk lukkemekanisme. ② Motorbeskyttelsesfilter for å opprettholde den høye Miele-kvaliteten på støvsugen. ③ AirClean-filter for renere luft i rommet.

pl Oryginalny system filtracji Miele AirClean zapewnia zatrzymanie ponad 99,9% drobinek kurzu: ① Worek HyClean 3D Efficiency: odporny na uszkodzenia, wyposażony w automatyczne zamknięcie. ② Filtr ochronny na silnik: zapewni najwyższą jakość, której spodziewacie się Państwo po odkurzaczu Miele. ③ Filtr wylotowy AirClean: oczyszcza wydychywane powietrze.

pt O sistema original Miele AirClean com mais de 99,9% de filtração: ① Saco para o pó com eficiência HyClean 3D, extremamente forte e com fecho automático. ② Filtro de protecção do motor para manter a habitual qualidade Miele do seu aspirador. ③ Filtro AirClean para ar ambiente limpo.

ru Оригинальная система AirClean Miele со степенью фильтрации более 99,9%: ① Пылесборник HyClean с равномерным распределением пыли по всему объему, особенно прочный, с автоматическим затвором. ② Фильтр защиты двигателя для сохранения высокого качества работы Вашего пылесоса Miele. ③ Фильтр AirClean для чистого воздуха в помещении. Являются изделиями одноразового использования. Обязательной сертификации не подлежат. Произведено для Miele. Производитель: Вольф ПВГ ГмбХ энд Ко. КГ, Веркштрассе 5, 32139 Шленге, Германия. Импортёр: ООО МИЛЕ СНГ, Россия, 125284, Москва, Ленинградский пр-т, д. 31А, стр.1. Тел.: +7 (495) 745-8990. Сделано в Германии.

sk Originálny filtračný systém Miele AirClean s viac než 99,9% filtračným účinkom: ① vrečko na prach Miele HyClean, odolné proti roztrhnutiu a s automatickým uzatvorením. ② motorový filter. ③ vzduchový filter AirClean.

sv Miele's original AirClean-system filtrerar mer än 99,9% damm: ① HyClean 3D Efficiency dammpåse, särskilt slitstark och med automatisk förslutning ② Motorfilter för att bibehålla den höga kvalitet du förväntar dig av din Miele dammsugare ③ AirClean-filter för renare rumsluft.

tr Orjinal Miele AirClean-sisteminin filtre gücü % 99,9 dereceden fazladır: ① HyClean 3D Efficiency toz torbası, özellikle yırtılmaya karşı dayanıklıdır ve torbanın hijyen kapağı otomatik kapanır. ② Motor koruma filtresi elektrik süpürgezinizden beklediğiniz yüksek Miele kalitesinin korunmasını sağlar. ③ AirClean-Filter ile odanızın havası temiz kalır.



Miele

Image 3.1: Back view of the Miele GN HyClean 3D Efficiency Dustbags package, illustrating the dustbag and filter installation process.

4. OPERATING CONSIDERATIONS

Once the dustbag and filters are correctly installed, your Miele vacuum cleaner is ready for operation. Observe the following points for optimal performance:

- **Dustbag Full Indicator:** Most Miele vacuum cleaners are equipped with a dustbag change indicator. When this indicator signals that the dustbag is full, it is recommended to replace it promptly to

maintain suction power and filtration efficiency.

- **Suction Power:** If you notice a decrease in suction power, check the dustbag. Even if the indicator has not yet activated, a partially full bag with very fine dust can sometimes reduce airflow.
- **Filter Maintenance:** Regularly check and replace the motor protection and AirClean filters as instructed in the "Setup and Installation" section. Neglecting filter replacement can lead to reduced performance and potential damage to the vacuum cleaner motor.

5. MAINTENANCE

Proper maintenance of your Miele vacuum cleaner, including timely dustbag and filter replacement, ensures its longevity and consistent performance.

- **Dustbag Replacement:** Replace the dustbag when the dustbag change indicator activates, or when you observe a noticeable reduction in suction power. Do not attempt to empty and reuse the dustbags, as this compromises their filtration capabilities and hygiene.
- **Motor Protection Filter:** Replace this filter with every new dustbag.
- **AirClean Exhaust Filter:** Replace this filter after approximately 4-5 dustbag changes or once a year.
- **Storage:** Store unused dustbags and filters in a cool, dry place, away from direct sunlight and moisture.

6. TROUBLESHOOTING

If you encounter issues with your Miele vacuum cleaner related to dustbag or filter performance, consider the following:

- **Reduced Suction Power:**
 - Check if the dustbag is full and needs replacement.
 - Ensure the motor protection filter is clean and correctly installed.
 - Verify that the AirClean exhaust filter is not clogged and needs replacement.
 - Confirm that the dustbag compartment cover is securely closed.
- **Dust Escaping:**
 - Ensure the dustbag is correctly seated in its holder.
 - Check for any tears or damage to the dustbag. Replace if damaged.
 - Verify that the automatic hygiene shutter on the dustbag collar is functioning correctly.
- **Vacuum Cleaner Not Starting:**
 - Confirm the dustbag compartment cover is fully closed and latched.
 - Ensure the dustbag is properly installed.

For further assistance, refer to your Miele vacuum cleaner's specific operating manual or contact Miele customer support.

7. SPECIFICATIONS

Feature	Detail
Product Name	Miele GN HyClean 3D Efficiency Dustbags



Feature	Detail
Model Number	Miele GN
Filtration Efficiency	>99.9%
Material	Microfiber
Package Contents	4 x HyClean GN Dustbags, 1 x Motor Protection Filter, 1 x AirClean Exhaust Filter
Package Dimensions	3 x 5 x 8 inches (approximate)
Package Weight	8.8 ounces (approximate)

8. WARRANTY AND SUPPORT

For information regarding the warranty of Miele products, please refer to the documentation provided with your Miele vacuum cleaner or visit the official Miele website. Genuine Miele accessories, such as these dustbags, are designed to work seamlessly with Miele appliances and maintain warranty validity. If you require technical support or have questions about Miele products, please contact Miele customer service through their official channels. You can find contact information on the [Miele official website](#).

© 2023 Miele. All rights reserved. Information subject to change without notice.

Related Documents - Miele GN

	<p>Miele S5261 Vacuum Cleaner Parts Diagram</p> <p>Detailed parts diagram for the Miele S5261 vacuum cleaner, illustrating components like the casing, suction hose, and operating unit.</p>
	<p>Miele Heat-Pump Dryer TWH780WP: Operating Instructions and User Guide</p> <p>Comprehensive operating instructions for the Miele TWH780WP heat-pump dryer, covering installation, safe usage, program selection, maintenance, troubleshooting, and technical specifications. Ensure optimal performance and longevity with this essential user guide.</p>

<div><div><div>Miele</div><div></div></div><div><div>Operating and Installation Instructions Commercial Washing Machine PWM 912 PWM 916 PWM 920</div><div><div>Miele North America, Inc. 10000 E. 15th Avenue, Suite 100 Denver, CO 80231, USA</div><div>© 2018 Miele North America, Inc.</div></div></div></div> <div>Miele PWM 912, 916, 920 Commercial Washing Machine: Operating and Installation Guide<p>Comprehensive operating and installation instructions for Miele PWM 912, PWM 916, and PWM 920 commercial washing machines. Covers safety, operation, maintenance, installation, and technical specifications for these electric heating, stainless steel professional appliances.</p></div>	
<div><div><div>Miele</div><div><div>AU, NZ BR CA EXP MX US</div><div>Warranty Termo de Garantia Limited Warranty Garantie limitée Appliance Warranty Póliza de Garantía Limited Warranty</div></div></div><div><div>© 2018 Miele North America, Inc.</div></div></div> <div>Miele Appliance Warranty Information and Terms<p>Comprehensive guide to Miele appliance limited warranties across Australia, New Zealand, Brazil, Canada, Mexico, and the United States, detailing coverage, exclusions, and claim procedures.</p></div>	
<div><div><div>Miele</div><div></div></div><div><div>Gebrauchsanweisung Wärmepumpentrockner</div><div><div>Miele North America, Inc. 10000 E. 15th Avenue, Suite 100 Denver, CO 80231, USA</div><div>© 2018 Miele North America, Inc.</div></div></div></div> <div>Gebrauchsanweisung Miele Wärmepumpentrockner TWC 660 WP<p>Diese Gebrauchsanweisung bietet detaillierte Informationen zur Installation, Bedienung, Wartung und Fehlerbehebung des Miele Wärmepumpentrockners TWC 660 WP.</p></div>	
<div><div><div>Miele</div><div><div>PLW 8693</div><div><div>de en es fr it nl pt</div><div>Instalationsplan Installation plan Plano de instalação Plan de installation Schema d'installazione Plano d'instalação</div></div></div><div><div>© 2018 Miele North America, Inc.</div></div></div><div>Miele PLW 8693 Installationsplan<p>Installationsplan für den Miele PLW 8693 Reinigungs- und Desinfektionsgerät. Enthält Maße, technische Daten, Anschlussinformationen und Installationshinweise für Fachpersonal.</p></div></div>	